

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
019389	Toolox33	35,00	86	250	5,91
020046	Toolox33	90,00	32	181	4,09
020117	Toolox33	35,00	85	280	6,54
020545	Toolox33	60,00	46	121	2,62
020731	Toolox33	60,00	46	287	6,22
020796	Toolox33	43,00	35	287	3,39
021508	Toolox33	35,00	82	255	5,75
021826	Toolox33	60,00	44	179	3,71
022154	Toolox33	104,00	35	467	13,34
022235	Toolox33	104,00	100	163	13,31
022288	Toolox33	35,00	63	285	4,93
022627	Toolox33	104,00	50	795	32,45
022642	Toolox33	35,00	80	341	7,50
022647	Toolox33	104,00	95	246	19,08
022672	Toolox33	104,00	84	324	22,22
022685	Toolox33	105,00	108	115	10,24
022739	Toolox33	60,00	42	187	3,70
022921	Toolox33	104,00	120	125	12,25
022979	Toolox33	50,00	35	425	5,84
023093	Toolox33	104,00	76	714	44,30
023225	Toolox33	40,00	67	255	5,37
023714	Toolox33	40,00	19	232	1,38
023916	Toolox33	104,00	35	264	7,54
023918	Toolox33	104,00	35	397	11,34
11058-10-01	Toolox33	8,00	1 405	1 915	168,97
11685-10-01	Toolox33	8,00	2 060	5 426	701,95
11444-60-01-24-28-30	Toolox33	12,00	280	465	12,27
11444-60-01-24-28-31	Toolox33	12,00	77	397	2,88
11444-60-01-24-28-33	Toolox33	12,00	132	166	2,06
11685-20-01	Toolox33	12,00	1 643	2 942	455,34
11767-40-01-2-8-11	Toolox33	12,00	80	432	3,26
11981-10-01-3	Toolox33	12,00	1 933	2 120	386,03
11981-10-02-5	Toolox33	12,00	1 754	2 120	350,28
11981-10-03	Toolox33	12,00	2 110	2 890	574,42
11981-10-04	Toolox33	12,00	1 765	2 895	481,33
12108-10-01-12-13-16	Toolox33	12,00	200	216	4,07
12108-10-01-12-13-17	Toolox33	12,00	848	915	73,09
12108-10-01-9	Toolox33	12,00	190	212	3,79
12108-20-01	Toolox33	12,00	1 937	2 690	490,83
12108-20-01-4	Toolox33	12,00	32	377	1,14
12108-20-01-5	Toolox33	12,00	32	377	1,14
11354-20-01-22-24	Toolox33	20,00	43	185	1,25
11767-30-01-27	Toolox33	20,00	496	650	50,62

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11981-20-01-4	Toolox33	20,00	52	655	5,35
11981-20-01-8-11	Toolox33	20,00	1 678	1 765	464,98
11981-20-02-14-16-17	Toolox33	20,00	64	193	1,94
11981-20-02-14-17	Toolox33	20,00	52	267	2,18
11981-20-02-16-19-23	Toolox33	20,00	230	260	9,39
11981-20-02-16-20-26	Toolox33	20,00	56	963	8,47
11981-20-02-6	Toolox33	20,00	64	1 002	10,07
12313-10-01-3	Toolox33	20,00	2 110	3 890	1 288,64
10702-20-01-12-17	Toolox33	22,00	50	570	4,92
10702-20-a2-2	Toolox33	22,00	80	259	3,58
10702-20-a2-3	Toolox33	22,00	75	482	6,24
11685-30-01-2	Toolox33	22,00	1 015	1 044	183,00
11685-30-01-2-4	Toolox33	22,00	280	285	13,78
11685-30-01-2-6	Toolox33	22,00	307	676	35,84
11685-30-01-2-8	Toolox33	22,00	425	480	35,23
11685-30-01-3	Toolox33	22,00	1 035	1 858	332,11
11685-30-01-3-5	Toolox33	22,00	250	260	11,23
11794-20-01-4-5-6-9	Toolox33	22,00	245	259	10,96
11794-40-01-3-4-5-6	Toolox33	22,00	81	275	3,85
11794-40-01-4-5	Toolox33	22,00	1 835	2 070	655,99
11794-40-01-4-9	Toolox33	22,00	82	461	6,53
10438-10-01-55-66	Toolox33	25,00	40	200	1,57
10927-10-01-9-10-14-15	Toolox33	25,00	55	95	1,03
11865-10-01-4-5-7-9	Toolox33	25,00	84	257	4,24
11865-10-01-4-5-7-9-11	Toolox33	25,00	83	151	2,46
12438-10-01	Toolox33	25,00	2 065	5 790	2 346,43
12438-10-01-6-8	Toolox33	25,00	245	465	22,36
12438-10-01-9	Toolox33	25,00	255	1 466	73,36
10744-10-01-10-13	Toolox33	30,00	70	152	2,51
10857-40-01	Toolox33	30,00	98	138	3,19
11281-30-01-18-23-24-26-30	Toolox33	30,00	129	217	6,59
11281-30-01-18-23-24-26-31	Toolox33	30,00	70	162	2,67
11281-30-01-18-23-25-26	Toolox33	30,00	75	213	3,76
11865-15-01-18	Toolox33	30,00	125	185	5,45
11865-15-01-2	Toolox33	30,00	95	143	3,20
11865-15-01-20	Toolox33	30,00	124	185	5,40
11981-30-01-3-4-6-9	Toolox33	30,00	129	255	7,75
11981-30-01-3-6-11	Toolox33	30,00	64	187	2,82
11981-30-01-3-6-12	Toolox33	30,00	56	188	2,48
12218-20-01-19-21	Toolox33	30,00	270	815	51,82
12218-20-01-22-26	Toolox33	30,00	359	600	50,73
12218-20-01-25	Toolox33	30,00	730	813	139,77
12218-20-01-26	Toolox33	30,00	166	600	23,46
12218-20-01-27	Toolox33	30,00	151	446	15,86

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12368-10-01	Toolox33	30,00	1 096	1 595	411,68
12368-10-01-11-13	Toolox33	30,00	205	234	11,30
12368-10-01-15	Toolox33	30,00	148	1 137	39,63
12368-10-01-9-11	Toolox33	30,00	82	542	10,47
12438-20-01-5	Toolox33	30,00	1 883	5 790	2 567,56
12438-20-01-6-8	Toolox33	30,00	77	2 875	52,13
12438-20-01-6-9	Toolox33	30,00	105	1 731	42,80
10975-40-01-26-28	Toolox33	35,00	50	128	1,76
10975-40-01-26-29	Toolox33	35,00	50	128	1,76
10975-40-01-26-30	Toolox33	35,00	51	128	1,79
10975-40-01-26-31	Toolox33	35,00	51	128	1,79
11281-40-01-11-13	Toolox33	35,00	85	285	6,66
11281-40-01-3-4-10-11-13	Toolox33	35,00	59	263	4,26
11281-40-01-3-4-12	Toolox33	35,00	116	118	3,76
11281-40-01-3-4-9-18-20	Toolox33	35,00	76	208	4,34
11281-40-01-3-4-9-18-21	Toolox33	35,00	74	205	4,17
11281-40-01-3-4-9-18-22	Toolox33	35,00	74	208	4,23
11281-40-a5	Toolox33	35,00	260	1 372	98,01
11281-40-a5-6	Toolox33	35,00	402	485	53,57
11281-40-a5-9-10	Toolox33	35,00	91	246	6,15
11981-40-01	Toolox33	35,00	2 050	5 375	3 027,40
12108-25-01-3-16	Toolox33	35,00	77	298	6,30
12108-25-01-3-17-20	Toolox33	35,00	325	372	33,22
12108-30-01-3	Toolox33	35,00	1 035	3 918	1 114,15
12108-30-01-3-5	Toolox33	35,00	90	556	13,75
35131	Toolox33	35,00	131	136	4,90
021252	Toolox33	40,00	112	135	4,75
021957	Toolox33	40,00	131	133	5,47
023940	Toolox33	40,00	154	154	7,45
023941	Toolox33	40,00	154	154	7,45
023942	Toolox33	40,00	154	154	7,45
023943	Toolox33	40,00	154	154	7,45
10115-4-7	Toolox33	40,00	56	125	2,20
10505-10-01-42-50	Toolox33	40,00	111	170	5,93
10744-20-01-12	Toolox33	40,00	50	172	2,70
10857-30-01-13	Toolox33	40,00	23	427	3,08
10857-30-01-16	Toolox33	40,00	67	330	6,94
10857-30-01-17-19	Toolox33	40,00	114	179	6,41
10980-10-01-6	Toolox33	40,00	27	875	7,42
11444-40-01-12-14-15	Toolox33	40,00	136	151	6,45
11614-20-a3-1-2	Toolox33	40,00	120	252	9,50
11614-20-a3-1-7-10	Toolox33	40,00	91	107	3,06
11614-20-a3-1-7-16-17	Toolox33	40,00	134	140	5,89
11614-20-a3-1-7-17	Toolox33	40,00	434	485	66,09

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11614-20-a3-1-7-9	Toolox33	40,00	90	108	3,05
11614-20-a3-2	Toolox33	40,00	120	240	9,04
11614-20-a5	Toolox33	40,00	123	221	8,54
11767-10-01-15-17	Toolox33	40,00	120	1 673	63,04
11767-10-01-17-19	Toolox33	40,00	65	230	4,69
11767-10-01-17-20	Toolox33	40,00	65	230	4,69
11767-10-01-22	Toolox33	40,00	138	253	10,96
11767-10-01-24	Toolox33	38,00	40	820	9,78
11767-10-01-5	Toolox33	40,00	199	395	24,68
12108-80-01-3-8	Toolox33	40,00	79	186	4,61
12108-80-01-6-11	Toolox33	40,00	50	357	5,61
12108-80-01-7-10	Toolox33	40,00	53	444	7,39
12108-80-01-7-9	Toolox33	40,00	410	444	57,16
12340-5-01-13-15	Toolox33	40,00	480	1 212	182,67
12340-5-01-13-15-17	Toolox33	40,00	288	846	76,51
12340-5-01-13-16	Toolox33	40,00	515	766	123,87
12340-5-01-3	Toolox33	40,00	505	763	120,99
12340-5-01-5	Toolox33	40,00	634	828	164,84
12340-5-01-9	Toolox33	40,00	139	1 480	64,60
12438-30-01-2	Toolox33	40,00	752	1 050	247,93
12438-30-01-4	Toolox33	40,00	125	150	5,89
12438-30-01-5	Toolox33	40,00	125	237	9,30
12438-30-01-7-10	Toolox33	40,00	2 060	4 835	3 127,47
12438-30-01-7-9	Toolox33	40,00	254	380	30,31
40502-2	Toolox33	40,00	27	805	6,83
40601-1	Toolox33	40,00	60	244	4,60
10405-20-01-23	Toolox33	43,00	148	158	7,89
10405-20-01-34	Toolox33	43,00	95	160	5,13
10588-10-01-26-28	Toolox33	43,00	29	442	4,33
10588-10-01-28-31	Toolox33	43,00	101	284	9,68
10690-20-01-13-15	Toolox33	43,00	104	296	10,39
10690-20-01-15-16-17-18-19	Toolox33	43,00	75	221	5,60
10690-20-01-15-16-17-19	Toolox33	43,00	95	836	26,81
10690-20-01-15-17	Toolox33	43,00	300	593	60,05
023105	Toolox33	45,00	66	129	3,01
023235	Toolox33	45,00	91	185	5,95
10773-10-01-19-22	Toolox33	45,00	55	297	5,77
11022-10-01-17	Toolox33	45,00	130	160	7,35
11022-10-01-22-24-25-26	Toolox33	45,00	162	213	12,19
11022-10-01-24	Toolox33	45,00	104	425	15,61
11022-10-01-25	Toolox33	45,00	92	265	8,61
11022-10-01-3	Toolox33	45,00	134	170	8,05
11641-30-01-3-6-8-9-10	Toolox33	45,00	65	397	9,12
11641-30-01-3-7	Toolox33	45,00	102	410	14,77

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11641-30-01-4-6	Toolox33	45,00	135	150	7,15
11641-30-01-4-7	Toolox33	45,00	135	154	7,34
11685-40-01-6-7-11	Toolox33	45,00	56	148	2,93
11685-40-01-6-7-13-15	Toolox33	45,00	106	447	16,74
11685-40-01-6-7-13-16	Toolox33	45,00	106	447	16,74
11685-40-01-6-7-13-17	Toolox33	45,00	107	444	16,78
11685-40-01-6-7-13-18	Toolox33	45,00	107	444	16,78
11685-40-01-6-7-13-26-28	Toolox33	45,00	174	790	48,56
11685-40-01-6-7-13-27	Toolox33	45,00	364	619	79,59
11685-40-01-7-11	Toolox33	45,00	106	840	31,45
12247-30-01	Toolox33	45,00	182	1 126	72,39
12247-30-01-13	Toolox33	45,00	555	3 800	745,00
12247-30-01-14	Toolox33	45,00	65	198	4,55
12247-30-01-17	Toolox33	45,00	249	435	38,26
12247-30-01-18	Toolox33	45,00	211	482	35,93
12247-30-01-4	Toolox33	45,00	128	294	13,29
12247-30-01-6	Toolox33	45,00	164	680	39,39
12247-30-01-8	Toolox33	45,00	126	275	12,24
12436-10-01-3-5-6	Toolox33	40,00	45	395	5,58
12436-10-01-3-6	Toolox33	40,00	45	395	5,58
12436-10-01-3-7	Toolox33	40,00	80	230	5,78
12436-10-01-5	Toolox33	45,00	1 990	3 485	2 449,84
12436-10-01-6	Toolox33	45,00	164	279	16,16
10051-20-01	Toolox33	48,00	137	710	36,65
10371-80-01-22-66	Toolox33	50,00	38	265	3,95
10525-20-01-43-48	Toolox33	50,00	40	202	3,17
10713-10-01-13	Toolox33	50,00	37	202	2,93
11112-30-01-17-22	Toolox33	50,00	60	148	3,49
11112-30-01-17-26	Toolox33	50,00	104	140	5,72
11112-30-01-21-24	Toolox33	50,00	30	415	4,89
11281-50-01-14-15-17-18	Toolox33	50,00	62	165	4,02
11281-50-01-19-21	Toolox33	50,00	46	323	5,83
11281-50-01-19-22	Toolox33	50,00	45	323	5,71
11281-50-01-26-27	Toolox33	50,00	40	165	2,59
11281-50-01-26-28	Toolox33	50,00	26	222	2,27
11281-50-01-29-30	Toolox33	50,00	135	151	8,00
11281-50-01-31	Toolox33	50,00	58	320	7,29
11281-50-01-5-6-8	Toolox33	50,00	25	176	1,73
11281-50-01-5-8-10	Toolox33	50,00	25	175	1,72
11281-50-01-5-8-9-10	Toolox33	50,00	25	172	1,69
11614-30-01-7-8-9	Toolox33	50,00	95	357	13,31
11685-50-01-6-7-8-10-12-14	Toolox33	50,00	152	187	11,16
11685-50-01-6-7-8-11	Toolox33	50,00	450	540	95,38
11685-50-01-6-7-9-10-11-13	Toolox33	50,00	129	241	12,20

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11685-50-01-6-7-9-10-11-14	Toolox33	50,00	130	241	12,30
11685-50-01-99-100	Toolox33	50,00	117	389	17,86
11685-50-1-99	Toolox33	50,00	135	230	12,19
11685-50-a1	Toolox33	50,00	114	127	5,68
11865-20-01-3-4-6-7	Toolox33	50,00	130	262	13,37
11865-20-01-3-5-6-8-9-12	Toolox33	50,00	190	302	22,52
11865-20-01-3-5-6-8-9-13	Toolox33	50,00	90	420	14,84
11865-20-01-7-8-9-12	Toolox33	50,00	135	223	11,82
11865-20-01-7-8-9-13	Toolox33	50,00	135	226	11,98
11865-20-01-7-8-9-14	Toolox33	50,00	119	135	6,31
11865-20-01-7-8-9-15	Toolox33	50,00	37	181	2,63
12108-40-03-10	Toolox33	50,00	95	472	17,60
12218-10-01-12-14-18-23	Toolox33	50,00	112	620	27,26
12340-10-01-12-13	Toolox33	50,00	2 070	4 340	3 526,14
12340-10-01-12-13-15	Toolox33	50,00	125	168	8,24
53295	Toolox33	53,00	29	575	6,94
018567	Toolox33	60,00	41	494	9,54
019696	Toolox33	60,00	50	215	5,06
019779	Toolox33	60,00	47	336	7,44
023506	Toolox33	60,00	38	432	7,73
023507	Toolox33	60,00	51	255	6,13
023811-10-3	Toolox33	60,00	31	410	5,99
10249-10-01-66-77	Toolox33	60,00	120	131	7,40
10249-10-01-77	Toolox33	60,00	39	660	12,12
10975-50-01-3-11-13	Toolox33	60,00	44	320	6,63
10975-50-01-3-9	Toolox33	60,00	35	677	11,16
11075-10-01-19	Toolox33	60,00	67	335	10,57
11075-10-01-3	Toolox33	60,00	45	178	3,77
11160-20-01-12-15	Toolox33	60,00	135	165	10,49
11160-20-01-13-14	Toolox33	60,00	45	305	6,46
11160-20-01-18-23	Toolox33	60,00	116	260	14,21
11160-20-01-21-22	Toolox33	60,00	64	135	4,07
11444-30-01-18-19-21	Toolox33	60,00	335	444	70,06
11444-30-01-19-20-22-24-26	Toolox33	60,00	114	374	20,08
11641-20-01-10-12-13-16-18	Toolox33	60,00	188	336	29,75
11641-20-01-12-15-18-19-24	Toolox33	60,00	77	115	4,17
11641-20-01-12-15-18-19-25	Toolox33	60,00	45	270	5,72
11641-20-01-12-15-18-20	Toolox33	60,00	110	330	17,10
11641-20-01-5-6-7	Toolox33	60,00	88	446	18,49
11865-30-01-10-11-12-13-19	Toolox33	60,00	112	122	6,44
11865-30-01-10-11-12-13-20	Toolox33	60,00	112	122	6,44
11865-30-01-10-11-12-13-21	Toolox33	60,00	108	120	6,10
11865-30-01-10-11-12-13-22	Toolox33	60,00	103	121	5,87
11865-30-01-10-11-12-13-23	Toolox33	60,00	97	122	5,57

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11865-30-01-10-11-12-13-24	Toolox33	60,00	105	125	6,18
11865-30-01-10-11-12-13-25	Toolox33	60,00	51	445	10,69
11865-30-01-10-11-12-14	Toolox33	60,00	55	983	25,47
12108-50-01-10	Toolox33	60,00	184	325	28,17
12108-50-01-13-15	Toolox33	60,00	80	195	7,35
12108-50-01-14-15	Toolox33	60,00	161	1 288	97,67
12108-50-01-18	Toolox33	60,00	134	136	8,58
12108-50-01-22	Toolox33	60,00	349	1 100	180,82
12108-50-01-23-25	Toolox33	60,00	150	520	36,74
12108-50-01-23-26	Toolox33	60,00	150	520	36,74
12108-50-01-23-27	Toolox33	60,00	52	405	9,92
12108-50-01-9	Toolox33	60,00	184	255	22,10
12108-50-02-5-6-11-20	Toolox33	60,00	185	349	30,41
12108-50-02-5-6-11-21	Toolox33	60,00	223	223	23,42
12108-50-02-5-6-11-23	Toolox33	60,00	220	225	23,31
12108-50-02-5-6-11-24	Toolox33	60,00	188	255	22,58
12108-50-02-5-6-11-27	Toolox33	60,00	190	269	24,07
12108-50-02-5-6-8-13	Toolox33	60,00	218	242	24,85
12108-50-02-5-6-8-14	Toolox33	60,00	218	242	24,85
12108-50-02-6-8	Toolox33	60,00	90	385	16,32
12152-50-01-12-13	Toolox33	60,00	780	1 090	400,44
12152-50-01-6	Toolox33	60,00	65	410	12,55
12152-50-01-7	Toolox33	60,00	65	408	12,49
12152-50-01-9	Toolox33	60,00	125	380	22,37
12152-50-02-4	Toolox33	60,00	1 030	2 780	1 348,66
12152-50-02-5	Toolox33	60,00	707	2 711	902,76
60452	Toolox33	60,00	45	215	4,56
021115	Toolox33	63,00	35	435	7,53
021415	Toolox33	63,00	35	505	8,74
021923	Toolox33	63,00	55	173	4,71
022254	Toolox33	63,00	55	401	10,91
022260	Toolox33	63,00	75	127	4,71
022819	Toolox33	63,00	45	454	10,10
019760	Toolox33	64,00	108	135	7,33
10289-10-01-12-44	Toolox33	66,00	34	205	3,61
10289-10-01-37-40	Toolox33	66,00	91	216	10,18
10289-10-01-37-42	Toolox33	66,00	40	400	8,29
10289-10-01-37-42-44	Toolox33	66,00	55	605	17,24
10289-10-01-37-52	Toolox33	66,00	30	890	13,83
10289-10-01-48-51	Toolox33	66,00	85	86	3,79
66102-1	Toolox33	66,00	32	509	8,44
022861-9	Toolox33	70,00	77	90	3,81
023949-8	Toolox33	70,00	60	90	2,97
023953	Toolox33	70,00	40	231	5,08

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10249-20-01-56	Toolox33	70,00	37	212	4,31
10330-40-01	Toolox33	70,00	15	719	5,93
10330-40-01-33	Toolox33	70,00	48	905	23,87
10330-40-01-45	Toolox33	70,00	19	639	6,67
10495-20-01-11-12	Toolox33	70,00	75	85	3,50
10564-40-01-11-14	Toolox33	70,00	40	255	5,61
10564-40-01-11-17	Toolox33	70,00	30	256	4,22
10564-40-01-4	Toolox33	70,00	35	638	12,27
10690-30-01-15	Toolox33	70,00	40	190	4,18
10803-30-01-12-16	Toolox33	70,00	106	128	7,46
10803-30-01-14-20	Toolox33	70,00	26	587	8,39
10803-30-01-7-9-12	Toolox33	70,00	45	205	5,07
10915-10-01-11-17	Toolox33	70,00	170	170	15,88
10915-10-01-11-20	Toolox33	70,00	117	137	8,81
10915-10-01-20	Toolox33	70,00	25	581	7,98
11058-20-01-3-7-9-10	Toolox33	70,00	70	136	5,23
11160-30-01-13	Toolox33	70,00	64	536	18,85
11160-30-01-15-17-19	Toolox33	70,00	62	153	5,21
11160-30-01-15-18	Toolox33	70,00	101	555	30,80
11160-30-01-23-27-28-29-30	Toolox33	70,00	111	120	7,32
11160-30-01-26	Toolox33	70,00	96	602	31,76
11160-30-01-29-30	Toolox33	70,00	31	158	2,69
11160-30-01-29-31	Toolox33	70,00	45	201	4,97
11160-30-01-32	Toolox33	70,00	96	717	37,82
11551-40-01-10-11-12-15-16	Toolox33	70,00	70	272	10,46
11551-40-01-10-11-12-15-17	Toolox33	70,00	36	206	4,08
11551-40-01-10-11-15	Toolox33	70,00	111	117	7,14
11551-40-01-14-15-18-19	Toolox33	70,00	82	188	8,47
11551-40-01-14-15-19	Toolox33	70,00	100	746	40,99
11551-40-01-3-8	Toolox33	70,00	138	170	12,89
11914-10-01-2-7-13-16	Toolox33	70,00	136	422	31,54
11914-10-01-2-7-14	Toolox33	70,00	540	555	164,69
11914-10-01-2-7-8-14	Toolox33	70,00	87	152	7,27
11914-10-01-2-7-8-15	Toolox33	70,00	167	269	24,69
12178-40-01-16-17	Toolox33	52,00	70	635	18,14
12178-40-01-19	Toolox33	70,00	192	332	35,03
12178-40-01-20	Toolox33	70,00	600	2 045	674,24
12178-40-01-21	Toolox33	70,00	189	475	49,33
12178-40-01-3	Toolox33	70,00	326	360	64,49
12178-40-01-9	Toolox33	70,00	166	278	25,36
12368-15-01	Toolox33	70,00	1 690	4 300	3 993,22
12368-15-01-4	Toolox33	70,00	180	2 603	257,46
12368-15-01-5-6	Toolox33	70,00	65	1 548	55,29
018433	Toolox33	80,00	47	944	27,86



# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
018667	Toolox33	80,00	46	477	13,78
018729	Toolox33	80,00	51	140	4,48
018876	Toolox33	80,00	60	336	12,66
019966	Toolox33	80,00	63	126	4,99
020034	Toolox33	80,00	71	185	8,25
020069	Toolox33	80,00	29	533	9,71
020240	Toolox33	84,00	39	1 207	31,04
020244	Toolox33	80,00	87	100	5,46
020245	Toolox33	84,00	59	344	13,38
020330	Toolox33	80,00	35	164	3,61
020753	Toolox33	80,00	25	547	8,59
020855	Toolox33	80,00	39	479	11,73
020857	Toolox33	80,00	37	478	11,11
020892	Toolox33	80,00	36	476	10,76
021111	Toolox33	80,00	30	201	3,79
021638	Toolox33	80,00	47	175	5,17
021795	Toolox33	80,00	35	845	18,57
021953	Toolox33	80,00	53	224	7,46
021954	Toolox33	80,00	43	324	8,75
022020	Toolox33	80,00	54	160	5,43
022127	Toolox33	80,00	70	160	7,03
022335	Toolox33	80,00	70	211	9,28
022336	Toolox33	80,00	70	211	9,28
022339	Toolox33	80,00	70	211	9,28
022381	Toolox33	80,00	66	135	5,60
022524	Toolox33	80,00	61	340	13,03
022591	Toolox33	80,00	55	477	16,48
022728	Toolox33	80,00	38	337	8,04
023117	Toolox33	80,00	43	300	8,10
023278	Toolox33	80,00	54	478	16,21
023318	Toolox33	80,00	47	455	13,43
023519	Toolox33	80,00	70	197	8,66
023521	Toolox33	84,00	61	333	13,39
023705	Toolox33	80,00	66	216	8,95
023706	Toolox33	80,00	20	955	12,00
023926	Toolox33	40,00	80	374	9,40
10371-100-01-55	Toolox33	80,00	60	278	10,48
10505-20-01-11-22	Toolox33	80,00	36	558	12,62
10525-30-01-23-33	Toolox33	80,00	62	123	4,79
10525-30-01-67	Toolox33	80,00	26	514	8,39
10525-30-01-67-80	Toolox33	80,00	42	520	13,72
10564-50-01-14	Toolox33	80,00	60	390	14,70
10564-50-01-14-19	Toolox33	80,00	38	345	8,23
10690-50-01-4	Toolox33	80,00	62	215	8,37

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10773-40-01-16-17	Toolox33	80,00	46	480	13,87
10773-40-01-18-20	Toolox33	80,00	40	352	8,84
10773-40-01-23	Toolox33	80,00	53	523	17,41
11069-20-01-10	Toolox33	80,00	71	127	5,66
11069-20-01-16-18	Toolox33	80,00	71	167	7,45
11069-20-01-21	Toolox33	80,00	54	436	14,79
11069-20-01-22	Toolox33	80,00	121	259	19,68
11069-20-01-23-24	Toolox33	80,00	44	167	4,62
11069-20-01-26	Toolox33	80,00	47	268	7,91
11069-20-01-4	Toolox33	80,00	153	209	20,08
11069-30-01-2-6-12	Toolox33	80,00	71	110	4,91
11281-60-01-11-17	Toolox33	80,00	57	167	5,98
11281-60-01-2-4-7	Toolox33	80,00	62	520	20,25
11281-60-01-27	Toolox33	80,00	62	372	14,48
11281-60-01-2-8-11-14	Toolox33	80,00	27	170	2,88
11794-50-01-2-10-12	Toolox33	80,00	82	138	7,11
11794-50-01-2-10-13	Toolox33	80,00	82	138	7,11
11794-50-01-2-10-14	Toolox33	80,00	82	138	7,11
11794-50-01-2-10-15	Toolox33	80,00	82	138	7,11
11794-50-01-2-14-15	Toolox33	80,00	145	193	17,58
11794-50-01-2-16-18	Toolox33	80,00	48	195	5,88
11794-50-01-2-17-18	Toolox33	80,00	80	120	6,03
11794-50-01-2-18-19	Toolox33	80,00	100	103	6,47
11794-50-01-2-9-12	Toolox33	80,00	1 105	1 130	784,15
11794-50-01-2-9-12-14	Toolox33	80,00	105	339	22,35
11865-40-01-4-10	Toolox33	80,00	58	171	6,23
11865-40-01-4-5	Toolox33	80,00	167	206	21,60
11865-40-01-4-6	Toolox33	80,00	95	165	9,84
11865-40-01-4-9	Toolox33	80,00	58	169	6,16
11865-40-01-5-6-7-8-10-14	Toolox33	80,00	150	152	14,32
11865-40-01-5-6-7-8-10-15	Toolox33	80,00	150	152	14,32
11865-40-01-5-6-7-8-11	Toolox33	80,00	42	919	24,24
12108-60-02-4	Toolox33	80,00	125	138	10,83
12108-60-03-5	Toolox33	80,00	63	279	11,04
12108-60-03-6	Toolox33	80,00	35	2 235	49,13
12195-10-01-13-15	Toolox33	80,00	45	863	24,39
12195-10-01-14	Toolox33	80,00	75	421	19,83
12195-10-01-16	Toolox33	80,00	80	285	14,32
12195-10-01-17	Toolox33	80,00	102	630	40,36
12195-10-01-6-10	Toolox33	80,00	69	255	11,05
12195-10-01-6-11	Toolox33	80,00	63	254	10,05
12195-10-01-6-12	Toolox33	80,00	93	95	5,55
12195-10-01-6-8	Toolox33	80,00	64	254	10,21
12195-10-01-6-9	Toolox33	80,00	70	255	11,21

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12195-10-02	Toolox33	80,00	435	910	248,59
12195-10-02-14	Toolox33	80,00	76	167	7,97
12195-10-02-18	Toolox33	80,00	199	199	24,87
12335-10-01	Toolox33	80,00	2 080	3 625	4 735,12
12335-10-01-7	Toolox33	80,00	170	130	13,88
12340-20-01	Toolox33	80,00	2 080	3 625	4 735,12
12340-20-01-4	Toolox33	80,00	760	1 075	513,08
80702-8	Toolox33	80,00	70	207	9,10
80702-9	Toolox33	80,00	70	211	9,28
018793	Toolox33	90,00	61	230	9,91
020689	Toolox33	90,00	63	271	12,06
021608	Toolox33	90,00	63	346	15,40
023365-1	Toolox33	90,00	56	149	5,90
023526	Toolox33	90,00	90	90	5,72
10201-50-01-100	Toolox33	90,00	76	215	11,54
10371-90-01-45-55-66	Toolox33	90,00	115	121	9,83
10371-90-01-45-55-77	Toolox33	90,00	34	224	5,38
10690-40-01-17	Toolox33	90,00	45	700	22,26
11022-30-01-13-18	Toolox33	90,00	87	485	29,81
11022-30-01-2-10	Toolox33	90,00	85	473	28,41
11022-30-01-6-7	Toolox33	90,00	102	160	11,53
11022-30-01-6-8	Toolox33	90,00	102	160	11,53
11022-30-01-6-9	Toolox33	90,00	120	160	13,57
11354-10-01-18	Toolox33	90,00	262	572	105,88
11354-10-01-2-4-6	Toolox33	90,00	35	307	7,59
11354-10-01-5-6	Toolox33	90,00	30	806	17,08
11354-10-01-5-9	Toolox33	90,00	52	304	11,17
11614-40-01-4-11-14	Toolox33	90,00	254	438	78,60
11614-40-01-4-11-15	Toolox33	90,00	67	258	12,21
11614-40-01-4-11-18	Toolox33	90,00	90	850	54,05
11614-40-01-4-9	Toolox33	90,00	258	415	75,65
11614-40-01-6	Toolox33	90,00	48	276	9,36
11614-40-01-7	Toolox33	90,00	84	310	18,40
12079-40-01-2	Toolox33	90,00	740	1 670	873,09
12079-40-01-3	Toolox33	90,00	600	1 226	519,70
12079-40-01-3-13	Toolox33	90,00	172	558	67,81
12079-40-01-3-15	Toolox33	90,00	72	770	39,17
12079-40-01-3-6-8	Toolox33	90,00	91	167	10,74
12079-40-01-3-6-9-10	Toolox33	90,00	101	155	11,06
12438-40-01	Toolox33	90,00	1 675	3 505	4 147,77
12438-40-01-3-4-6	Toolox33	90,00	114	255	20,54
12438-40-01-3-4-7	Toolox33	90,00	115	255	20,72
12438-40-01-3-4-8	Toolox33	90,00	113	483	38,56
12438-40-01-3-5	Toolox33	90,00	146	205	21,15

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12438-40-01-3-6	Toolox33	90,00	145	205	21,00
90453	Toolox33	90,00	45	312	9,92
99950	Toolox33	92,00	42	137	4,16
99950-1	Toolox33	92,00	47	725	24,61
10583-30-01-13-15	Toolox33	100,00	54	269	11,40
10583-30-01-17	Toolox33	100,00	54	168	7,12
10583-30-01-18	Toolox33	100,00	34	625	16,68
10825-40-01-14-15-16	Toolox33	100,00	58	705	32,10
10825-40-01-17	Toolox33	100,00	130	136	13,88
10825-40-01-20-21	Toolox33	79,00	100	150	9,30
10975-60-01-11-14-15-16	Toolox33	100,00	134	164	17,25
10975-60-01-12-13-15	Toolox33	100,00	65	400	20,41
10975-60-01-12-13-16	Toolox33	100,00	75	570	33,56
10975-60-01-12-15	Toolox33	100,00	117	440	40,41
10975-60-01-2-14	Toolox33	100,00	150	282	33,21
10975-60-01-2-3-5	Toolox33	100,00	95	364	27,15
11444-20-01-11	Toolox33	80,00	100	410	25,75
11444-20-01-15	Toolox33	100,00	106	410	34,12
11444-20-01-16	Toolox33	100,00	106	412	34,28
11444-20-01-22-24	Toolox33	100,00	125	419	41,11
11444-20-01-2-26-28	Toolox33	100,00	201	210	33,14
11444-20-01-24	Toolox33	100,00	42	501	16,52
11876-20-01-2-3-4	Toolox33	100,00	290	420	95,61
11876-20-01-2-3-5	Toolox33	100,00	64	1 245	62,55
11876-20-01-2-4-5-7-9	Toolox33	100,00	117	422	38,76
11876-20-01-2-4-7	Toolox33	100,00	84	1 245	82,10
11876-20-01-3-4-6-7-9	Toolox33	100,00	160	225	28,26
12079-50-01-16	Toolox33	100,00	70	365	20,06
12079-50-01-19	Toolox33	100,00	846	960	637,55
12438-50-01	Toolox33	100,00	1 460	4 295	4 922,50
022312-1	Toolox33	104,00	67	231	12,64
022829	Toolox33	104,00	36	180	5,29
022993	Toolox33	105,00	85	150	10,51
023725-1	Toolox33	104,00	87	109	7,74
023914-10-6-9	Toolox33	104,00	67	300	16,41
10144-20-01	Toolox33	104,00	80	137	8,95
10144-20-01-34	Toolox33	104,00	88	158	11,35
10183-20-01-12	Toolox33	104,00	86	440	30,89
10183-20-01-44-45	Toolox33	104,00	29	555	13,14
10183-20-01-44-78	Toolox33	104,00	61	480	23,90
10183-20-01-67	Toolox33	104,00	64	322	16,82
10265-30-01	Toolox33	104,00	60	115	5,63
10265-30-01-11-45-57	Toolox33	104,00	33	213	5,74
10265-30-01-12	Toolox33	46,00	46	1 260	20,93

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10413	Toolox33	104,00	135	150	16,53
10418	Toolox33	55,00	57	850	20,92
10418-2	Toolox33	45,00	55	485	9,42
10439	Toolox33	104,00	44	1 046	37,57
10440-1	Toolox33	104,00	40	215	7,02
10448-1	Toolox33	104,00	48	365	14,30
10460-1	Toolox33	104,00	60	370	18,12
10466-10-01	Toolox33	105,00	10	519	4,28
10466-10-01-11-12-22	Toolox33	105,00	56	787	36,33
10466-10-01-23	Toolox33	100,00	115	152	13,72
10466-10-01-44	Toolox33	104,00	89	387	28,12
10470-1	Toolox33	104,00	70	173	9,89
10480-1	Toolox33	104,00	80	240	15,68
10490	Toolox33	104,00	90	90	6,61
10494-1	Toolox33	104,00	94	410	31,46
10502-10-01-33	Toolox33	105,00	49	442	17,85
10502-10-01-36	Toolox33	23,00	59	1 007	10,73
10591-1	Toolox33	105,00	91	160	12,00
10668-40-02	Toolox33	105,00	70	485	27,98
10668-40-02-8	Toolox33	105,00	103	132	11,21
10702-30-01-10-15	Toolox33	105,00	42	145	5,02
10702-30-01-12-15	Toolox33	32,00	161	224	9,06
10702-30-01-13-15	Toolox33	104,00	90	120	8,82
10702-30-01-13-16	Toolox33	104,00	90	165	12,12
10702-30-01-13-18	Toolox33	105,00	90	110	8,16
10702-30-01-13-22	Toolox33	105,00	136	153	17,15
10702-30-01-13-23	Toolox33	105,00	140	169	19,50
10702-30-01-14	Toolox33	105,00	439	480	173,69
10702-30-01-14-17	Toolox33	105,00	105	185	16,01
10702-30-01-2-3	Toolox33	105,00	83	410	28,05
10857-10-01-13-16-17	Toolox33	105,00	130	167	17,89
10857-10-01-8	Toolox33	105,00	143	160	18,86
11022-40-01-14-19	Toolox33	105,00	60	1 245	61,57
11022-40-01-15-16	Toolox33	105,00	99	407	33,21
11022-40-01-17-18	Toolox33	105,00	125	339	34,93
11022-40-01-17-19	Toolox33	105,00	120	1 245	123,14
11022-40-01-3-12	Toolox33	105,00	75	957	59,16
11614-50-01-2-3-4	Toolox33	105,00	740	993	605,68
11614-50-01-2-3-5	Toolox33	105,00	236	500	97,26
11981-50-01-2-7-9-11	Toolox33	105,00	305	710	178,49
11981-50-01-2-7-9-11-14	Toolox33	105,00	334	1 223	336,69
11981-50-01-2-7-9-12	Toolox33	105,00	79	684	44,54
11981-50-02-4	Toolox33	105,00	143	435	51,27
11981-50-02-7	Toolox33	105,00	1 665	2 790	3 828,93

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11981-50-02-8	Toolox33	105,00	1 247	1 265	1 300,22
018572	Toolox33	110,00	43	645	23,95
018573	Toolox33	110,00	87	131	9,84
018765	Toolox33	110,00	68	168	9,87
019015	Toolox33	40,00	110	256	8,84
019769	Toolox33	110,00	31	175	4,68
020044	Toolox33	110,00	77	128	8,51
020514	Toolox33	110,00	77	301	20,01
020836	Toolox33	110,00	44	115	4,37
020837	Toolox33	110,00	67	312	18,05
021187	Toolox33	110,00	35	175	5,29
021461	Toolox33	110,00	85	385	28,26
021516	Toolox33	110,00	40	502	17,34
021518	Toolox33	110,00	18	540	8,39
021639	Toolox33	110,00	30	289	7,49
021844	Toolox33	110,00	65	220	12,35
021971	Toolox33	110,00	115	215	21,35
022024	Toolox33	110,00	42	145	5,26
022069	Toolox33	110,00	26	405	9,09
022177	Toolox33	110,00	45	868	33,73
022916	Toolox33	110,00	95	350	28,71
022916-6	Toolox33	110,00	59	675	34,39
023716	Toolox33	110,00	206	300	53,36
023883	Toolox33	110,00	65	505	28,34
10330-50-01	Toolox33	110,00	37	665	21,25
10330-50-01-78	Toolox33	110,00	153	303	40,03
10583-40-01-10	Toolox33	108,00	75	135	8,58
10583-40-01-10-13	Toolox33	108,00	50	625	26,49
10583-40-01-11	Toolox33	110,00	259	482	107,80
10583-40-01-3-4	Toolox33	110,00	102	155	13,65
10583-40-01-3-5	Toolox33	110,00	246	310	65,85
10773-30-01-12	Toolox33	110,00	76	333	21,85
10773-30-01-12-13	Toolox33	110,00	94	414	33,60
10773-30-01-16-21-23	Toolox33	110,00	59	534	27,21
10773-30-01-18	Toolox33	110,00	198	945	161,57
10773-30-01-19	Toolox33	110,00	115	125	12,41
10773-30-01-20	Toolox33	110,00	113	125	12,20
10773-30-01-5	Toolox33	110,00	288	392	97,49
10773-30-01-5-8	Toolox33	110,00	45	425	16,51
10773-30-01-8	Toolox33	110,00	50	1 250	53,97
11013-1	Toolox33	110,00	138	370	44,09
11030-1	Toolox33	110,00	30	320	8,29
11036-1	Toolox33	110,00	36	635	19,74
11444-10-01-11-15	Toolox33	110,00	94	405	32,87

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11444-10-01-11-16	Toolox33	110,00	94	405	32,87
11444-10-01-11-18-21	Toolox33	110,00	429	519	192,26
11444-10-01-11-19	Toolox33	110,00	125	530	57,21
11444-10-01-12-13	Toolox33	110,00	115	335	33,27
11444-10-01-13	Toolox33	110,00	324	410	114,71
11444-10-01-5-10	Toolox33	110,00	402	1 115	387,05
11444-10-01-5-11	Toolox33	110,00	210	1 115	202,19
11444-10-01-5-12	Toolox33	110,00	210	385	69,81
11767-9-01-2-3	Toolox33	110,00	156	485	65,33
11767-9-01-2-3-4	Toolox33	110,00	185	505	80,67
11767-9-01-2-3-7	Toolox33	110,00	78	450	30,31
11767-9-01-2-3-9	Toolox33	110,00	252	672	146,23
11767-9-01-2-4-6-7-8	Toolox33	110,00	70	1 245	75,25
11767-9-01-3	Toolox33	110,00	360	625	194,29
11767-9-01-4	Toolox33	110,00	113	274	26,74
12079-60-01-2-4-5	Toolox33	110,00	393	520	176,47
12079-60-01-6-10	Toolox33	110,00	110	415	39,42
12079-60-01-6-11	Toolox33	110,00	110	415	39,42
12079-60-01-6-8	Toolox33	110,00	216	489	91,21
12489-20-01-3-4	Toolox33	110,00	1 500	1 560	2 020,59
12489-20-01-3-5	Toolox33	110,00	483	505	210,62
99984	Toolox33	110,00	82	470	33,28
99984-1	Toolox33	110,00	48	238	9,87
99984-1-2-3	Toolox33	110,00	322	522	145,14
99984-4-5-7	Toolox33	110,00	100	147	12,69
99984-8	Toolox33	110,00	74	1 245	79,55
023404	Toolox33	120,00	77	1 005	72,90
023609	Toolox33	40,00	120	170	6,41
023610	Toolox33	40,00	120	171	6,44
023647	Toolox33	49,00	120	710	32,77
023678	Toolox33	120,00	106	187	18,67
023756	Toolox33	120,00	65	603	36,92
023756-4	Toolox33	120,00	30	1 245	35,18
023756-8	Toolox33	120,00	38	651	23,30
023765	Toolox33	120,00	85	110	8,81
10330-60-01-22-33	Toolox33	120,00	45	290	12,29
10330-60-01-34-45	Toolox33	120,00	29	301	8,22
10330-60-01-45	Toolox33	120,00	38	137	4,90
10330-60-01-56	Toolox33	120,00	69	165	10,73
10330-60-01-67	Toolox33	120,00	70	162	10,68
10564-60-01-55	Toolox33	120,00	63	285	16,91
10623-20-01	Toolox33	120,00	60	285	16,11
10623-20-01-11-13	Toolox33	120,00	42	870	34,42
10623-20-01-12	Toolox33	120,00	20	793	14,94

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10623-20-01-15	Toolox33	120,00	50	425	20,02
10623-20-01-2-4	Toolox33	120,00	65	670	41,02
10623-20-01-2-7	Toolox33	120,00	40	350	13,19
10623-20-01-4	Toolox33	120,00	87	340	27,86
10943-10-01	Toolox33	120,00	268	270	68,16
10943-10-01-15-17-19	Toolox33	120,00	45	202	8,56
10943-10-01-19-21	Toolox33	120,00	123	178	20,62
11328-10-01-10-13-14	Toolox33	120,00	151	160	22,76
11328-10-01-11-12-14	Toolox33	120,00	42	875	34,62
11328-10-01-11-12-15	Toolox33	120,00	50	365	17,19
11328-10-01-11-12-16	Toolox33	120,00	50	365	17,19
11328-10-01-11-12-17	Toolox33	120,00	55	365	18,91
11328-10-01-12-14-17	Toolox33	120,00	305	795	228,41
11328-10-01-12-15	Toolox33	120,00	58	270	14,75
11328-10-01-3-7	Toolox33	120,00	43	490	19,85
11328-10-01-3-8	Toolox33	120,00	133	177	22,18
11328-10-01-3-9-10-11-12	Toolox33	120,00	56	237	12,50
11641-10-01-2-3-4-5	Toolox33	120,00	110	266	27,56
11641-10-01-2-3-4-6	Toolox33	120,00	110	267	27,67
11641-10-01-2-3-4-7	Toolox33	120,00	110	269	27,87
11641-10-01-2-3-4-8-10	Toolox33	120,00	105	271	26,81
11641-10-01-2-3-4-8-11	Toolox33	120,00	105	270	26,71
11641-10-01-2-3-4-8-12	Toolox33	120,00	105	269	26,61
11641-10-01-2-3-4-8-9-11	Toolox33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-12	Toolox33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-13	Toolox33	120,00	110	270	27,98
11641-10-01-2-4-5-6	Toolox33	120,00	205	412	79,56
11641-10-01-3-4	Toolox33	120,00	44	302	12,52
11641-10-a1-2	Toolox33	120,00	208	965	189,08
11641-10-a1-7	Toolox33	120,00	205	584	112,78
11641-10-a2	Toolox33	120,00	106	273	27,26
11641-10-a3	Toolox33	120,00	105	272	26,90
11641-10-a4	Toolox33	120,00	106	275	27,46
12057-1	Toolox33	120,00	57	852	45,75
12489-10-01-2	Toolox33	120,00	1 688	1 875	2 981,43
12489-10-01-2-10	Toolox33	120,00	170	172	27,54
12489-10-01-3	Toolox33	120,00	960	1 035	935,97
12489-10-01-4	Toolox33	120,00	62	711	41,53
021584	Toolox33	125,00	40	1 090	42,78
021585	Toolox33	125,00	51	183	9,16
021645	Toolox33	95,00	125	150	13,98
021653	Toolox33	125,00	38	1 302	48,55
021761	Toolox33	125,00	82	831	66,86
022665	Toolox33	125,00	104	232	23,68



# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
023121	Toolox33	125,00	38	132	4,92
023303	Toolox33	125,00	160	160	25,12
023304	Toolox33	125,00	75	345	25,39
023339	Toolox33	125,00	73	160	11,46
023529	Toolox33	125,00	75	130	9,57
023886	Toolox33	125,00	145	160	22,77
12545	Toolox33	125,00	45	160	7,07
019192		60,00	140	195	12,86
019830		60,00	57	250	6,71
020942		60,00	176	229	18,98
022061		60,00	54	308	7,83
022452		60,00	57	370	9,93
11981-60-03	Toolox44	12,00	1 048	1 887	186,29
11981-60-03-5	Toolox44	12,00	360	571	19,36
12152-10-01-2	Toolox44	12,00	604	679	38,63
12152-10-01-3	Toolox44	12,00	2 095	5 508	1 087,00
12368-20-01-6	Toolox44	14,00	312	795	27,26
12368-20-01-7	Toolox44	14,00	2 075	3 300	752,54
12108-70-01	Toolox44	20,00	1 836	2 060	593,80
12108-70-01-20-25	Toolox44	20,00	43	1 070	7,22
12438-60-01	Toolox44	30,00	1 895	4 758	2 123,37
10201-30-01-45	Toolox44	39,00	90	160	4,41
10201-30-01-88	Toolox44	39,00	81	240	5,95
10371-40-01-78	Toolox44	40,00	38	335	4,00
10583-20-02-5-7	Toolox44	40,00	48	330	4,97
10885-30-01-22-24	Toolox44	40,00	54	95	1,61
11551-70-01	Toolox44	40,00	350	350	38,47
11551-70-01-10-12	Toolox44	40,00	170	231	12,33
11551-70-01-22	Toolox44	40,00	51	187	3,00
12152-30-01-23	Toolox44	40,00	120	280	10,55
12152-30-01-7	Toolox44	40,00	45	1 560	22,04
12368-30-01	Toolox44	40,00	2 050	3 646	2 346,93
12368-30-01-4	Toolox44	40,00	120	393	14,81
12368-30-01-5	Toolox44	40,00	101	199	6,31
10438-20-01-20-29	Toolox44	50,00	75	112	3,30
10885-40-01-13	Toolox44	50,00	61	235	5,63
11981-70-01-16	Toolox44	50,00	669	1 060	278,34
11981-70-01-17-19	Toolox44	50,00	71	311	8,67
11981-70-01-17-20	Toolox44	50,00	170	216	14,41
11981-70-01-17-22	Toolox44	50,00	495	1 220	237,03
11981-70-01-9	Toolox44	50,00	110	429	18,52
11981-70-01-9-11	Toolox44	50,00	74	125	3,63
11981-70-02	Toolox44	50,00	1 330	2 701	1 409,99
023221	Toolox44	53,00	146	177	10,75

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
023325	Toolox44	53,00	68	301	8,52
021847	Toolox44	60,00	104	112	5,49
023863-1	Toolox44	60,00	40	220	4,15
023863-3-4	Toolox44	45,00	60	745	15,79
023863-6	Toolox44	60,00	179	190	16,02
023864	Toolox44	60,00	91	113	4,84
023864-1	Toolox44	60,00	77	103	3,74
10371-50-01-33	Toolox44	60,00	65	351	10,75
10466-20-01-11-12-22	Toolox44	60,00	35	353	5,82
10466-20-01-33	Toolox44	60,00	135	351	22,32
10466-20-01-44	Toolox44	60,00	37	185	3,22
10466-20-01-44-55	Toolox44	60,00	45	386	8,18
10466-20-01-44-56	Toolox44	60,00	42	347	6,86
10564-70-01-10-16-17	Toolox44	60,00	140	200	13,19
10564-70-01-10-16-17-18	Toolox44	60,00	130	199	12,19
10709-20-01-12	Toolox44	60,00	40	408	7,69
10803-10-01-18	Toolox44	60,00	50	345	8,13
10803-10-01-19	Toolox44	60,00	35	500	8,24
10803-10-01-25	Toolox44	60,00	108	114	5,80
10803-10-01-27	Toolox44	60,00	133	276	17,29
10803-10-01-29	Toolox44	60,00	62	245	7,15
10996-10-01-10-12	Toolox44	60,00	98	98	4,52
10996-10-01-12	Toolox44	60,00	192	159	14,38
10996-10-01-13	Toolox44	60,00	137	311	20,07
10996-10-01-15	Toolox44	60,00	146	190	13,07
10996-10-01-16	Toolox44	60,00	202	207	19,69
10996-10-01-24	Toolox44	60,00	93	112	4,91
10996-10-01-27-29	Toolox44	60,00	143	167	11,25
10996-10-01-34	Toolox44	60,00	110	149	7,72
10996-10-01-35	Toolox44	60,00	202	272	25,88
11168-10-01-12	Toolox44	60,00	50	285	6,71
11168-10-01-16	Toolox44	60,00	210	247	24,43
11317-10-01-11	Toolox44	60,00	134	311	19,63
11317-10-01-5	Toolox44	60,00	120	465	26,28
11317-10-01-6	Toolox44	60,00	125	310	18,25
11340-10-01-12	Toolox44	60,00	55	308	7,98
11340-10-01-22-23	Toolox44	60,00	146	215	14,79
11340-10-01-23	Toolox44	60,00	265	279	34,82
11340-10-01-25	Toolox44	60,00	190	1 159	103,72
11340-10-01-26-28	Toolox44	60,00	29	302	4,13
11340-10-01-26-29	Toolox44	60,00	29	302	4,13
11641-40-01-7	Toolox44	60,00	218	360	36,96
11770-10-01-17	Toolox44	60,00	73	160	5,50
11876-10-01-13	Toolox44	60,00	58	580	15,84

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11876-10-01-16-19	Toolox44	60,00	220	352	36,47
12178-30-01	Toolox44	60,00	670	680	214,59
12247-40-01-10	Toolox44	60,00	265	385	48,05
12247-40-01-13	Toolox44	60,00	390	608	111,68
12247-40-01-14	Toolox44	60,00	1 113	1 952	1 023,28
12247-40-01-3	Toolox44	60,00	98	300	13,85
12247-40-01-5	Toolox44	60,00	150	885	62,53
60351-1	Toolox44	60,00	136	230	14,73
60351-5	Toolox44	60,00	60	210	5,94
60351-6	Toolox44	60,00	60	210	5,94
91100-1	Toolox44	60,00	48	206	4,66
91100-1-3	Toolox44	60,00	49	206	4,75
91100-1-4	Toolox44	60,00	49	206	4,75
91102-1	Toolox44	60,00	55	140	3,63
91103	Toolox44	60,00	150	200	14,13
91105	Toolox44	60,00	60	380	10,74
99990	Toolox44	60,00	41	540	10,43
022184	Toolox44	80,00	125	147	11,54
022184-3	Toolox44	80,00	65	250	10,21
022184-3-10	Toolox44	80,00	80	92	4,62
022184-3-5-7	Toolox44	80,00	72	90	4,07
023892	Toolox44	80,00	48	167	5,03
10371-60-01-65	Toolox44	80,00	45	202	5,71
10371-60-01-67	Toolox44	80,00	36	102	2,31
11383-20-01-11	Toolox44	80,00	45	190	5,37
11383-20-01-15-16-19	Toolox44	80,00	18	118	1,33
11383-20-01-15-17	Toolox44	80,00	88	100	5,53
11383-20-01-20	Toolox44	80,00	80	118	5,93
11383-20-01-7-10	Toolox44	80,00	53	464	15,44
11383-20-01-7-8-10	Toolox44	80,00	90	267	15,09
11518-10-01	Toolox44	80,00	299	450	84,50
11518-10-01-7-8-9-10	Toolox44	80,00	32	233	4,68
11767-50-01-10-15	Toolox44	80,00	217	832	113,38
11884-10-01-6-8	Toolox44	80,00	61	299	11,45
12137-10-01	Toolox44	80,00	473	845	251,00
12137-10-01-15-17	Toolox44	80,00	71	610	27,20
12137-10-01-6	Toolox44	80,00	65	806	32,90
12500-10-01	Toolox44	80,00	1 450	5 180	4 716,91
12152-60-01	Toolox44	110,00	257	484	107,41
12152-60-01-13	Toolox44	110,00	74	233	14,89
12152-60-01-15	Toolox44	110,00	195	1 480	249,21
12152-60-01-7	Toolox44	110,00	250	603	130,17
12313-25-01	Toolox44	110,00	955	4 030	3 323,31
	Toolox44 s	0,00			

# Toolox valmispalat

20.08.2018

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
20171220-1	Toolox44 s	21,00		1 180	3,21
20171220-1-2	Toolox44 s	21,00		1 920	5,22
20171220-1-3	Toolox44 s	21,00		2 940	7,99
20171220-2	Toolox44 s	31,00		935	5,54
20171220-2-4	Toolox44 s	31,00		880	5,21
20171220-7-8	Toolox44 s	111,00		3 580	271,95
20171220-7-9	Toolox44 s	111,00		1 825	138,63
20171220-7-9-10	Toolox44 s	111,00		900	68,37
20171220-8	Toolox44 s	121,00		3 370	304,20
20180102-4-6	Toolox44 s	61,00	0	3 233	74,17
20180221-1	Toolox44 s	101,00		4 867	306,10
20180221-1-2	Toolox44 s	101,00		3 860	242,77