

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
019389	Toolox33	35,00	86	250	5,91
020046	Toolox33	90,00	32	181	4,09
020117	Toolox33	35,00	85	280	6,54
020545	Toolox33	60,00	46	121	2,62
020731	Toolox33	60,00	46	287	6,22
020796	Toolox33	43,00	35	287	3,39
021508	Toolox33	35,00	82	255	5,75
021826	Toolox33	60,00	44	179	3,71
022154	Toolox33	104,00	35	467	13,34
022235	Toolox33	104,00	100	163	13,31
022627	Toolox33	104,00	50	795	32,45
022647	Toolox33	104,00	95	246	19,08
022672	Toolox33	104,00	84	324	22,22
022685	Toolox33	105,00	108	115	10,24
022739	Toolox33	60,00	42	187	3,70
022979	Toolox33	50,00	35	425	5,84
023093	Toolox33	104,00	76	714	44,30
023225	Toolox33	40,00	67	255	5,37
023714	Toolox33	40,00	19	232	1,38
023916	Toolox33	104,00	35	264	7,54
023918	Toolox33	104,00	35	397	11,34
x146	Toolox33	105,00	79	684	44,54
x150	Toolox33	105,00	105	325	28,13
11685-10-01-7-8	Toolox33	8,00	1 050	1 670	110,12
11685-10-01-7-9	Toolox33	8,00	400	543	13,64
x121	Toolox33	11,50	63	715	4,07
x140	Toolox33	11,50	190	369	6,33
11981-10-01-3	Toolox33	12,00	1 933	2 120	386,03
11981-10-03	Toolox33	12,00	2 110	2 890	574,42
11981-10-04-15	Toolox33	12,00	119	1 306	14,64
11981-10-04-16	Toolox33	12,00	254	599	14,33
12108-20-01	Toolox33	12,00	1 937	2 690	490,83
12108-20-01-5	Toolox33	12,00	32	377	1,14
x245	Toolox33	12,00	2 120	2 890	577,15
11981-20-01-8-11-18-25	Toolox33	20,00	70	219	2,41
11981-20-02-14-16-17	Toolox33	20,00	64	193	1,94
12313-10-01-3-14	Toolox33	20,00	95	445	6,64
12313-10-01-3-22	Toolox33	20,00	92	161	2,33
12313-10-01-3-23	Toolox33	20,00	92	172	2,48
12313-10-01-3-24	Toolox33	20,00	92	172	2,48
12586-70-01-5-10-11	Toolox33	20,00	80	1 005	12,62
12586-70-01-5-10-13-15-17	Toolox33	20,00	380	595	35,50
12678-5-01-4-6-10	Toolox33	20,00	53	461	3,84

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12678-5-01-4-6-11	Toolox33	20,00	243	802	30,60
12678-5-01-4-6-7	Toolox33	20,00	460	760	54,89
12678-5-01-7-13-15	Toolox33	20,00	545	590	50,48
12678-5-01-7-19	Toolox33	20,00	257	468	18,88
12678-5-01-7-9	Toolox33	20,00	435	438	29,91
12802-20-01	Toolox33	20,00	2 100	5 790	1 908,96
x117	Toolox33	20,00	92	172	2,48
x134	Toolox33	20,00	92	172	2,48
10702-20-a2-2	Toolox33	22,00	80	259	3,58
10702-20-a2-3-4-9	Toolox33	22,00	55	585	5,56
10702-20-a2-3-5	Toolox33	22,00	75	482	6,24
12678-10-01-4	Toolox33	22,00	79	5 795	79,06
12678-10-01-4-6	Toolox33	22,00	79	3 945	53,82
12754-10-01-3-6	Toolox33	22,00	301	1 600	83,17
12754-10-01-3-7-10	Toolox33	22,00	1 142	1 430	282,03
12754-10-01-3-7-9	Toolox33	22,00	2 000	2 004	692,18
12754-10-02-6	Toolox33	22,00	83	5 795	83,07
12754-10-03	Toolox33	22,00	2 110	4 632	1 687,89
10438-10-01-55-66	Toolox33	25,00	40	200	1,57
11865-10-01-4-5-7-9-11	Toolox33	25,00	83	151	2,46
12629-10-01	Toolox33	25,00	86	410	6,92
12629-10-01-29-30	Toolox33	25,00	127	310	7,73
12629-10-01-31	Toolox33	25,00	181	192	6,82
12629-10-01-33	Toolox33	25,00	147	202	5,83
12629-20-01-4	Toolox33	25,00	290	2 960	168,46
12733-10-01-5-8-11	Toolox33	25,00	230	310	13,99
12754-20-01-3-5	Toolox33	25,00	195	2 960	113,28
12754-20-01-4-7-9-10	Toolox33	25,00	62	1 050	12,78
12754-20-01-4-7-9-11	Toolox33	25,00	50	1 050	10,30
12754-20-01-4-7-9-12	Toolox33	25,00	52	1 050	10,72
12754-20-01-4-8	Toolox33	25,00	2 065	2 183	884,67
11281-30-01-18-23-24-26-31	Toolox33	30,00	70	162	2,67
11281-30-01-18-23-25-26	Toolox33	30,00	75	213	3,76
11865-15-01-2	Toolox33	30,00	95	143	3,20
11981-30-01-3-6-11	Toolox33	30,00	64	187	2,82
11981-30-01-3-6-12	Toolox33	30,00	56	188	2,48
12218-20-01-19-21-23	Toolox33	30,00	44	227	2,35
12218-20-01-25	Toolox33	20,00	30	732	3,45
12606-10-01-17	Toolox33	30,00	49	413	4,77
12606-10-01-17-20	Toolox33	30,00	48	413	4,67
12606-20-01-3	Toolox33	30,00	2 070	5 920	2 885,91
12606-30-01-9	Toolox33	30,00	1 165	2 903	796,46
90115-10-11	Toolox33	30,00	326	330	25,34
90115-13	Toolox33	30,00	241	477	27,07

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
90115-14	Toolox33	30,00	55	1 010	13,08
x101	Toolox33	30,00	70	199	3,28
x102	Toolox33	30,00	166	181	7,08
x113	Toolox33	30,00	27	592	3,76
10975-40-01-26-30	Toolox33	35,00	51	128	1,79
10975-40-01-26-31	Toolox33	35,00	51	128	1,79
11281-40-01-3-4-10-11-13	Toolox33	35,00	59	263	4,26
11281-40-01-3-4-12	Toolox33	35,00	116	118	3,76
11281-40-01-3-4-9-18-20	Toolox33	35,00	76	208	4,34
11281-40-01-3-4-9-18-21	Toolox33	35,00	74	205	4,17
11281-40-01-3-4-9-18-22	Toolox33	35,00	74	208	4,23
11281-40-a5-14	Toolox33	35,00	178	262	12,81
11281-40-a5-9-10	Toolox33	35,00	91	246	6,15
12108-25-01-3-16	Toolox33	35,00	77	298	6,30
12108-30-01-3-15	Toolox33	35,00	36	1 968	19,47
12108-30-01-3-19	Toolox33	35,00	115	1 070	33,81
12108-30-01-3-23-24	Toolox33	35,00	66	727	13,18
12108-30-01-3-23-26	Toolox33	35,00	115	412	13,02
12108-30-01-3-23-27	Toolox33	35,00	115	410	12,95
12678-20-01-10-12	Toolox33	35,00	79	501	10,87
12678-20-01-11-17	Toolox33	35,00	3 360	568	524,36
12678-20-01-11-17-19	Toolox33	35,00	310	692	58,94
12678-20-01-4-6	Toolox33	35,00	65	382	6,82
12678-20-01-4-7	Toolox33	35,00	177	442	21,50
35131	Toolox33	35,00	131	136	4,90
x105	Toolox33	35,00	111	547	16,68
x120	Toolox33	35,00	28	378	2,91
x141	Toolox33	35,00	103	134	3,79
x142	Toolox33	35,00	167	279	12,80
021252	Toolox33	40,00	112	135	4,75
021957	Toolox33	40,00	131	133	5,47
023942-2	Toolox33	40,00	154	154	7,45
023943	Toolox33	40,00	154	154	7,45
10857-30-01-13	Toolox33	40,00	23	427	3,08
10980-10-01-6	Toolox33	40,00	27	875	7,42
11444-40-01-12-14-15	Toolox33	40,00	136	151	6,45
11614-20-a3-1-2	Toolox33	40,00	120	252	9,50
11614-20-a3-1-7-10	Toolox33	40,00	91	107	3,06
11614-20-a3-1-7-16-17	Toolox33	40,00	134	140	5,89
11614-20-a3-1-7-17	Toolox33	40,00	193	393	23,82
11614-20-a3-1-7-9	Toolox33	40,00	90	108	3,05
11614-20-a3-2	Toolox33	40,00	120	240	9,04
11614-20-a5	Toolox33	40,00	123	221	8,54
11767-10-01-17-19	Toolox33	40,00	65	230	4,69

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11767-10-01-17-20	Toolox33	40,00	65	230	4,69
11767-10-01-22	Toolox33	40,00	138	253	10,96
11767-10-01-24	Toolox33	38,00	40	820	9,78
12108-80-01-3-8	Toolox33	40,00	79	186	4,61
12340-5-01-13-15-20	Toolox33	40,00	55	790	13,64
12438-30-01-2-8-11	Toolox33	40,00	159	219	10,93
12438-30-01-4	Toolox33	40,00	125	150	5,89
12438-30-01-7-10-13-23	Toolox33	40,00	122	234	8,96
12438-30-01-7-10-14-15-17	Toolox33	40,00	58	550	10,02
12438-30-01-7-10-14-20	Toolox33	40,00	97	173	5,27
12438-30-01-7-10-14-21	Toolox33	40,00	97	175	5,33
12438-30-01-7-9	Toolox33	39,00	40	385	4,72
12586-90-01-15-16	Toolox33	40,00	125	763	29,95
12586-90-01-17-20	Toolox33	40,00	213	237	15,85
12586-90-01-28	Toolox33	40,00	126	537	21,25
12586-90-01-31	Toolox33	40,00	126	535	21,17
12586-90-01-32	Toolox33	40,00	126	535	21,17
12586-90-01-33	Toolox33	40,00	126	540	21,37
12586-90-01-34-35	Toolox33	40,00	113	560	19,87
12586-90-01-34-36	Toolox33	40,00	221	725	50,31
12586-90-01-34-39-41	Toolox33	40,00	155	403	19,61
12692-20-01-3	Toolox33	40,00	2 100	4 925	3 247,55
12692-20-01-3-5-7	Toolox33	40,00	255	327	26,18
40502-2	Toolox33	40,00	27	805	6,83
40601-1	Toolox33	40,00	60	244	4,60
x106	Toolox33	40,00	90	135	3,82
x115	Toolox33	40,00	77	292	7,06
x130-2	Toolox33	40,00	90	200	5,65
x133	Toolox33	40,00	95	470	14,02
x155	Toolox33	40,00	55	353	6,10
X178	Toolox33	40,00	50	227	3,56
X189	Toolox33	40,00	57	240	4,30
10405-20-01-23	Toolox33	43,00	148	158	7,89
10405-20-01-34	Toolox33	43,00	95	160	5,13
10588-10-01-26-28	Toolox33	43,00	29	442	4,33
10588-10-01-28-31	Toolox33	43,00	101	284	9,68
10690-20-01-13-15	Toolox33	43,00	104	296	10,39
10690-20-01-15-16-17-18-19	Toolox33	43,00	75	221	5,60
10690-20-01-15-16-17-19-20	Toolox33	43,00	54	245	4,47
10690-20-01-15-16-17-19-21	Toolox33	43,00	36	835	10,15
023105	Toolox33	45,00	66	129	3,01
023235	Toolox33	45,00	91	185	5,95
11022-10-01-17	Toolox33	45,00	130	160	7,35
11022-10-01-22-24-25-26	Toolox33	45,00	162	213	12,19

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11022-10-01-3	Toolox33	45,00	134	170	8,05
11641-30-01-4-6	Toolox33	45,00	135	150	7,15
11641-30-01-4-7	Toolox33	45,00	135	154	7,34
11685-40-01-6-7-11	Toolox33	45,00	56	148	2,93
11685-40-01-6-7-13-16	Toolox33	45,00	106	220	8,24
11685-40-01-6-7-13-18	Toolox33	45,00	107	444	16,78
11685-40-01-6-7-13-27	Toolox33	45,00	90	619	19,68
12247-30-01-13-17-19	Toolox33	45,00	240	1 145	97,07
12247-30-01-14	Toolox33	45,00	65	198	4,55
12247-30-01-8	Toolox33	45,00	126	275	12,24
12436-10-01-3-5-6	Toolox33	40,00	45	395	5,58
12436-10-01-3-6	Toolox33	40,00	45	395	5,58
12436-10-01-5-13-15	Toolox33	45,00	156	1 085	59,79
12436-10-01-6	Toolox33	45,00	164	279	16,16
12586-100-01-6	Toolox33	45,00	58	2 080	42,62
12586-100-01-7	Toolox33	45,00	171	490	29,60
12802-30-01	Toolox33	45,00	2 095	5 815	4 303,44
x147-2	Toolox33	45,00	86	310	9,42
x151	Toolox33	45,00	157	254	14,09
x152	Toolox33	45,00	152	254	13,64
X175	Toolox33	45,00	83	273	8,00
X184	Toolox33	45,00	83	220	6,45
X211	Toolox33	45,00	59	330	6,88
10051-20-01	Toolox33	48,00	137	555	28,65
10371-80-01-22-66	Toolox33	50,00	38	265	3,95
10525-20-01-43-48	Toolox33	50,00	40	202	3,17
10713-10-01-13	Toolox33	50,00	37	202	2,93
11112-30-01-21-24	Toolox33	50,00	30	415	4,89
11281-50-01-14-15-17-18	Toolox33	50,00	62	165	4,02
11281-50-01-19-22	Toolox33	50,00	45	323	5,71
11281-50-01-26-27	Toolox33	50,00	40	165	2,59
11281-50-01-26-28	Toolox33	50,00	26	222	2,27
11281-50-01-5-6-8	Toolox33	50,00	25	176	1,73
11281-50-01-5-8-10	Toolox33	50,00	25	175	1,72
11281-50-01-5-8-9-10	Toolox33	50,00	25	172	1,69
11685-50-01-6-7-9-10-11-13	Toolox33	50,00	129	241	12,20
11685-50-01-6-7-9-10-11-14	Toolox33	50,00	130	188	9,59
11685-50-01-99-100	Toolox33	50,00	117	389	17,86
11685-50-1-99	Toolox33	50,00	135	230	12,19
11685-50-a1	Toolox33	50,00	114	127	5,68
11865-20-01-7-8-9-12	Toolox33	50,00	135	223	11,82
11865-20-01-7-8-9-14	Toolox33	50,00	119	135	6,31
11865-20-01-7-8-9-15	Toolox33	50,00	37	181	2,63
12340-10-01-12-13-15	Toolox33	50,00	125	168	8,24

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12340-10-01-12-13-18-24	Toolox33	50,00	145	273	15,54
12340-10-01-12-13-20-21	Toolox33	50,00	220	323	27,89
12554-10-01-5-10-19-20-21	Toolox33	50,00	120	215	10,13
12554-10-01-5-10-20-26	Toolox33	50,00	117	620	28,47
12554-10-01-5-10-24-25	Toolox33	50,00	132	255	13,21
12554-10-01-5-10-24-29	Toolox33	50,00	164	241	15,51
12554-10-01-5-10-24-30	Toolox33	50,00	148	553	32,12
12609-10-01-3-6	Toolox33	50,00	95	196	7,31
12609-10-01-7	Toolox33	50,00	41	615	9,90
12609-10-01-8-14	Toolox33	50,00	106	177	7,36
12678-30-01-10	Toolox33	50,00	111	165	7,19
12678-30-01-11	Toolox33	50,00	111	165	7,19
12678-30-01-15	Toolox33	50,00	261	303	31,04
12678-30-01-15-20-22	Toolox33	50,00	166	311	20,26
12678-30-01-17-21	Toolox33	50,00	115	632	28,53
12678-30-01-17-21-22	Toolox33	50,00	82	632	20,34
12678-30-01-3	Toolox33	50,00	127	518	25,82
12678-30-01-4	Toolox33	50,00	120	518	24,40
12678-30-01-5	Toolox33	50,00	111	164	7,15
12678-30-01-8	Toolox33	50,00	111	165	7,19
12678-30-01-9-11	Toolox33	50,00	111	165	7,19
12733-20-01-3	Toolox33	50,00	1 140	2 080	930,70
12733-20-01-4	Toolox33	50,00	2 080	3 120	2 547,17
12765-30-01	Toolox33	50,00	2 085	5 400	4 419,16
x108	Toolox33	50,00	43	480	8,10
x136	Toolox33	50,00	125	345	16,93
X231	Toolox33	50,00	27	1 303	13,81
53295	Toolox33	53,00	29	575	6,94
018567	Toolox33	60,00	41	494	9,54
019696	Toolox33	60,00	50	215	5,06
019779	Toolox33	60,00	47	336	7,44
023506	Toolox33	60,00	38	432	7,73
023507	Toolox33	60,00	51	255	6,13
023811-10-3	Toolox33	60,00	31	410	5,99
10249-10-01-77	Toolox33	60,00	39	660	12,12
10975-50-01-3-11-13	Toolox33	60,00	44	320	6,63
10975-50-01-3-9	Toolox33	60,00	35	677	11,16
11075-10-01-3	Toolox33	60,00	45	178	3,77
11160-20-01-12-15	Toolox33	60,00	135	165	10,49
11160-20-01-13-14	Toolox33	60,00	45	305	6,46
11160-20-01-21-22	Toolox33	60,00	64	135	4,07
11641-20-01-12-15-18-19-25	Toolox33	60,00	45	270	5,72
11641-20-01-12-15-18-20	Toolox33	60,00	110	330	17,10
11865-30-01-10-11-12-13-19	Toolox33	60,00	112	122	6,44

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11865-30-01-10-11-12-13-20	Toolox33	60,00	112	122	6,44
11865-30-01-10-11-12-13-21	Toolox33	60,00	108	120	6,10
11865-30-01-10-11-12-13-22	Toolox33	60,00	103	121	5,87
11865-30-01-10-11-12-13-23	Toolox33	60,00	97	122	5,57
11865-30-01-10-11-12-13-25	Toolox33	60,00	51	445	10,69
11865-30-01-10-11-12-14	Toolox33	60,00	55	615	15,93
12108-50-01-10	Toolox33	60,00	184	325	28,17
12108-50-01-13-15	Toolox33	60,00	80	195	7,35
12108-50-01-14-15-18	Toolox33	60,00	106	130	6,49
12108-50-01-18	Toolox33	60,00	134	136	8,58
12108-50-01-23-27	Toolox33	60,00	52	405	9,92
12108-50-02-5-6-11-20	Toolox33	60,00	129	185	11,24
12108-50-02-5-6-11-21	Toolox33	60,00	223	223	23,42
12108-50-02-5-6-11-23	Toolox33	60,00	220	225	23,31
12108-50-02-5-6-11-24	Toolox33	60,00	188	255	22,58
12108-50-02-5-6-11-27	Toolox33	60,00	190	269	24,07
12108-50-02-5-6-8-13	Toolox33	60,00	218	242	24,85
12108-50-02-6-8	Toolox33	60,00	90	385	16,32
12152-50-01-12-13-16-17	Toolox33	60,00	152	245	17,54
12152-50-01-9	Toolox33	60,00	125	380	22,37
12152-50-02-4	Toolox33	60,00	115	460	24,92
12152-50-02-4-5-6	Toolox33	60,00	161	179	13,57
12152-50-02-4-5-9	Toolox33	53,00	60	912	22,77
12152-50-02-5-15	Toolox33	60,00	89	545	22,85
12152-50-02-5-16	Toolox33	60,00	73	193	6,64
12152-50-02-5-17	Toolox33	60,00	130	175	10,72
12152-50-02-5-18	Toolox33	60,00	124	132	7,71
12539-10-01-14-15	Toolox33	60,00	82	383	14,79
12539-10-01-14-20-22	Toolox33	42,00	45	411	6,10
12539-10-01-16-17	Toolox33	60,00	200	645	60,76
12539-10-01-20-22	Toolox33	60,00	130	349	21,37
12539-10-01-28	Toolox33	60,00	277	382	49,84
12539-10-01-29-31	Toolox33	60,00	61	421	12,10
12539-10-01-33	Toolox33	60,00	170	247	19,78
12539-10-01-33-34	Toolox33	60,00	172	381	30,87
12539-10-01-35	Toolox33	60,00	199	850	79,67
12733-30-01-3-4	Toolox33	60,00	1 045	2 390	1 176,35
12733-30-01-3-5-7-10	Toolox33	60,00	115	457	24,75
12733-30-01-3-5-7-9	Toolox33	60,00	485	545	124,50
12733-30-01-3-5-8-10	Toolox33	60,00	246	675	78,21
12733-30-01-3-5-8-11	Toolox33	60,00	145	704	48,08
12733-30-01-3-5-8-12	Toolox33	60,00	142	700	46,82
12733-30-01-4-5	Toolox33	60,00	170	900	72,06
12733-30-01-4-7-8	Toolox33	60,00	440	546	113,15

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12765-10-01	Toolox33	60,00	2 040	5 505	5 289,42
12765-20-01-4	Toolox33	60,00	372	560	98,12
6,29	Toolox33	60,00	26	514	6,29
60452	Toolox33	60,00	45	215	4,56
x119	Toolox33	60,00	114	669	35,92
x125	Toolox33	60,00	61	422	12,12
x143	Toolox33	60,00	26	514	6,29
X183	Toolox33	60,00	112	170	8,97
X188	Toolox33	60,00	60	385	10,88
x224-2	Toolox33	60,00	64	327	9,86
021115	Toolox33	63,00	35	435	7,53
021415	Toolox33	63,00	35	505	8,74
021923	Toolox33	63,00	55	173	4,71
022254	Toolox33	63,00	55	401	10,91
022260	Toolox33	63,00	75	127	4,71
019760	Toolox33	64,00	108	135	7,33
10289-10-01-12-44	Toolox33	66,00	34	205	3,61
10289-10-01-37-40	Toolox33	66,00	91	216	10,18
10289-10-01-37-42	Toolox33	66,00	40	400	8,29
10289-10-01-37-52	Toolox33	66,00	30	890	13,83
10289-10-01-48-51	Toolox33	66,00	85	86	3,79
66102-1	Toolox33	66,00	32	509	8,44
022861-9	Toolox33	70,00	77	90	3,81
023949-8	Toolox33	70,00	60	90	2,97
023953	Toolox33	70,00	40	231	5,08
10249-20-01-56	Toolox33	70,00	37	212	4,31
10330-40-01	Toolox33	70,00	15	719	5,93
10330-40-01-33	Toolox33	70,00	48	905	23,87
10330-40-01-45	Toolox33	70,00	19	639	6,67
10495-20-01-11-12	Toolox33	70,00	75	85	3,50
10564-40-01-11-14	Toolox33	70,00	40	255	5,61
10803-30-01-14-20	Toolox33	70,00	26	587	8,39
10803-30-01-7-9-12	Toolox33	70,00	45	205	5,07
10915-10-01-11-20	Toolox33	70,00	117	137	8,81
10915-10-01-20	Toolox33	70,00	25	581	7,98
11058-20-01-3-7-9-10	Toolox33	70,00	70	136	5,23
11160-30-01-13	Toolox33	70,00	64	536	18,85
11160-30-01-15-17-19	Toolox33	70,00	62	153	5,21
11160-30-01-15-18	Toolox33	70,00	101	555	30,80
11160-30-01-23-27-28-29-30	Toolox33	70,00	111	120	7,32
11160-30-01-29-30	Toolox33	70,00	31	158	2,69
11160-30-01-29-31	Toolox33	70,00	45	201	4,97
11160-30-01-32	Toolox33	70,00	96	322	16,99
11551-40-01-10-11-12-15-17	Toolox33	70,00	36	206	4,08



# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11551-40-01-10-11-15	Toolox33	70,00	111	117	7,14
11551-40-01-14-15-18-19	Toolox33	70,00	82	188	8,47
11551-40-01-14-15-19	Toolox33	70,00	112	140	8,62
11914-10-01-2-7-8-14	Toolox33	70,00	87	152	7,27
11914-10-01-2-7-8-15	Toolox33	70,00	167	269	24,69
12178-40-01-16-17	Toolox33	52,00	70	635	18,14
12178-40-01-19	Toolox33	70,00	192	332	35,03
12178-40-01-20-23	Toolox33	70,00	184	185	18,71
12178-40-01-21-22-23	Toolox33	70,00	140	165	12,69
12178-40-01-21-24	Toolox33	70,00	56	475	14,62
12368-15-01-13	Toolox33	70,00	81	110	4,90
12368-15-01-14	Toolox33	70,00	81	110	4,90
12368-15-01-15	Toolox33	70,00	81	110	4,90
12368-15-01-16	Toolox33	70,00	81	106	4,72
12368-15-01-17	Toolox33	70,00	81	108	4,81
12368-15-01-22-25	Toolox33	65,00	70	695	24,82
12368-15-01-37	Toolox33	70,00	290	300	47,81
12368-15-01-37-38	Toolox33	70,00	160	420	36,93
12586-110-01-12	Toolox33	70,00	97	202	10,77
12586-110-01-15	Toolox33	70,00	227	607	75,72
12586-110-01-18	Toolox33	70,00	106	365	21,26
12586-110-01-19	Toolox33	70,00	108	366	21,72
12586-110-01-24-29-30	Toolox33	70,00	249	960	131,35
12586-110-01-24-30	Toolox33	70,00	84	832	38,40
12586-110-01-24-32	Toolox33	70,00	181	252	25,06
12586-110-01-24-33-35	Toolox33	70,00	335	459	84,49
12586-110-01-5-8-9	Toolox33	70,00	120	215	14,18
12733-40-01-2-4	Toolox33	70,00	142	275	21,46
12733-40-01-2-5-7	Toolox33	70,00	377	728	150,81
12733-40-01-2-5-8	Toolox33	70,00	2 055	3 055	3 449,78
12733-40-01-3	Toolox33	70,00	560	600	184,63
x104	Toolox33	70,00	125	740	50,83
x126	Toolox33	70,00	40	190	4,18
x128	Toolox33	70,00	125	697	47,88
x132	Toolox33	70,00	92	301	15,22
X176	Toolox33	70,00	240	295	38,91
X209	Toolox33	70,00	120	150	9,89
X213	Toolox33	70,00	53	682	19,86
X233	Toolox33	48,00	70	978	25,80
018667	Toolox33	80,00	46	477	13,78
018729	Toolox33	80,00	51	140	4,48
018876	Toolox33	80,00	60	336	12,66
019966	Toolox33	80,00	63	126	4,99
020034	Toolox33	80,00	71	185	8,25

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
020069	Toolox33	80,00	29	533	9,71
020245	Toolox33	84,00	59	344	13,38
020330	Toolox33	80,00	35	164	3,61
020753	Toolox33	80,00	25	547	8,59
020855	Toolox33	80,00	39	479	11,73
020857	Toolox33	80,00	37	478	11,11
020892	Toolox33	80,00	36	476	10,76
021111	Toolox33	80,00	30	201	3,79
021638	Toolox33	80,00	47	175	5,17
021795	Toolox33	80,00	35	845	18,57
021953	Toolox33	80,00	53	224	7,46
021954	Toolox33	80,00	43	324	8,75
022020	Toolox33	80,00	54	160	5,43
022127	Toolox33	80,00	70	160	7,03
022335	Toolox33	80,00	70	211	9,28
022336	Toolox33	80,00	70	211	9,28
022339	Toolox33	80,00	70	211	9,28
022381	Toolox33	80,00	66	135	5,60
022591	Toolox33	55,00	80	152	5,25
022728	Toolox33	80,00	38	337	8,04
023117	Toolox33	80,00	43	300	8,10
023278	Toolox33	80,00	54	478	16,21
023318	Toolox33	80,00	47	455	13,43
023519	Toolox33	80,00	70	197	8,66
023521	Toolox33	84,00	61	333	13,39
023705	Toolox33	80,00	66	216	8,95
023706	Toolox33	80,00	20	955	12,00
023926	Toolox33	40,00	80	374	9,40
10371-100-01-55	Toolox33	80,00	60	278	10,48
10505-20-01-11-22	Toolox33	80,00	36	558	12,62
10525-30-01-23-33	Toolox33	80,00	62	123	4,79
10525-30-01-67	Toolox33	80,00	26	514	8,39
10525-30-01-67-80	Toolox33	80,00	42	520	13,72
10564-50-01-14-19	Toolox33	80,00	38	345	8,23
10690-50-01-4	Toolox33	80,00	62	215	8,37
10773-40-01-16-17	Toolox33	80,00	36	480	10,85
10773-40-01-23	Toolox33	54,00	80	245	8,31
11069-20-01-10	Toolox33	80,00	71	127	5,66
11069-20-01-16-18	Toolox33	80,00	71	167	7,45
11069-20-01-21	Toolox33	80,00	54	436	14,79
11069-20-01-22	Toolox33	80,00	121	259	19,68
11069-20-01-26	Toolox33	80,00	47	268	7,91
11069-20-01-4	Toolox33	80,00	153	209	20,08
11069-30-01-2-6-12	Toolox33	80,00	71	110	4,91

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11281-60-01-27	Toolox33	80,00	62	372	14,48
11281-60-01-2-8-11-14	Toolox33	80,00	27	170	2,88
11794-50-01-2-16-18	Toolox33	80,00	48	195	5,88
11794-50-01-2-17-18	Toolox33	80,00	80	120	6,03
11794-50-01-2-18-19	Toolox33	80,00	100	103	6,47
11865-40-01-4-10	Toolox33	80,00	58	171	6,23
11865-40-01-4-6	Toolox33	80,00	95	165	9,84
11865-40-01-4-9	Toolox33	80,00	58	169	6,16
11865-40-01-5-6-7-8-10-14	Toolox33	80,00	150	152	14,32
11865-40-01-5-6-7-8-10-15	Toolox33	80,00	150	152	14,32
11865-40-01-5-6-7-8-11	Toolox33	80,00	42	919	24,24
12108-60-02-4	Toolox33	80,00	125	138	10,83
12108-60-03-5	Toolox33	80,00	63	279	11,04
12108-60-03-6	Toolox33	80,00	35	2 235	49,13
12195-10-01-13-15	Toolox33	80,00	45	265	7,49
12195-10-01-14	Toolox33	75,00	80	95	4,47
12195-10-01-6-10	Toolox33	80,00	69	255	11,05
12195-10-01-6-11	Toolox33	80,00	63	254	10,05
12195-10-01-6-12	Toolox33	80,00	93	95	5,55
12195-10-01-6-8	Toolox33	80,00	64	254	10,21
12195-10-01-6-9	Toolox33	80,00	70	255	11,21
12195-10-02-18	Toolox33	30,00	80	198	3,73
12195-10-02-19	Toolox33	80,00	282	302	53,48
12195-10-02-19-20	Toolox33	80,00	118	203	15,04
12195-10-02-21-24	Toolox33	58,00	80	287	10,45
12195-10-02-21-26	Toolox33	77,00	80	180	8,70
12335-10-01-14	Toolox33	80,00	158	982	97,44
12340-20-01-11-13	Toolox33	68,00	80	860	36,73
12340-20-01-14	Toolox33	45,00	80	306	8,65
12340-20-01-14-15	Toolox33	60,00	80	255	9,61
12340-20-01-21	Toolox33	80,00	197	690	85,36
12340-20-01-22	Toolox33	80,00	171	990	106,31
12340-20-01-26	Toolox33	80,00	295	658	121,90
12340-20-01-27	Toolox33	80,00	292	560	102,69
12340-20-01-28-30	Toolox33	80,00	183	345	39,65
12340-20-01-4-11	Toolox33	80,00	88	182	10,06
12340-20-01-4-5	Toolox33	80,00	128	170	13,67
12340-20-01-4-6	Toolox33	80,00	128	170	13,67
12340-20-01-4-7	Toolox33	80,00	129	170	13,77
12340-20-01-4-8	Toolox33	80,00	130	170	13,88
12340-20-01-4-9	Toolox33	80,00	130	170	13,88
80702-8	Toolox33	80,00	70	207	9,10
80702-9	Toolox33	80,00	70	211	9,28
x123-2	Toolox33	80,00	95	430	25,65

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
x124	Toolox33	80,00	105	265	17,47
X181	Toolox33	80,00	64	505	20,30
X182	Toolox33	80,00	98	130	8,00
X186	Toolox33	80,00	64	505	20,30
X187	Toolox33	80,00	50	605	19,00
X215	Toolox33	80,00	113	125	8,87
X230	Toolox33	50,00	80	807	25,34
X230-1	Toolox33	80,00	82	210	10,81
X234	Toolox33	80,00	127	177	14,12
X235	Toolox33	77,00	80	548	26,50
X236	Toolox33	80,00	112	920	64,71
X237	Toolox33	80,00	110	922	63,69
X238	Toolox33	80,00	112	747	52,54
X239	Toolox33	80,00	110	417	28,81
018793	Toolox33	90,00	61	230	9,91
023365-1	Toolox33	90,00	56	149	5,90
023526	Toolox33	90,00	90	90	5,72
10201-50-01-100	Toolox33	90,00	76	215	11,54
10371-90-01-45-55-66	Toolox33	90,00	115	121	9,83
10371-90-01-45-55-77	Toolox33	90,00	34	224	5,38
10690-40-01-17	Toolox33	90,00	45	700	22,26
11022-30-01-6-7	Toolox33	90,00	102	160	11,53
11022-30-01-6-8	Toolox33	90,00	102	160	11,53
11022-30-01-6-9	Toolox33	90,00	120	160	13,57
11354-10-01-2-4-6	Toolox33	90,00	35	307	7,59
11354-10-01-5-6	Toolox33	90,00	30	806	17,08
11354-10-01-5-9	Toolox33	90,00	52	304	11,17
11614-40-01-4-11-14-15-16	Toolox33	90,00	102	165	11,89
11614-40-01-4-11-15	Toolox33	90,00	67	258	12,21
11614-40-01-4-11-18	Toolox33	90,00	90	505	32,11
11614-40-01-6	Toolox33	90,00	48	276	9,36
12079-40-01-2-15	Toolox33	90,00	115	262	21,29
12079-40-01-2-16	Toolox33	49,00	90	266	9,21
12079-40-01-3	Toolox33	90,00	215	1 015	154,18
12079-40-01-3-13	Toolox33	72,00	90	164	8,34
12079-40-01-3-13-15	Toolox33	45,00	90	482	15,32
12079-40-01-3-15-16	Toolox33	90,00	72	483	24,57
12079-40-01-3-6-8	Toolox33	90,00	91	167	10,74
12079-40-01-3-6-9-10	Toolox33	90,00	101	155	11,06
12438-40-01-17	Toolox33	90,00	693	1 053	515,55
12438-40-01-3-4-6	Toolox33	90,00	114	255	20,54
12438-40-01-3-4-7	Toolox33	90,00	115	255	20,72
12438-40-01-3-4-8	Toolox33	82,00	90	110	6,37
12438-40-01-3-5	Toolox33	90,00	146	205	21,15

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12438-40-01-3-6	Toolox33	90,00	145	205	21,00
12733-50-01-2	Toolox33	90,00	1 325	4 113	3 850,23
12733-50-01-2-3	Toolox33	90,00	107	330	24,95
12733-50-01-2-4	Toolox33	90,00	107	1 590	120,20
12733-50-01-2-6	Toolox33	90,00	115	1 987	161,44
12733-50-01-3	Toolox33	90,00	110	432	33,57
90453	Toolox33	90,00	45	312	9,92
99950	Toolox33	92,00	42	137	4,16
99950-1	Toolox33	92,00	47	725	24,61
x111	Toolox33	90,00	65	1 050	48,22
x114	Toolox33	90,00	64	175	7,91
x137	Toolox33	90,00	123	350	30,42
X173-2	Toolox33	90,00	103	355	25,83
X195	Toolox33	90,00	81	752	43,03
X214	Toolox33	90,00	102	165	11,89
x218	Toolox33	90,00	169	254	30,33
X241	Toolox33	90,00	138	163	15,89
X242-1	Toolox33	63,00	90	283	12,60
X242-4	Toolox33	90,00	169	196	23,40
X243	Toolox33	90,00	300	355	75,24
10583-30-01-17	Toolox33	100,00	54	168	7,12
10583-30-01-18	Toolox33	100,00	34	625	16,68
10825-40-01-14-15-16	Toolox33	100,00	58	705	32,10
10825-40-01-20-21	Toolox33	79,00	100	150	9,30
10975-60-01-11-14-15-16	Toolox33	100,00	134	164	17,25
10975-60-01-12-13-15	Toolox33	100,00	65	400	20,41
10975-60-01-12-13-16	Toolox33	100,00	75	570	33,56
10975-60-01-2-3-5	Toolox33	100,00	95	364	27,15
11444-20-01-11	Toolox33	80,00	100	410	25,75
11444-20-01-2-26-28-30	Toolox33	50,00	100	200	7,85
11444-20-01-24	Toolox33	100,00	42	501	16,52
11876-20-01-2-3-4	Toolox33	90,00	100	290	20,49
11876-20-01-2-3-5	Toolox33	100,00	64	1 245	62,55
11876-20-01-2-4-7	Toolox33	100,00	84	1 245	82,10
12079-50-01-16	Toolox33	100,00	70	365	20,06
12079-50-01-19-20	Toolox33	95,00	100	185	13,80
12079-50-01-19-21	Toolox33	95,00	100	185	13,80
12079-50-01-19-22	Toolox33	95,00	100	185	13,80
12438-50-01	Toolox33	66,00	100	850	44,04
12438-50-01-12	Toolox33	83,00	100	120	7,82
12438-50-01-13-16	Toolox33	60,00	100	200	9,42
12438-50-01-17	Toolox33	100,00	191	251	37,63
12438-50-01-19	Toolox33	100,00	107	433	36,37
12438-50-01-21	Toolox33	100,00	217	458	78,02

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12438-50-01-23	Toolox33	100,00	104	187	15,27
12438-50-01-24	Toolox33	100,00	106	187	15,56
12438-50-01-25	Toolox33	100,00	105	187	15,41
12438-50-01-26	Toolox33	100,00	105	187	15,41
12438-50-01-6-11-12	Toolox33	100,00	158	340	42,17
12438-50-01-6-11-13	Toolox33	100,00	430	860	290,29
12438-50-01-6-11-14	Toolox33	100,00	433	692	235,21
12438-50-01-6-11-15	Toolox33	100,00	92	299	21,59
12438-50-01-6-8	Toolox33	55,00	100	560	24,18
12692-10-01-2	Toolox33	100,00	240	872	164,29
12692-10-01-2-3	Toolox33	100,00	127	155	15,45
12692-10-01-3	Toolox33	100,00	371	870	253,37
12692-10-01-5	Toolox33	100,00	107	532	44,69
12692-10-01-7	Toolox33	100,00	107	1 780	149,51
X193	Toolox33	100,00	45	224	7,91
022829	Toolox33	104,00	36	180	5,29
022993	Toolox33	105,00	85	150	10,51
023725-1	Toolox33	104,00	87	109	7,74
10144-20-01	Toolox33	104,00	80	137	8,95
10144-20-01-34	Toolox33	104,00	88	158	11,35
10183-20-01-12	Toolox33	104,00	86	440	30,89
10183-20-01-44-78	Toolox33	104,00	61	480	23,90
10183-20-01-67	Toolox33	104,00	64	322	16,82
10265-30-01	Toolox33	104,00	60	115	5,63
10265-30-01-11-45-57	Toolox33	104,00	33	213	5,74
10265-30-01-12	Toolox33	46,00	46	1 260	20,93
10413	Toolox33	104,00	135	150	16,53
10418	Toolox33	55,00	57	850	20,92
10418-2	Toolox33	45,00	55	485	9,42
10439	Toolox33	104,00	44	1 046	37,57
10440-1	Toolox33	104,00	40	215	7,02
10448-1	Toolox33	104,00	48	365	14,30
10460-1	Toolox33	104,00	60	370	18,12
10466-10-01	Toolox33	105,00	10	519	4,28
10466-10-01-11-12-22	Toolox33	105,00	56	787	36,33
10466-10-01-23	Toolox33	100,00	115	152	13,72
10466-10-01-44	Toolox33	104,00	89	387	28,12
10470-1	Toolox33	104,00	70	173	9,89
10480-1	Toolox33	104,00	80	240	15,68
10490	Toolox33	104,00	90	90	6,61
10502-10-01-33	Toolox33	105,00	49	442	17,85
10502-10-01-36	Toolox33	23,00	59	1 007	10,73
10591-1	Toolox33	105,00	91	160	12,00
10702-30-01-10-15	Toolox33	105,00	42	145	5,02

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10702-30-01-13-15	Toolox33	104,00	90	120	8,82
10702-30-01-13-16	Toolox33	104,00	90	165	12,12
10702-30-01-13-18	Toolox33	105,00	90	110	8,16
10702-30-01-13-22	Toolox33	105,00	136	153	17,15
10702-30-01-13-23	Toolox33	105,00	140	169	19,50
10702-30-01-2-3	Toolox33	105,00	83	410	28,05
10857-10-01-13-16-17	Toolox33	105,00	130	167	17,89
10857-10-01-8	Toolox33	105,00	143	160	18,86
11022-40-01-14-19	Toolox33	105,00	60	1 245	61,57
11022-40-01-15-16	Toolox33	105,00	99	407	33,21
11022-40-01-17-18	Toolox33	105,00	125	339	34,93
11614-50-01-2-3-4-5	Toolox33	105,00	485	740	295,82
11614-50-01-2-3-4-6	Toolox33	105,00	142	506	59,22
11614-50-01-2-3-5	Toolox33	105,00	235	328	63,53
11981-50-02-4	Toolox33	105,00	143	435	51,27
11981-50-02-7-12	Toolox33	105,00	125	358	36,89
11981-50-02-7-18-19	Toolox33	105,00	35	400	11,54
11981-50-02-7-20	Toolox33	105,00	106	442	38,62
11981-50-02-7-22	Toolox33	105,00	126	443	46,01
11981-50-02-7-23-25	Toolox33	105,00	87	394	28,25
11981-50-02-7-23-26	Toolox33	105,00	91	394	29,55
11981-50-02-7-23-28	Toolox33	105,00	115	397	37,63
11981-50-02-7-23-29	Toolox33	105,00	115	399	37,82
11981-50-02-7-23-30-32	Toolox33	105,00	960	1 545	1 222,53
11981-50-02-8-16	Toolox33	60,00	105	380	18,79
12551-10-01-3-4	Toolox33	104,00	105	900	77,15
12551-10-01-3-5	Toolox33	104,00	107	905	79,06
12551-10-01-3-6	Toolox33	104,00	107	2 158	188,51
12551-10-01-3-8	Toolox33	104,00	1 150	3 405	3 196,82
x107	Toolox33	104,00	120	125	12,25
x122	Toolox33	36,00	104	1 247	36,65
X174	Toolox33	105,00	146	340	40,92
X225	Toolox33	105,00	355	655	191,66
X225-1	Toolox33	105,00	115	217	20,57
X228	Toolox33	31,00	105	1 257	32,12
X229	Toolox33	104,00	45	1 290	47,39
018572	Toolox33	110,00	43	645	23,95
018573	Toolox33	110,00	87	131	9,84
018765	Toolox33	110,00	68	168	9,87
019015	Toolox33	40,00	110	256	8,84
019769	Toolox33	110,00	31	175	4,68
020514	Toolox33	110,00	77	301	20,01
020836	Toolox33	110,00	44	115	4,37
020837	Toolox33	110,00	67	312	18,05

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
021187	Toolox33	110,00	35	175	5,29
021461	Toolox33	110,00	85	385	28,26
021518	Toolox33	110,00	18	540	8,39
021639	Toolox33	110,00	30	289	7,49
021844	Toolox33	110,00	65	220	12,35
021971	Toolox33	110,00	115	215	21,35
022024	Toolox33	110,00	42	145	5,26
022069	Toolox33	110,00	26	405	9,09
022177	Toolox33	110,00	45	868	33,73
022916	Toolox33	110,00	95	350	28,71
022916-6	Toolox33	110,00	59	675	34,39
023883	Toolox33	110,00	65	505	28,34
10330-50-01	Toolox33	110,00	37	665	21,25
10330-50-01-78	Toolox33	110,00	153	303	40,03
10583-40-01-10	Toolox33	108,00	75	135	8,58
10583-40-01-10-13	Toolox33	108,00	50	625	26,49
10583-40-01-11	Toolox33	110,00	259	482	107,80
10583-40-01-3-4	Toolox33	110,00	102	155	13,65
10583-40-01-3-5	Toolox33	110,00	246	310	65,85
10773-30-01-12	Toolox33	110,00	76	333	21,85
10773-30-01-12-13	Toolox33	110,00	94	414	33,60
10773-30-01-16-21-23	Toolox33	110,00	59	534	27,21
10773-30-01-19	Toolox33	110,00	115	125	12,41
10773-30-01-20	Toolox33	110,00	113	125	12,20
10773-30-01-5-8	Toolox33	110,00	45	425	16,51
10773-30-01-8	Toolox33	110,00	50	1 250	53,97
11013-1-2	Toolox33	110,00	138	249	29,67
11036-1	Toolox33	110,00	36	635	19,74
11444-10-01-11-15	Toolox33	110,00	94	405	32,87
11444-10-01-11-16	Toolox33	110,00	94	405	32,87
11444-10-01-11-18-21	Toolox33	110,00	429	519	192,26
11444-10-01-12-13	Toolox33	110,00	115	335	33,27
11444-10-01-5-11	Toolox33	110,00	210	1 115	202,19
11444-10-01-5-12	Toolox33	110,00	210	385	69,81
11767-9-01-2-3-4-6	Toolox33	110,00	185	238	38,02
11767-9-01-2-4-6-7-8	Toolox33	110,00	70	1 245	75,25
11767-9-01-3	Toolox33	110,00	360	625	194,29
11767-9-01-4	Toolox33	110,00	113	274	26,74
12079-60-01-2-4-5	Toolox33	110,00	393	520	176,47
12079-60-01-6-10	Toolox33	110,00	110	415	39,42
12079-60-01-6-11	Toolox33	110,00	110	415	39,42
12079-60-01-6-8	Toolox33	110,00	216	489	91,21
12489-20-01-3-4-7-13	Toolox33	110,00	151	295	38,47
12489-20-01-3-4-7-14	Toolox33	110,00	151	295	38,47



# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12489-20-01-3-4-7-15	Toolox33	90,00	110	220	17,10
12489-20-01-3-4-7-16	Toolox33	40,00	110	244	8,43
12489-20-01-3-4-7-20	Toolox33	76,00	110	172	11,29
12489-20-01-3-4-7-21	Toolox33	110,00	526	890	404,24
12489-20-01-3-5	Toolox33	110,00	229	483	95,51
12551-20-01-3	Toolox33	110,00	120	275	28,50
12551-20-01-4	Toolox33	110,00	130	270	30,31
99984	Toolox33	110,00	82	470	33,28
99984-1	Toolox33	110,00	48	238	9,87
99984-1-2-3	Toolox33	75,00	110	320	20,72
99984-1-2-3-4	Toolox33	47,00	110	320	12,99
99984-4-5-7	Toolox33	110,00	100	147	12,69
99984-8	Toolox33	110,00	74	1 245	79,55
x138	Toolox33	110,00	72	480	29,84
X244	Toolox33	110,00	115	392	38,93
023404	Toolox33	120,00	77	1 005	72,90
023609	Toolox33	40,00	120	170	6,41
023610	Toolox33	40,00	120	171	6,44
023647	Toolox33	49,00	120	710	32,77
023678	Toolox33	120,00	106	187	18,67
023756	Toolox33	120,00	65	603	36,92
023756-4	Toolox33	120,00	30	1 245	35,18
023756-8	Toolox33	120,00	38	651	23,30
023765	Toolox33	120,00	85	110	8,81
10330-60-01-22-33	Toolox33	120,00	45	290	12,29
10330-60-01-34-45	Toolox33	120,00	29	301	8,22
10330-60-01-56	Toolox33	120,00	69	165	10,73
10330-60-01-67	Toolox33	120,00	70	162	10,68
10564-60-01-55	Toolox33	120,00	63	285	16,91
10623-20-01	Toolox33	120,00	60	285	16,11
10623-20-01-11-13	Toolox33	120,00	42	870	34,42
10623-20-01-12	Toolox33	120,00	20	793	14,94
10623-20-01-15	Toolox33	120,00	50	425	20,02
10623-20-01-2-4	Toolox33	120,00	65	670	41,02
10623-20-01-2-7	Toolox33	120,00	40	350	13,19
10623-20-01-4	Toolox33	120,00	87	340	27,86
10943-10-01-15-17-19	Toolox33	120,00	45	202	8,56
11328-10-01-10-13-14	Toolox33	120,00	151	160	22,76
11328-10-01-11-12-14	Toolox33	120,00	42	875	34,62
11328-10-01-11-12-15	Toolox33	120,00	50	365	17,19
11328-10-01-11-12-16	Toolox33	120,00	50	365	17,19
11328-10-01-11-12-17	Toolox33	120,00	55	365	18,91
11328-10-01-12-14-17	Toolox33	120,00	138	305	39,65
11328-10-01-12-15	Toolox33	120,00	58	270	14,75

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11328-10-01-3-7	Toolox33	120,00	43	490	19,85
11328-10-01-3-8	Toolox33	120,00	133	177	22,18
11328-10-01-3-9-10-11-12	Toolox33	120,00	56	237	12,50
11641-10-01-2-3-4-5	Toolox33	120,00	110	266	27,56
11641-10-01-2-3-4-6	Toolox33	120,00	110	267	27,67
11641-10-01-2-3-4-7	Toolox33	120,00	110	269	27,87
11641-10-01-2-3-4-8-10	Toolox33	120,00	105	271	26,81
11641-10-01-2-3-4-8-11	Toolox33	120,00	105	270	26,71
11641-10-01-2-3-4-8-12	Toolox33	120,00	105	269	26,61
11641-10-01-2-3-4-8-9-11	Toolox33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-12	Toolox33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-13	Toolox33	120,00	110	270	27,98
11641-10-01-3-4	Toolox33	120,00	44	320	13,26
11641-10-a1-2	Toolox33	120,00	205	450	86,90
11641-10-a1-2-4	Toolox33	65,00	120	515	31,53
11641-10-a2	Toolox33	120,00	106	273	27,26
11641-10-a3	Toolox33	120,00	105	272	26,90
11641-10-a4	Toolox33	120,00	106	275	27,46
12057-1	Toolox33	120,00	57	852	45,75
12489-10-01-2-15	Toolox33	45,00	120	500	21,20
12489-10-01-2-15-16	Toolox33	70,00	120	455	30,00
12489-10-01-2-16-18	Toolox33	120,00	102	148	14,22
12489-10-01-3	Toolox33	104,00	120	483	47,32
12489-10-01-3-12	Toolox33	120,00	200	396	74,61
12489-10-01-3-5	Toolox33	21,00	120	355	7,02
12489-10-01-3-7	Toolox33	84,00	120	231	18,28
12489-10-01-3-9	Toolox33	120,00	256	312	75,24
12489-10-01-4	Toolox33	120,00	62	711	41,53
12539-20-01-3	Toolox33	120,00	127	135	16,15
12539-20-01-3-5	Toolox33	55,00	120	285	14,77
12539-20-01-3-6	Toolox33	55,00	120	285	14,77
12539-20-01-3-8	Toolox33	47,00	120	937	41,49
12539-20-01-7	Toolox33	120,00	125	634	74,65
12539-20-01-8-11	Toolox33	120,00	160	273	41,15
12539-20-01-8-12	Toolox33	110,00	120	222	23,00
12539-20-01-8-13	Toolox33	108,00	120	222	22,59
12539-20-01-8-14	Toolox33	107,00	120	1 477	148,87
12539-20-01-8-15	Toolox33	120,00	320	1 845	556,16
12539-20-01-8-17	Toolox33	120,00	206	885	171,74
12539-20-01-8-9-10	Toolox33	120,00	190	790	141,39
12539-20-01-8-9-11	Toolox33	120,00	390	580	213,08
x109	Toolox33	38,00	120	137	4,90
021584	Toolox33	125,00	40	1 090	42,78
021585	Toolox33	125,00	51	183	9,16

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
021645	Toolox33	95,00	125	150	13,98
021653	Toolox33	125,00	38	1 302	48,55
021761	Toolox33	125,00	82	831	66,86
022665	Toolox33	125,00	104	232	23,68
023121	Toolox33	125,00	38	132	4,92
023303	Toolox33	125,00	160	160	25,12
023304	Toolox33	125,00	75	345	25,39
023339	Toolox33	125,00	73	160	11,46
023529	Toolox33	125,00	75	130	9,57
023886	Toolox33	125,00	145	160	22,77
12545	Toolox33	125,00	45	160	7,07
019192		60,00	140	195	12,86
019830		60,00	57	250	6,71
020942		60,00	176	229	18,98
022452		60,00	57	370	9,93
11981-60-03-5	Toolox44	12,00	360	425	14,41
12152-10-01-3-12	Toolox44	12,00	300	1 443	40,78
12438-60-01-25	Toolox44	30,00	626	905	133,42
12629-30-01-11-13	Toolox44	30,00	40	580	5,46
10201-30-01-45	Toolox44	39,00	90	160	4,41
10201-30-01-88	Toolox44	39,00	81	240	5,95
10371-40-01-78	Toolox44	40,00	38	335	4,00
10583-20-02-5-7	Toolox44	40,00	48	330	4,97
12368-30-01-4	Toolox44	40,00	120	393	14,81
12606-40-01-23-27	Toolox44	40,00	471	605	89,48
12606-40-01-5	Toolox44	40,00	83	830	21,63
12606-40-01-6	Toolox44	40,00	98	196	6,03
x159-2	Toolox44	40,00	246	422	32,60
x160	Toolox44	40,00	90	217	6,13
x170-1	Toolox44	40,00	73	253	5,80
X207	Toolox44	40,00	106	194	6,46
X210	Toolox44	40,00	202	786	49,85
10438-20-01-20-29	Toolox44	50,00	75	112	3,30
11981-70-01-17-20	Toolox44	50,00	170	216	14,41
12583-10-01-14	Toolox44	50,00	1 090	1 320	564,73
12583-10-01-8	Toolox44	50,00	260	331	33,78
x161	Toolox44	50,00	150	550	32,38
x163	Toolox44	50,00	170	245	16,35
X200	Toolox44	50,00	138	309	16,74
021847	Toolox44	60,00	104	112	5,49
023864	Toolox44	60,00	91	113	4,84
023864-1	Toolox44	60,00	77	103	3,74
10466-20-01-44	Toolox44	60,00	37	185	3,22
10466-20-01-44-56	Toolox44	60,00	42	347	6,86

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10564-70-01-10-16-17	Toolox44	60,00	140	200	13,19
10709-20-01-12	Toolox44	60,00	40	408	7,69
10803-10-01-18	Toolox44	60,00	50	345	8,13
10803-10-01-25	Toolox44	60,00	108	114	5,80
10996-10-01-10-12	Toolox44	60,00	98	98	4,52
10996-10-01-15	Toolox44	60,00	146	190	13,07
10996-10-01-16	Toolox44	60,00	202	207	19,69
10996-10-01-24	Toolox44	60,00	93	112	4,91
10996-10-01-27-29	Toolox44	60,00	143	167	11,25
10996-10-01-34	Toolox44	60,00	110	149	7,72
10996-10-01-35-36	Toolox44	60,00	157	202	14,94
11168-10-01-12	Toolox44	60,00	50	285	6,71
11317-10-01-11	Toolox44	60,00	134	311	19,63
11340-10-01-12	Toolox44	60,00	55	308	7,98
11340-10-01-22-23	Toolox44	60,00	146	215	14,79
11340-10-01-26-28	Toolox44	60,00	29	302	4,13
11340-10-01-26-29	Toolox44	60,00	29	302	4,13
11770-10-01-17	Toolox44	60,00	73	160	5,50
11876-10-01-13	Toolox44	60,00	58	580	15,84
12247-40-01-14-18-20-22	Toolox44	60,00	50	787	18,53
12247-40-01-14-18-20-23	Toolox44	60,00	121	340	19,38
12582-20-01-3	Toolox44	60,00	125	465	27,38
12582-20-01-6	Toolox44	60,00	201	387	36,64
12582-20-01-7	Toolox44	60,00	122	1 023	58,78
60351-1	Toolox44	60,00	136	230	14,73
60351-5	Toolox44	60,00	60	210	5,94
91100-1	Toolox44	60,00	48	206	4,66
91100-1-3	Toolox44	60,00	49	206	4,75
91100-1-4	Toolox44	60,00	49	206	4,75
91102-1	Toolox44	60,00	55	140	3,63
91105	Toolox44	60,00	60	380	10,74
99990	Toolox44	60,00	41	540	10,43
x158	Toolox44	60,00	118	165	9,17
x167	Toolox44	60,00	191	203	18,26
X197	Toolox44	35,00	60	353	5,82
X204	Toolox44	60,00	60	210	5,94
X206	Toolox44	60,00	120	465	26,28
022184-3	Toolox44	80,00	65	250	10,21
022184-3-10	Toolox44	80,00	80	92	4,62
022184-3-5-7	Toolox44	80,00	72	90	4,07
023892	Toolox44	80,00	48	167	5,03
10371-60-01-65	Toolox44	80,00	45	202	5,71
10371-60-01-67	Toolox44	80,00	36	102	2,31
11383-20-01-11	Toolox44	80,00	45	190	5,37

# Toolox valmispalat

19.09.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11383-20-01-15-16-19	Toolox44	80,00	18	118	1,33
11383-20-01-20	Toolox44	80,00	80	118	5,93
11383-20-01-7-10	Toolox44	80,00	53	464	15,44
11884-10-01-6-8	Toolox44	80,00	61	299	11,45
12500-10-01-15	Toolox44	80,00	207	583	75,79
12692-30-01-11	Toolox44	80,00	82	1 068	55,00
12692-30-01-13-15	Toolox44	48,00	81	88	2,69
12692-30-01-18	Toolox44	80,00	210	321	42,33
12692-30-01-18-20	Toolox44	80,00	85	150	8,01
12692-30-01-18-21	Toolox44	80,00	55	320	11,05
12692-30-01-21	Toolox44	80,00	190	624	74,46
12692-30-01-22	Toolox44	80,00	190	240	28,64
12692-30-01-25	Toolox44	80,00	207	905	117,65
x172-2	Toolox44	80,00	128	135	10,85
12152-60-01-15-20	Toolox44	110,00	90	960	74,61
12313-25-01-10	Toolox44	110,00	248	530	113,50
12313-25-01-11	Toolox44	110,00	246	530	112,58
12313-25-01-8	Toolox44	110,00	230	530	105,26
12313-25-01-9	Toolox44	110,00	240	530	109,84
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
20171220-1-3	Toolox44 s	21,00		2 940	7,99
20171220-2	Toolox44 s	31,00		935	5,54
20171220-7-8	Toolox44 s	111,00		3 580	271,95
20171220-7-9	Toolox44 s	111,00		1 825	138,63
20171220-7-9-10	Toolox44 s	111,00		900	68,37
20171220-8	Toolox44 s	121,00		3 370	304,20
20180221-1	Toolox44 s	101,00		4 867	306,10
20180221-1-2	Toolox44 s	101,00		3 860	242,77