

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
019389	Toolox33	35,00	86	250	5,91
020046	Toolox33	90,00	32	181	4,09
020117	Toolox33	35,00	85	280	6,54
020545	Toolox33	60,00	46	121	2,62
020731	Toolox33	60,00	46	287	6,22
020796	Toolox33	43,00	35	287	3,39
021508	Toolox33	35,00	82	255	5,75
021826	Toolox33	60,00	44	179	3,71
022154	Toolox33	104,00	35	467	13,34
022235	Toolox33	104,00	100	163	13,31
022627	Toolox33	104,00	50	795	32,45
022647	Toolox33	104,00	95	246	19,08
022672	Toolox33	104,00	84	324	22,22
022685	Toolox33	105,00	108	115	10,24
022739	Toolox33	60,00	42	187	3,70
022979	Toolox33	50,00	35	425	5,84
023093	Toolox33	104,00	76	714	44,30
023225	Toolox33	40,00	67	255	5,37
023714	Toolox33	40,00	19	232	1,38
023916	Toolox33	104,00	35	264	7,54
023918	Toolox33	104,00	35	397	11,34
x146	Toolox33	105,00	79	684	44,54
x150	Toolox33	105,00	105	325	28,13
11685-10-01	Toolox33	8,00	2 060	5 240	677,89
x121	Toolox33	11,50	63	715	4,07
x140	Toolox33	11,50	190	369	6,33
11444-60-01-24-28-31	Toolox33	12,00	77	397	2,88
11444-60-01-24-28-33	Toolox33	12,00	132	166	2,06
11981-10-01-3	Toolox33	12,00	1 933	2 120	386,03
11981-10-03	Toolox33	12,00	2 110	2 890	574,42
12108-10-01-12-13-16	Toolox33	12,00	200	216	4,07
12108-20-01	Toolox33	12,00	1 937	2 690	490,83
12108-20-01-5	Toolox33	12,00	32	377	1,14
x245	Toolox33	12,00	2 120	2 890	577,15
11981-20-01-8-11-18	Toolox33	20,00	220	310	10,71
11981-20-01-8-11-18-20	Toolox33	20,00	67	286	3,01
11981-20-01-8-11-18-21	Toolox33	20,00	67	267	2,81
11981-20-01-8-11-18-22	Toolox33	20,00	65	432	4,41
11981-20-02-14-16-17	Toolox33	20,00	64	193	1,94
12313-10-01-3-14	Toolox33	20,00	95	445	6,64
12313-10-01-3-14-18	Toolox33	20,00	67	445	4,68
12313-10-01-3-22	Toolox33	20,00	92	161	2,33
12313-10-01-3-23	Toolox33	20,00	92	172	2,48

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12313-10-01-3-24	Toolox33	20,00	92	172	2,48
12313-10-01-3-26	Toolox33	20,00	90	172	2,43
12313-10-01-3-27	Toolox33	20,00	270	520	22,04
12586-70-01-5	Toolox33	20,00	2 065	5 573	1 806,79
12678-5-01	Toolox33	20,00	2 090	4 760	1 561,90
12678-5-01-3	Toolox33	20,00	217	449	15,30
12678-5-01-4	Toolox33	20,00	998	1 880	294,57
x117	Toolox33	20,00	92	172	2,48
x134	Toolox33	20,00	92	172	2,48
x149	Toolox33	20,00	80	537	6,75
10702-20-01-12-17	Toolox33	22,00	50	570	4,92
10702-20-a2-2	Toolox33	22,00	80	259	3,58
10702-20-a2-3-5	Toolox33	22,00	75	482	6,24
11794-40-01-4-5-7	Toolox33	22,00	1 835	2 070	655,99
11794-40-01-4-9	Toolox33	22,00	82	461	6,53
12678-10-01	Toolox33	22,00	2 115	5 790	2 114,86
10438-10-01-55-66	Toolox33	25,00	40	200	1,57
11865-10-01-4-5-7-9-11	Toolox33	25,00	83	151	2,46
12586-80-01-11	Toolox33	25,00	182	2 595	92,69
12586-80-01-13	Toolox33	25,00	217	344	14,65
12586-80-01-6	Toolox33	25,00	320	970	60,92
12586-80-01-7	Toolox33	25,00	320	975	61,23
12629-10-01-12	Toolox33	25,00	440	540	46,63
12629-10-01-14	Toolox33	25,00	355	372	25,92
12629-10-01-15	Toolox33	25,00	355	371	25,85
12629-10-01-17	Toolox33	25,00	216	530	22,47
12629-10-01-20	Toolox33	25,00	600	790	93,02
12629-20-01	Toolox33	25,00	2 062	5 795	2 345,05
X196	Toolox33	25,00	308	750	45,33
x219-2	Toolox33	25,00	183	216	7,76
x219-3	Toolox33	25,00	56	790	8,68
11281-30-01-18-23-24-26-31	Toolox33	30,00	70	162	2,67
11281-30-01-18-23-25-26	Toolox33	30,00	75	213	3,76
11865-15-01-2	Toolox33	30,00	95	143	3,20
11981-30-01-3-6-11	Toolox33	30,00	64	187	2,82
11981-30-01-3-6-12	Toolox33	30,00	56	188	2,48
12218-20-01-19-21-23	Toolox33	30,00	44	227	2,35
12218-20-01-25	Toolox33	20,00	30	732	3,45
12368-10-01	Toolox33	30,00	89	1 030	21,59
12368-10-01-19	Toolox33	30,00	78	435	7,99
12368-10-01-21	Toolox33	30,00	305	334	23,99
12368-10-01-23	Toolox33	30,00	51	900	10,81
12438-20-01-5-7-10	Toolox33	30,00	181	841	35,85
12438-20-01-5-7-10-14	Toolox33	30,00	175	615	25,35

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12438-20-01-5-7-10-18	Toolox33	30,00	122	182	5,23
12606-10-01-7	Toolox33	30,00	950	2 500	559,31
12606-10-01-7-8	Toolox33	30,00	185	255	11,11
12606-20-01	Toolox33	30,00	2 070	5 794	2 824,49
12606-30-01	Toolox33	30,00	2 080	5 795	2 838,62
x101	Toolox33	30,00	70	199	3,28
x102	Toolox33	30,00	166	181	7,08
x113	Toolox33	30,00	27	592	3,76
x148	Toolox33	31,00	71	575	9,94
x157	Toolox33	30,00	105	120	2,97
X212	Toolox33	30,00	62	1 229	17,95
x220	Toolox33	30,00	143	255	8,59
x220-1	Toolox33	30,00	75	911	16,09
x221	Toolox33	30,00	166	386	15,09
10975-40-01-26-28	Toolox33	35,00	50	128	1,76
10975-40-01-26-29	Toolox33	35,00	50	128	1,76
10975-40-01-26-30	Toolox33	35,00	51	128	1,79
10975-40-01-26-31	Toolox33	35,00	51	128	1,79
11281-40-01-11-13	Toolox33	35,00	85	285	6,66
11281-40-01-3-4-10-11-13	Toolox33	35,00	59	263	4,26
11281-40-01-3-4-12	Toolox33	35,00	116	118	3,76
11281-40-01-3-4-9-18-20	Toolox33	35,00	76	208	4,34
11281-40-01-3-4-9-18-21	Toolox33	35,00	74	205	4,17
11281-40-01-3-4-9-18-22	Toolox33	35,00	74	208	4,23
11281-40-a5	Toolox33	35,00	109	595	17,82
11281-40-a5-14	Toolox33	35,00	178	262	12,81
11281-40-a5-6	Toolox33	35,00	175	485	23,32
11281-40-a5-6-7	Toolox33	35,00	111	259	7,90
11281-40-a5-9-10	Toolox33	35,00	91	246	6,15
12108-25-01-3-16	Toolox33	35,00	77	298	6,30
12108-30-01-3-15	Toolox33	35,00	36	1 968	19,47
12108-30-01-3-19	Toolox33	35,00	115	1 070	33,81
12108-30-01-3-20	Toolox33	35,00	152	687	28,69
12108-30-01-3-23-24	Toolox33	35,00	66	835	15,14
12108-30-01-3-23-26	Toolox33	35,00	115	412	13,02
12108-30-01-3-23-27	Toolox33	35,00	115	410	12,95
12108-30-01-3-23-33	Toolox33	35,00	228	315	19,73
12108-30-01-3-5	Toolox33	35,00	90	556	13,75
12678-20-01	Toolox33	35,00	2 090	5 790	3 324,78
35131	Toolox33	35,00	131	136	4,90
x105	Toolox33	35,00	111	547	16,68
x120	Toolox33	35,00	28	378	2,91
x127	Toolox33	35,00	275	275	20,78
x131	Toolox33	35,00	280	524	40,31

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
x139	Toolox33	35,00	311	455	38,88
x141	Toolox33	35,00	103	134	3,79
x142	Toolox33	35,00	167	279	12,80
021252	Toolox33	40,00	112	135	4,75
021957	Toolox33	40,00	131	133	5,47
023942-2	Toolox33	40,00	154	154	7,45
023943	Toolox33	40,00	154	154	7,45
10857-30-01-13	Toolox33	40,00	23	427	3,08
10980-10-01-6	Toolox33	40,00	27	875	7,42
11444-40-01-12-14-15	Toolox33	40,00	136	151	6,45
11614-20-a3-1-2	Toolox33	40,00	120	252	9,50
11614-20-a3-1-7-10	Toolox33	40,00	91	107	3,06
11614-20-a3-1-7-16-17	Toolox33	40,00	134	140	5,89
11614-20-a3-1-7-17	Toolox33	40,00	193	393	23,82
11614-20-a3-1-7-9	Toolox33	40,00	90	108	3,05
11614-20-a3-2	Toolox33	40,00	120	240	9,04
11614-20-a5	Toolox33	40,00	123	221	8,54
11767-10-01-17-19	Toolox33	40,00	65	230	4,69
11767-10-01-17-20	Toolox33	40,00	65	230	4,69
11767-10-01-22	Toolox33	40,00	138	253	10,96
11767-10-01-24	Toolox33	38,00	40	820	9,78
12108-80-01-3-8	Toolox33	40,00	79	186	4,61
12108-80-01-6-11	Toolox33	40,00	50	357	5,61
12340-5-01-13-15-20	Toolox33	40,00	55	790	13,64
12438-30-01-2-8-11	Toolox33	40,00	159	219	10,93
12438-30-01-4	Toolox33	40,00	125	150	5,89
12438-30-01-5	Toolox33	40,00	125	237	9,30
12438-30-01-7-10-13	Toolox33	40,00	237	435	32,37
12438-30-01-7-10-13-21	Toolox33	40,00	366	430	49,42
12438-30-01-7-10-13-23	Toolox33	40,00	122	234	8,96
12438-30-01-7-10-13-28	Toolox33	0,00			
12438-30-01-7-10-14-15-17	Toolox33	40,00	58	550	10,02
12438-30-01-7-10-14-16-18	Toolox33	40,00	125	220	8,64
12438-30-01-7-10-14-17	Toolox33	40,00	40	873	10,97
12438-30-01-7-10-14-20	Toolox33	40,00	97	173	5,27
12438-30-01-7-10-14-21	Toolox33	40,00	97	175	5,33
12438-30-01-7-10-14-23	Toolox33	40,00	333	758	79,26
12438-30-01-7-9	Toolox33	39,00	40	385	4,72
12586-90-01-15	Toolox33	40,00	316	403	39,99
12586-90-01-15-16	Toolox33	40,00	125	763	29,95
12586-90-01-17	Toolox33	40,00	500	1 590	249,63
12692-20-01	Toolox33	40,00	2 100	5 785	3 814,63
40502-2	Toolox33	40,00	27	805	6,83
40601-1	Toolox33	40,00	60	244	4,60

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
x106	Toolox33	40,00	90	135	3,82
x115	Toolox33	40,00	77	292	7,06
x116	Toolox33	40,00	115	261	9,43
x130-2	Toolox33	40,00	90	200	5,65
x133	Toolox33	40,00	95	470	14,02
x155	Toolox33	40,00	55	353	6,10
X177	Toolox33	40,00	74	440	10,22
X178	Toolox33	40,00	50	227	3,56
X185-2	Toolox33	40,00	88	195	5,39
X189	Toolox33	40,00	57	240	4,30
X227	Toolox33	40,00	121	1 012	38,45
10405-20-01-23	Toolox33	43,00	148	158	7,89
10405-20-01-34	Toolox33	43,00	95	160	5,13
10588-10-01-26-28	Toolox33	43,00	29	442	4,33
10588-10-01-28-31	Toolox33	43,00	101	284	9,68
10690-20-01-13-15	Toolox33	43,00	104	296	10,39
10690-20-01-15-16-17-18-19	Toolox33	43,00	75	221	5,60
10690-20-01-15-16-17-19	Toolox33	43,00	95	836	26,81
023105	Toolox33	45,00	66	129	3,01
023235	Toolox33	45,00	91	185	5,95
10773-10-01-19-22	Toolox33	45,00	55	297	5,77
11022-10-01-17	Toolox33	45,00	130	160	7,35
11022-10-01-22-24-25-26	Toolox33	45,00	162	213	12,19
11022-10-01-24	Toolox33	45,00	104	425	15,61
11022-10-01-25	Toolox33	45,00	92	265	8,61
11022-10-01-3	Toolox33	45,00	134	170	8,05
11641-30-01-3-7	Toolox33	45,00	102	410	14,77
11641-30-01-4-6	Toolox33	45,00	135	150	7,15
11641-30-01-4-7	Toolox33	45,00	135	154	7,34
11685-40-01-6-7-11	Toolox33	45,00	56	148	2,93
11685-40-01-6-7-13-16	Toolox33	45,00	106	220	8,24
11685-40-01-6-7-13-17	Toolox33	45,00	107	444	16,78
11685-40-01-6-7-13-18	Toolox33	45,00	107	444	16,78
11685-40-01-6-7-13-27	Toolox33	45,00	90	619	19,68
11685-40-01-7-11	Toolox33	45,00	49	722	12,50
12247-30-01	Toolox33	45,00	45	970	15,42
12247-30-01-14	Toolox33	45,00	65	198	4,55
12247-30-01-17	Toolox33	45,00	250	250	22,08
12247-30-01-18	Toolox33	45,00	211	482	35,93
12247-30-01-8	Toolox33	45,00	126	275	12,24
12436-10-01-3-5-6	Toolox33	40,00	45	395	5,58
12436-10-01-3-6	Toolox33	40,00	45	395	5,58
12436-10-01-5-12-15-18	Toolox33	45,00	378	399	53,28
12436-10-01-5-12-15-19	Toolox33	45,00	137	243	11,76

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12436-10-01-5-12-15-20	Toolox33	45,00	50	418	7,38
12436-10-01-5-13-15	Toolox33	45,00	156	1 085	59,79
12436-10-01-6	Toolox33	45,00	164	279	16,16
x147-2	Toolox33	45,00	86	310	9,42
x151	Toolox33	45,00	157	254	14,09
x152	Toolox33	45,00	152	254	13,64
X175	Toolox33	45,00	83	273	8,00
X184	Toolox33	45,00	83	220	6,45
X211	Toolox33	45,00	59	330	6,88
10051-20-01	Toolox33	48,00	137	555	28,65
10371-80-01-22-66	Toolox33	50,00	38	265	3,95
10525-20-01-43-48	Toolox33	50,00	40	202	3,17
10713-10-01-13	Toolox33	50,00	37	202	2,93
11112-30-01-21-24	Toolox33	50,00	30	415	4,89
11281-50-01-14-15-17-18	Toolox33	50,00	62	165	4,02
11281-50-01-19-22	Toolox33	50,00	45	323	5,71
11281-50-01-26-27	Toolox33	50,00	40	165	2,59
11281-50-01-26-28	Toolox33	50,00	26	222	2,27
11281-50-01-31	Toolox33	50,00	58	320	7,29
11281-50-01-5-6-8	Toolox33	50,00	25	176	1,73
11281-50-01-5-8-10	Toolox33	50,00	25	175	1,72
11281-50-01-5-8-9-10	Toolox33	50,00	25	172	1,69
11614-30-01-7-8-9	Toolox33	50,00	95	357	13,31
11685-50-01-6-7-9-10-11-13	Toolox33	50,00	129	241	12,20
11685-50-01-6-7-9-10-11-14	Toolox33	50,00	130	188	9,59
11685-50-01-99-100	Toolox33	50,00	117	389	17,86
11685-50-1-99	Toolox33	50,00	135	230	12,19
11685-50-a1	Toolox33	50,00	114	127	5,68
11865-20-01-7-8-9-12	Toolox33	50,00	135	223	11,82
11865-20-01-7-8-9-13	Toolox33	50,00	135	226	11,98
11865-20-01-7-8-9-14	Toolox33	50,00	119	135	6,31
11865-20-01-7-8-9-15	Toolox33	50,00	37	181	2,63
12340-10-01-12-13-15	Toolox33	50,00	125	168	8,24
12340-10-01-12-13-18-24	Toolox33	50,00	145	273	15,54
12340-10-01-12-13-20-21	Toolox33	50,00	220	323	27,89
12554-10-01-5-10-15	Toolox33	50,00	59	855	19,80
12554-10-01-5-10-19-20-21	Toolox33	50,00	115	615	27,76
12554-10-01-5-10-20-21	Toolox33	50,00	86	380	12,83
12554-10-01-5-10-20-22	Toolox33	50,00	68	382	10,20
12554-10-01-5-10-20-25	Toolox33	50,00	213	496	41,47
12554-10-01-5-10-20-26	Toolox33	50,00	117	620	28,47
12554-10-01-5-10-24-25	Toolox33	50,00	132	255	13,21
12554-10-01-5-7-9	Toolox33	50,00	374	437	64,15
12609-10-01-3-4	Toolox33	50,00	205	1 140	91,73

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12609-10-01-3-6	Toolox33	50,00	93	825	30,12
12609-10-01-5	Toolox33	50,00	157	885	54,54
12609-10-01-7	Toolox33	50,00	41	615	9,90
12678-30-01	Toolox33	50,00	2 065	5 415	4 388,93
x108	Toolox33	50,00	43	480	8,10
x136	Toolox33	50,00	125	345	16,93
x191	Toolox33	48,00	51	1 076	20,68
X216	Toolox33	50,00	100	725	28,46
X217	Toolox33	50,00	100	728	28,57
X231	Toolox33	50,00	27	1 303	13,81
53295	Toolox33	53,00	29	575	6,94
018567	Toolox33	60,00	41	494	9,54
019696	Toolox33	60,00	50	215	5,06
019779	Toolox33	60,00	47	336	7,44
023506	Toolox33	60,00	38	432	7,73
023507	Toolox33	60,00	51	255	6,13
023811-10-3	Toolox33	60,00	31	410	5,99
10249-10-01-66-77	Toolox33	60,00	120	131	7,40
10249-10-01-77	Toolox33	60,00	39	660	12,12
10975-50-01-3-11-13	Toolox33	60,00	44	320	6,63
10975-50-01-3-9	Toolox33	60,00	35	677	11,16
11075-10-01-3	Toolox33	60,00	45	178	3,77
11160-20-01-12-15	Toolox33	60,00	135	165	10,49
11160-20-01-13-14	Toolox33	60,00	45	305	6,46
11160-20-01-21-22	Toolox33	60,00	64	135	4,07
11641-20-01-10-12-13-16-18	Toolox33	60,00	188	336	29,75
11641-20-01-12-15-18-19-24	Toolox33	60,00	77	115	4,17
11641-20-01-12-15-18-19-25	Toolox33	60,00	45	270	5,72
11641-20-01-12-15-18-20	Toolox33	60,00	110	330	17,10
11865-30-01-10-11-12-13-19	Toolox33	60,00	112	122	6,44
11865-30-01-10-11-12-13-20	Toolox33	60,00	112	122	6,44
11865-30-01-10-11-12-13-21	Toolox33	60,00	108	120	6,10
11865-30-01-10-11-12-13-22	Toolox33	60,00	103	121	5,87
11865-30-01-10-11-12-13-23	Toolox33	60,00	97	122	5,57
11865-30-01-10-11-12-13-24	Toolox33	60,00	105	125	6,18
11865-30-01-10-11-12-13-25	Toolox33	60,00	51	445	10,69
11865-30-01-10-11-12-14	Toolox33	60,00	55	615	15,93
12108-50-01-10	Toolox33	60,00	184	325	28,17
12108-50-01-13-15	Toolox33	60,00	80	195	7,35
12108-50-01-14-15-18	Toolox33	60,00	106	130	6,49
12108-50-01-18	Toolox33	60,00	134	136	8,58
12108-50-01-23-25	Toolox33	60,00	82	130	5,02
12108-50-01-23-27	Toolox33	60,00	52	405	9,92
12108-50-02-5-6-11-20	Toolox33	60,00	185	349	30,41

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12108-50-02-5-6-11-21	Toolox33	60,00	223	223	23,42
12108-50-02-5-6-11-23	Toolox33	60,00	220	225	23,31
12108-50-02-5-6-11-24	Toolox33	60,00	188	255	22,58
12108-50-02-5-6-11-27	Toolox33	60,00	190	269	24,07
12108-50-02-5-6-8-13	Toolox33	60,00	218	242	24,85
12108-50-02-5-6-8-14	Toolox33	60,00	218	242	24,85
12108-50-02-6-8	Toolox33	60,00	90	385	16,32
12152-50-01-12-13-16-17	Toolox33	60,00	152	245	17,54
12152-50-01-6	Toolox33	60,00	65	410	12,55
12152-50-01-7	Toolox33	60,00	65	408	12,49
12152-50-01-9	Toolox33	60,00	125	380	22,37
12152-50-02-4	Toolox33	60,00	115	460	24,92
12152-50-02-4-5-6	Toolox33	60,00	161	179	13,57
12152-50-02-4-5-9	Toolox33	53,00	60	912	22,77
12152-50-02-5-12	Toolox33	60,00	318	325	48,68
12152-50-02-5-14	Toolox33	60,00	137	247	15,94
12152-50-02-5-15	Toolox33	60,00	89	545	22,85
12152-50-02-5-16	Toolox33	60,00	73	447	15,37
12152-50-02-5-17	Toolox33	60,00	130	175	10,72
12152-50-02-5-18	Toolox33	60,00	124	132	7,71
12539-10-01-13	Toolox33	60,00	232	650	71,03
12539-10-01-14	Toolox33	60,00	1 000	1 420	668,82
12539-10-01-14-15	Toolox33	60,00	383	425	76,67
12539-10-01-16	Toolox33	60,00	200	645	60,76
12539-10-01-18	Toolox33	60,00	200	735	69,24
6,29	Toolox33	60,00	26	514	6,29
60452	Toolox33	60,00	45	215	4,56
x119	Toolox33	60,00	114	669	35,92
x125	Toolox33	60,00	61	422	12,12
x135	Toolox33	60,00	153	285	20,54
x143	Toolox33	60,00	26	514	6,29
X183	Toolox33	60,00	112	170	8,97
X188	Toolox33	60,00	60	385	10,88
x224	Toolox33	60,00	133	412	25,81
021115	Toolox33	63,00	35	435	7,53
021415	Toolox33	63,00	35	505	8,74
021923	Toolox33	63,00	55	173	4,71
022254	Toolox33	63,00	55	401	10,91
022260	Toolox33	63,00	75	127	4,71
019760	Toolox33	64,00	108	135	7,33
10289-10-01-12-44	Toolox33	66,00	34	205	3,61
10289-10-01-37-40	Toolox33	66,00	91	216	10,18
10289-10-01-37-42	Toolox33	66,00	40	400	8,29
10289-10-01-37-52	Toolox33	66,00	30	890	13,83

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10289-10-01-48-51	Toolox33	66,00	85	86	3,79
66102-1	Toolox33	66,00	32	509	8,44
022861-9	Toolox33	70,00	77	90	3,81
023949-8	Toolox33	70,00	60	90	2,97
023953	Toolox33	70,00	40	231	5,08
10249-20-01-56	Toolox33	70,00	37	212	4,31
10330-40-01	Toolox33	70,00	15	719	5,93
10330-40-01-33	Toolox33	70,00	48	905	23,87
10330-40-01-45	Toolox33	70,00	19	639	6,67
10495-20-01-11-12	Toolox33	70,00	75	85	3,50
10564-40-01-11-14	Toolox33	70,00	40	255	5,61
10803-30-01-14-20	Toolox33	70,00	26	587	8,39
10803-30-01-7-9-12	Toolox33	70,00	45	205	5,07
10915-10-01-11-17	Toolox33	70,00	170	170	15,88
10915-10-01-11-20	Toolox33	70,00	117	137	8,81
10915-10-01-20	Toolox33	70,00	25	581	7,98
11058-20-01-3-7-9-10	Toolox33	70,00	70	136	5,23
11160-30-01-13	Toolox33	70,00	64	536	18,85
11160-30-01-15-17-19	Toolox33	70,00	62	153	5,21
11160-30-01-15-18	Toolox33	70,00	101	555	30,80
11160-30-01-23-27-28-29-30	Toolox33	70,00	111	120	7,32
11160-30-01-26	Toolox33	70,00	96	444	23,42
11160-30-01-29-30	Toolox33	70,00	31	158	2,69
11160-30-01-29-31	Toolox33	70,00	45	201	4,97
11160-30-01-32	Toolox33	70,00	96	602	31,76
11551-40-01-10-11-12-15-17	Toolox33	70,00	36	206	4,08
11551-40-01-10-11-15	Toolox33	70,00	111	117	7,14
11551-40-01-14-15-18-19	Toolox33	70,00	82	188	8,47
11551-40-01-14-15-19	Toolox33	70,00	112	140	8,62
11551-40-01-3-8	Toolox33	70,00	138	170	12,89
11914-10-01-2-7-8-14	Toolox33	70,00	87	152	7,27
11914-10-01-2-7-8-15	Toolox33	70,00	167	269	24,69
12178-40-01-16-17	Toolox33	52,00	70	635	18,14
12178-40-01-19	Toolox33	70,00	192	332	35,03
12178-40-01-20-23	Toolox33	70,00	184	185	18,71
12178-40-01-21-22	Toolox33	70,00	139	441	33,68
12178-40-01-21-23	Toolox33	70,00	78	315	13,50
12178-40-01-21-24	Toolox33	70,00	56	475	14,62
12178-40-01-9	Toolox33	70,00	166	278	25,36
12368-15-01-13	Toolox33	70,00	81	110	4,90
12368-15-01-14	Toolox33	70,00	81	110	4,90
12368-15-01-15	Toolox33	70,00	81	110	4,90
12368-15-01-16	Toolox33	70,00	81	106	4,72
12368-15-01-17	Toolox33	70,00	81	108	4,81

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12368-15-01-22	Toolox33	70,00	157	283	24,42
12368-15-01-22-23	Toolox33	70,00	251	291	40,14
12368-15-01-22-25	Toolox33	65,00	70	695	24,82
12368-15-01-27	Toolox33	70,00	327	385	69,18
12368-15-01-28	Toolox33	70,00	185	349	35,48
12586-110-01-5-7	Toolox33	70,00	332	545	99,43
12586-110-01-5-8	Toolox33	70,00	330	995	180,43
x103	Toolox33	70,00	125	800	54,95
x104	Toolox33	70,00	125	740	50,83
x126	Toolox33	70,00	40	190	4,18
x128	Toolox33	70,00	125	697	47,88
x132	Toolox33	70,00	92	301	15,22
X176	Toolox33	70,00	240	295	38,91
X209	Toolox33	70,00	120	150	9,89
X213	Toolox33	70,00	53	682	19,86
X233	Toolox33	48,00	70	978	25,80
018667	Toolox33	80,00	46	477	13,78
018729	Toolox33	80,00	51	140	4,48
018876	Toolox33	80,00	60	336	12,66
019966	Toolox33	80,00	63	126	4,99
020034	Toolox33	80,00	71	185	8,25
020069	Toolox33	80,00	29	533	9,71
020244	Toolox33	80,00	87	100	5,46
020245	Toolox33	84,00	59	344	13,38
020330	Toolox33	80,00	35	164	3,61
020753	Toolox33	80,00	25	547	8,59
020855	Toolox33	80,00	39	479	11,73
020857	Toolox33	80,00	37	478	11,11
020892	Toolox33	80,00	36	476	10,76
021111	Toolox33	80,00	30	201	3,79
021638	Toolox33	80,00	47	175	5,17
021795	Toolox33	80,00	35	845	18,57
021953	Toolox33	80,00	53	224	7,46
021954	Toolox33	80,00	43	324	8,75
022020	Toolox33	80,00	54	160	5,43
022127	Toolox33	80,00	70	160	7,03
022335	Toolox33	80,00	70	211	9,28
022336	Toolox33	80,00	70	211	9,28
022339	Toolox33	80,00	70	211	9,28
022381	Toolox33	80,00	66	135	5,60
022591	Toolox33	55,00	80	152	5,25
022728	Toolox33	80,00	38	337	8,04
023117	Toolox33	80,00	43	300	8,10
023278	Toolox33	80,00	54	478	16,21

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
023318	Toolox33	80,00	47	455	13,43
023519	Toolox33	80,00	70	197	8,66
023521	Toolox33	84,00	61	333	13,39
023705	Toolox33	80,00	66	216	8,95
023706	Toolox33	80,00	20	955	12,00
023926	Toolox33	40,00	80	374	9,40
10371-100-01-55	Toolox33	80,00	60	278	10,48
10505-20-01-11-22	Toolox33	80,00	36	558	12,62
10525-30-01-23-33	Toolox33	80,00	62	123	4,79
10525-30-01-67	Toolox33	80,00	26	514	8,39
10525-30-01-67-80	Toolox33	80,00	42	520	13,72
10564-50-01-14-19	Toolox33	80,00	38	345	8,23
10690-50-01-4	Toolox33	80,00	62	215	8,37
10773-40-01-16-17	Toolox33	80,00	36	480	10,85
10773-40-01-23	Toolox33	80,00	53	523	17,41
11069-20-01-10	Toolox33	80,00	71	127	5,66
11069-20-01-16-18	Toolox33	80,00	71	167	7,45
11069-20-01-21	Toolox33	80,00	54	436	14,79
11069-20-01-22	Toolox33	80,00	121	259	19,68
11069-20-01-23-24	Toolox33	80,00	44	167	4,62
11069-20-01-26	Toolox33	80,00	47	268	7,91
11069-20-01-4	Toolox33	80,00	153	209	20,08
11069-30-01-2-6-12	Toolox33	80,00	71	110	4,91
11281-60-01-27	Toolox33	80,00	62	372	14,48
11281-60-01-2-8-11-14	Toolox33	80,00	27	170	2,88
11794-50-01-2-10-12	Toolox33	80,00	82	138	7,11
11794-50-01-2-10-13	Toolox33	80,00	82	138	7,11
11794-50-01-2-10-14	Toolox33	80,00	82	138	7,11
11794-50-01-2-10-15	Toolox33	80,00	82	138	7,11
11794-50-01-2-14-15	Toolox33	80,00	145	193	17,58
11794-50-01-2-16-18	Toolox33	80,00	48	195	5,88
11794-50-01-2-17-18	Toolox33	80,00	80	120	6,03
11794-50-01-2-18-19	Toolox33	80,00	100	103	6,47
11865-40-01-4-10	Toolox33	80,00	58	171	6,23
11865-40-01-4-6	Toolox33	80,00	95	165	9,84
11865-40-01-4-9	Toolox33	80,00	58	169	6,16
11865-40-01-5-6-7-8-10-14	Toolox33	80,00	150	152	14,32
11865-40-01-5-6-7-8-10-15	Toolox33	80,00	150	152	14,32
11865-40-01-5-6-7-8-11	Toolox33	80,00	42	919	24,24
12108-60-02-4	Toolox33	80,00	125	138	10,83
12108-60-03-5	Toolox33	80,00	63	279	11,04
12108-60-03-6	Toolox33	80,00	35	2 235	49,13
12195-10-01-13-15	Toolox33	80,00	45	265	7,49
12195-10-01-14	Toolox33	75,00	80	95	4,47

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12195-10-01-6-10	Toolox33	80,00	69	255	11,05
12195-10-01-6-11	Toolox33	80,00	63	254	10,05
12195-10-01-6-12	Toolox33	80,00	93	95	5,55
12195-10-01-6-8	Toolox33	80,00	64	254	10,21
12195-10-01-6-9	Toolox33	80,00	70	255	11,21
12195-10-02-18	Toolox33	30,00	80	198	3,73
12195-10-02-19	Toolox33	80,00	282	302	53,48
12195-10-02-19-20	Toolox33	80,00	118	203	15,04
12195-10-02-21	Toolox33	80,00	119	390	29,15
12340-20-01-11-13	Toolox33	80,00	286	859	154,28
12340-20-01-11-14	Toolox33	80,00	296	562	104,47
12340-20-01-4-11	Toolox33	80,00	88	182	10,06
12340-20-01-4-5	Toolox33	80,00	128	170	13,67
12340-20-01-4-6	Toolox33	80,00	128	170	13,67
12340-20-01-4-7	Toolox33	80,00	129	170	13,77
12340-20-01-4-8	Toolox33	80,00	130	170	13,88
12340-20-01-4-9	Toolox33	80,00	130	170	13,88
80702-8	Toolox33	80,00	70	207	9,10
80702-9	Toolox33	80,00	70	211	9,28
x123	Toolox33	80,00	315	495	97,92
x124	Toolox33	80,00	105	265	17,47
X181	Toolox33	80,00	64	505	20,30
X182	Toolox33	80,00	98	130	8,00
X186	Toolox33	80,00	64	505	20,30
X187	Toolox33	80,00	50	605	19,00
X215	Toolox33	80,00	113	125	8,87
X230	Toolox33	80,00	80	1 020	51,25
X234	Toolox33	80,00	177	461	51,24
X235	Toolox33	77,00	80	548	26,50
X236	Toolox33	80,00	112	920	64,71
X237	Toolox33	80,00	110	922	63,69
X238	Toolox33	80,00	112	747	52,54
X239	Toolox33	80,00	110	417	28,81
018793	Toolox33	90,00	61	230	9,91
020689	Toolox33	90,00	63	271	12,06
021608	Toolox33	90,00	63	346	15,40
023365-1	Toolox33	90,00	56	149	5,90
023526	Toolox33	90,00	90	90	5,72
10201-50-01-100	Toolox33	90,00	76	215	11,54
10371-90-01-45-55-66	Toolox33	90,00	115	121	9,83
10371-90-01-45-55-77	Toolox33	90,00	34	224	5,38
10690-40-01-17	Toolox33	90,00	45	700	22,26
11022-30-01-6-7	Toolox33	90,00	102	160	11,53
11022-30-01-6-8	Toolox33	90,00	102	160	11,53

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11022-30-01-6-9	Toolox33	90,00	120	160	13,57
11354-10-01-2-4-6	Toolox33	90,00	35	307	7,59
11354-10-01-5-6	Toolox33	90,00	30	806	17,08
11354-10-01-5-9	Toolox33	90,00	52	304	11,17
11614-40-01-4-11-14-15-16	Toolox33	90,00	102	165	11,89
11614-40-01-4-11-15	Toolox33	90,00	67	258	12,21
11614-40-01-4-11-18	Toolox33	90,00	90	505	32,11
11614-40-01-6	Toolox33	90,00	48	276	9,36
12079-40-01-2-15	Toolox33	90,00	115	262	21,29
12079-40-01-2-16	Toolox33	49,00	90	266	9,21
12079-40-01-3-13	Toolox33	72,00	90	164	8,34
12079-40-01-3-13-15	Toolox33	45,00	90	482	15,32
12079-40-01-3-15	Toolox33	90,00	72	770	39,17
12079-40-01-3-6-8	Toolox33	90,00	91	167	10,74
12079-40-01-3-6-9-10	Toolox33	90,00	101	155	11,06
12438-40-01-17	Toolox33	90,00	693	1 675	820,09
12438-40-01-3-4-6	Toolox33	90,00	114	255	20,54
12438-40-01-3-4-7	Toolox33	90,00	115	255	20,72
12438-40-01-3-4-8	Toolox33	82,00	90	110	6,37
12438-40-01-3-5	Toolox33	90,00	146	205	21,15
12438-40-01-3-6	Toolox33	90,00	145	205	21,00
90453	Toolox33	90,00	45	312	9,92
99950	Toolox33	92,00	42	137	4,16
99950-1	Toolox33	92,00	47	725	24,61
x111	Toolox33	90,00	65	1 050	48,22
x114	Toolox33	90,00	64	175	7,91
x137	Toolox33	90,00	123	350	30,42
X173-2	Toolox33	90,00	103	355	25,83
X195	Toolox33	90,00	81	752	43,03
X214	Toolox33	90,00	102	165	11,89
x218	Toolox33	90,00	169	254	30,33
X241	Toolox33	90,00	262	572	105,88
X242	Toolox33	90,00	196	380	52,62
X242-1	Toolox33	63,00	90	283	12,60
X243	Toolox33	90,00	300	355	75,24
10583-30-01-13-15	Toolox33	100,00	54	269	11,40
10583-30-01-17	Toolox33	100,00	54	168	7,12
10583-30-01-18	Toolox33	100,00	34	625	16,68
10825-40-01-14-15-16	Toolox33	100,00	58	705	32,10
10825-40-01-20-21	Toolox33	79,00	100	150	9,30
10975-60-01-11-14-15-16	Toolox33	100,00	134	164	17,25
10975-60-01-12-13-15	Toolox33	100,00	65	400	20,41
10975-60-01-12-13-16	Toolox33	100,00	75	570	33,56
10975-60-01-12-15	Toolox33	100,00	117	440	40,41

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10975-60-01-2-14	Toolox33	100,00	150	282	33,21
10975-60-01-2-3-5	Toolox33	100,00	95	364	27,15
11444-20-01-11	Toolox33	80,00	100	410	25,75
11444-20-01-15	Toolox33	100,00	106	410	34,12
11444-20-01-16	Toolox33	100,00	106	412	34,28
11444-20-01-22-24	Toolox33	100,00	125	419	41,11
11444-20-01-2-26-28-30	Toolox33	50,00	100	200	7,85
11444-20-01-24	Toolox33	100,00	42	501	16,52
11876-20-01-2-3-4	Toolox33	90,00	100	290	20,49
11876-20-01-2-3-5	Toolox33	100,00	64	1 245	62,55
11876-20-01-2-4-5-7-9-11	Toolox33	100,00	117	230	21,12
11876-20-01-2-4-7	Toolox33	100,00	84	1 245	82,10
12079-50-01-16	Toolox33	100,00	70	365	20,06
12079-50-01-19-20	Toolox33	95,00	100	185	13,80
12079-50-01-19-21	Toolox33	95,00	100	185	13,80
12079-50-01-19-22	Toolox33	95,00	100	185	13,80
12079-50-01-19-23	Toolox33	95,00	100	185	13,80
12438-50-01-12	Toolox33	83,00	100	120	7,82
12438-50-01-13	Toolox33	100,00	169	595	78,94
12438-50-01-15	Toolox33	100,00	860	1 000	675,10
12438-50-01-2-4	Toolox33	100,00	170	227	30,29
12438-50-01-6-11	Toolox33	100,00	92	299	21,59
12438-50-01-6-8	Toolox33	55,00	100	560	24,18
12692-10-01	Toolox33	100,00	1 670	4 305	5 643,64
X193	Toolox33	100,00	45	224	7,91
022829	Toolox33	104,00	36	180	5,29
022993	Toolox33	105,00	85	150	10,51
023725-1	Toolox33	104,00	87	109	7,74
10144-20-01	Toolox33	104,00	80	137	8,95
10144-20-01-34	Toolox33	104,00	88	158	11,35
10183-20-01-12	Toolox33	104,00	86	440	30,89
10183-20-01-44-78	Toolox33	104,00	61	480	23,90
10183-20-01-67	Toolox33	104,00	64	322	16,82
10265-30-01	Toolox33	104,00	60	115	5,63
10265-30-01-11-45-57	Toolox33	104,00	33	213	5,74
10265-30-01-12	Toolox33	46,00	46	1 260	20,93
10413	Toolox33	104,00	135	150	16,53
10418	Toolox33	55,00	57	850	20,92
10418-2	Toolox33	45,00	55	485	9,42
10439	Toolox33	104,00	44	1 046	37,57
10440-1	Toolox33	104,00	40	215	7,02
10448-1	Toolox33	104,00	48	365	14,30
10460-1	Toolox33	104,00	60	370	18,12
10466-10-01	Toolox33	105,00	10	519	4,28

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10466-10-01-11-12-22	Toolox33	105,00	56	787	36,33
10466-10-01-23	Toolox33	100,00	115	152	13,72
10466-10-01-44	Toolox33	104,00	89	387	28,12
10470-1	Toolox33	104,00	70	173	9,89
10480-1	Toolox33	104,00	80	240	15,68
10490	Toolox33	104,00	90	90	6,61
10502-10-01-33	Toolox33	105,00	49	442	17,85
10502-10-01-36	Toolox33	23,00	59	1 007	10,73
10591-1	Toolox33	105,00	91	160	12,00
10668-40-02-8	Toolox33	105,00	103	132	11,21
10702-30-01-10-15	Toolox33	105,00	42	145	5,02
10702-30-01-13-15	Toolox33	104,00	90	120	8,82
10702-30-01-13-16	Toolox33	104,00	90	165	12,12
10702-30-01-13-18	Toolox33	105,00	90	110	8,16
10702-30-01-13-22	Toolox33	105,00	136	153	17,15
10702-30-01-13-23	Toolox33	105,00	140	169	19,50
10702-30-01-14-17	Toolox33	105,00	105	185	16,01
10702-30-01-2-3	Toolox33	105,00	83	410	28,05
10857-10-01-13-16-17	Toolox33	105,00	130	167	17,89
10857-10-01-8	Toolox33	105,00	143	160	18,86
11022-40-01-14-19	Toolox33	105,00	60	1 245	61,57
11022-40-01-15-16	Toolox33	105,00	99	407	33,21
11022-40-01-17-18	Toolox33	105,00	125	339	34,93
11022-40-01-17-19	Toolox33	105,00	120	808	79,92
11022-40-01-3-12	Toolox33	105,00	75	957	59,16
11614-50-01-2-3-4	Toolox33	105,00	740	993	605,68
11614-50-01-2-3-5	Toolox33	105,00	235	328	63,53
11981-50-01-2-7-9-11	Toolox33	105,00	305	710	178,49
11981-50-01-2-7-9-11-14	Toolox33	105,00	334	1 223	336,69
11981-50-02-4	Toolox33	105,00	143	435	51,27
11981-50-02-7	Toolox33	105,00	1 665	1 762	2 418,13
11981-50-02-7-18-19	Toolox33	105,00	35	400	11,54
11981-50-02-8	Toolox33	105,00	365	1 000	300,85
12551-10-01	Toolox33	105,00	1 485	4 302	5 265,70
x107	Toolox33	104,00	120	125	12,25
x122	Toolox33	36,00	104	1 247	36,65
X174	Toolox33	105,00	146	340	40,92
X225	Toolox33	105,00	482	875	347,63
X228	Toolox33	31,00	105	1 257	32,12
X229	Toolox33	104,00	45	1 290	47,39
018572	Toolox33	110,00	43	645	23,95
018573	Toolox33	110,00	87	131	9,84
018765	Toolox33	110,00	68	168	9,87
019015	Toolox33	40,00	110	256	8,84

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
019769	Toolox33	110,00	31	175	4,68
020514	Toolox33	110,00	77	301	20,01
020836	Toolox33	110,00	44	115	4,37
020837	Toolox33	110,00	67	312	18,05
021187	Toolox33	110,00	35	175	5,29
021461	Toolox33	110,00	85	385	28,26
021518	Toolox33	110,00	18	540	8,39
021639	Toolox33	110,00	30	289	7,49
021844	Toolox33	110,00	65	220	12,35
021971	Toolox33	110,00	115	215	21,35
022024	Toolox33	110,00	42	145	5,26
022069	Toolox33	110,00	26	405	9,09
022177	Toolox33	110,00	45	868	33,73
022916	Toolox33	110,00	95	350	28,71
022916-6	Toolox33	110,00	59	675	34,39
023716	Toolox33	110,00	206	300	53,36
023883	Toolox33	110,00	65	505	28,34
10330-50-01	Toolox33	110,00	37	665	21,25
10330-50-01-78	Toolox33	110,00	153	303	40,03
10583-40-01-10	Toolox33	108,00	75	135	8,58
10583-40-01-10-13	Toolox33	108,00	50	625	26,49
10583-40-01-11	Toolox33	110,00	259	482	107,80
10583-40-01-3-4	Toolox33	110,00	102	155	13,65
10583-40-01-3-5	Toolox33	110,00	246	310	65,85
10773-30-01-12	Toolox33	110,00	76	333	21,85
10773-30-01-12-13	Toolox33	110,00	94	414	33,60
10773-30-01-16-21-23	Toolox33	110,00	59	534	27,21
10773-30-01-19	Toolox33	110,00	115	125	12,41
10773-30-01-20	Toolox33	110,00	113	125	12,20
10773-30-01-5-8	Toolox33	110,00	45	425	16,51
10773-30-01-8	Toolox33	110,00	50	1 250	53,97
11013-1-2	Toolox33	110,00	138	249	29,67
11036-1	Toolox33	110,00	36	635	19,74
11444-10-01-11-15	Toolox33	110,00	94	405	32,87
11444-10-01-11-16	Toolox33	110,00	94	405	32,87
11444-10-01-11-18-21	Toolox33	110,00	429	519	192,26
11444-10-01-12-13	Toolox33	110,00	115	335	33,27
11444-10-01-13	Toolox33	110,00	324	410	114,71
11444-10-01-5-10	Toolox33	110,00	402	1 115	387,05
11444-10-01-5-11	Toolox33	110,00	210	1 115	202,19
11444-10-01-5-12	Toolox33	110,00	210	385	69,81
11767-9-01-2-3-4	Toolox33	110,00	185	505	80,67
11767-9-01-2-3-7	Toolox33	110,00	78	450	30,31
11767-9-01-2-3-9	Toolox33	110,00	252	672	146,23

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11767-9-01-2-4-6-7-8	Toolox33	110,00	70	1 245	75,25
11767-9-01-3	Toolox33	110,00	360	625	194,29
11767-9-01-4	Toolox33	110,00	113	274	26,74
12079-60-01-2-4-5	Toolox33	110,00	393	520	176,47
12079-60-01-6-10	Toolox33	110,00	110	415	39,42
12079-60-01-6-11	Toolox33	110,00	110	415	39,42
12079-60-01-6-8	Toolox33	110,00	216	489	91,21
12489-20-01-3-4-7	Toolox33	110,00	526	1 560	708,55
12489-20-01-3-4-7-10	Toolox33	110,00	170	303	44,48
12489-20-01-3-4-8	Toolox33	110,00	310	800	214,15
12489-20-01-3-5	Toolox33	110,00	483	505	210,62
99984	Toolox33	110,00	82	470	33,28
99984-1	Toolox33	110,00	48	238	9,87
99984-1-2-3	Toolox33	110,00	322	522	145,14
99984-4-5-7	Toolox33	110,00	100	147	12,69
99984-8	Toolox33	110,00	74	1 245	79,55
x138	Toolox33	110,00	72	480	29,84
X244	Toolox33	110,00	288	392	97,49
023404	Toolox33	120,00	77	1 005	72,90
023609	Toolox33	40,00	120	170	6,41
023610	Toolox33	40,00	120	171	6,44
023647	Toolox33	49,00	120	710	32,77
023678	Toolox33	120,00	106	187	18,67
023756	Toolox33	120,00	65	603	36,92
023756-4	Toolox33	120,00	30	1 245	35,18
023756-8	Toolox33	120,00	38	651	23,30
023765	Toolox33	120,00	85	110	8,81
10330-60-01-22-33	Toolox33	120,00	45	290	12,29
10330-60-01-34-45	Toolox33	120,00	29	301	8,22
10330-60-01-56	Toolox33	120,00	69	165	10,73
10330-60-01-67	Toolox33	120,00	70	162	10,68
10564-60-01-55	Toolox33	120,00	63	285	16,91
10623-20-01	Toolox33	120,00	60	285	16,11
10623-20-01-11-13	Toolox33	120,00	42	870	34,42
10623-20-01-12	Toolox33	120,00	20	793	14,94
10623-20-01-15	Toolox33	120,00	50	425	20,02
10623-20-01-2-4	Toolox33	120,00	65	670	41,02
10623-20-01-2-7	Toolox33	120,00	40	350	13,19
10623-20-01-4	Toolox33	120,00	87	340	27,86
10943-10-01-15-17-19	Toolox33	120,00	45	202	8,56
11328-10-01-10-13-14	Toolox33	120,00	151	160	22,76
11328-10-01-11-12-14	Toolox33	120,00	42	875	34,62
11328-10-01-11-12-15	Toolox33	120,00	50	365	17,19
11328-10-01-11-12-16	Toolox33	120,00	50	365	17,19

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11328-10-01-11-12-17	Toolox33	120,00	55	365	18,91
11328-10-01-12-14-17	Toolox33	120,00	138	305	39,65
11328-10-01-12-15	Toolox33	120,00	58	270	14,75
11328-10-01-3-7	Toolox33	120,00	43	490	19,85
11328-10-01-3-8	Toolox33	120,00	133	177	22,18
11328-10-01-3-9-10-11-12	Toolox33	120,00	56	237	12,50
11641-10-01-2-3-4-5	Toolox33	120,00	110	266	27,56
11641-10-01-2-3-4-6	Toolox33	120,00	110	267	27,67
11641-10-01-2-3-4-7	Toolox33	120,00	110	269	27,87
11641-10-01-2-3-4-8-10	Toolox33	120,00	105	271	26,81
11641-10-01-2-3-4-8-11	Toolox33	120,00	105	270	26,71
11641-10-01-2-3-4-8-12	Toolox33	120,00	105	269	26,61
11641-10-01-2-3-4-8-9-11	Toolox33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-12	Toolox33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-13	Toolox33	120,00	110	270	27,98
11641-10-01-3-4	Toolox33	120,00	44	320	13,26
11641-10-a1-2	Toolox33	120,00	205	450	86,90
11641-10-a1-2-4	Toolox33	65,00	120	515	31,53
11641-10-a2	Toolox33	120,00	106	273	27,26
11641-10-a3	Toolox33	120,00	105	272	26,90
11641-10-a4	Toolox33	120,00	106	275	27,46
12057-1	Toolox33	120,00	57	852	45,75
12489-10-01-2-15	Toolox33	45,00	120	500	21,20
12489-10-01-2-15-16	Toolox33	70,00	120	455	30,00
12489-10-01-3	Toolox33	120,00	940	960	850,06
12489-10-01-4	Toolox33	120,00	62	711	41,53
12539-20-01-3	Toolox33	120,00	175	930	153,31
12539-20-01-3-4	Toolox33	120,00	182	280	48,00
12539-20-01-3-5	Toolox33	55,00	120	285	14,77
12539-20-01-3-6	Toolox33	55,00	120	285	14,77
12539-20-01-3-7	Toolox33	120,00	285	120	32,22
x109	Toolox33	38,00	120	137	4,90
021584	Toolox33	125,00	40	1 090	42,78
021585	Toolox33	125,00	51	183	9,16
021645	Toolox33	95,00	125	150	13,98
021653	Toolox33	125,00	38	1 302	48,55
021761	Toolox33	125,00	82	831	66,86
022665	Toolox33	125,00	104	232	23,68
023121	Toolox33	125,00	38	132	4,92
023303	Toolox33	125,00	160	160	25,12
023304	Toolox33	125,00	75	345	25,39
023339	Toolox33	125,00	73	160	11,46
023529	Toolox33	125,00	75	130	9,57
023886	Toolox33	125,00	145	160	22,77

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12545	Toolox33	125,00	45	160	7,07
019192		60,00	140	195	12,86
019830		60,00	57	250	6,71
020942		60,00	176	229	18,98
022452		60,00	57	370	9,93
12698-10-01	Toolox44	10,00	2 080	5 560	907,84
11981-60-03-11	Toolox44	0,00			
11981-60-03-5	Toolox44	12,00	360	571	19,36
12152-10-01-2	Toolox44	12,00	604	679	38,63
12368-20-01-6	Toolox44	14,00	312	665	22,80
12586-60-01-6	Toolox44	14,00	186	1 559	31,87
12586-60-01-9	Toolox44	14,00	231	598	15,18
12678-40-01	Toolox44	14,00	2 100	5 790	1 336,27
12438-60-01-20	Toolox44	30,00	178	1 126	47,20
12438-60-01-25	Toolox44	30,00	626	961	141,67
12438-60-01-29	Toolox44	30,00	192	289	13,07
12438-60-01-30	Toolox44	30,00	83	587	11,47
10201-30-01-45	Toolox44	39,00	90	160	4,41
10201-30-01-88	Toolox44	39,00	81	240	5,95
10371-40-01-78	Toolox44	40,00	38	335	4,00
10583-20-02-5-7	Toolox44	40,00	48	330	4,97
11551-70-01-10-12	Toolox44	40,00	170	231	12,33
11551-70-01-22	Toolox44	40,00	51	187	3,00
12152-30-01-23	Toolox44	40,00	120	280	10,55
12152-30-01-7	Toolox44	40,00	45	465	6,57
12368-30-01-23	Toolox44	40,00	108	995	33,74
12368-30-01-4	Toolox44	40,00	120	393	14,81
12368-30-01-5	Toolox44	40,00	101	199	6,31
12606-40-01-5	Toolox44	40,00	83	830	21,63
12606-40-01-6	Toolox44	40,00	98	196	6,03
x159	Toolox44	40,00	337	422	44,66
x160	Toolox44	40,00	90	217	6,13
x170	Toolox44	40,00	253	298	23,67
X199	Toolox44	40,00	208	297	19,40
X202	Toolox44	40,00	128	330	13,26
X203	Toolox44	40,00	52	230	3,76
X207	Toolox44	40,00	106	194	6,46
X210	Toolox44	40,00	202	786	49,85
10438-20-01-20-29	Toolox44	50,00	75	112	3,30
10885-40-01-13	Toolox44	50,00	61	235	5,63
11981-70-01-17-19	Toolox44	50,00	71	311	8,67
11981-70-01-17-20	Toolox44	50,00	170	216	14,41
11981-70-01-17-22-25	Toolox44	50,00	105	445	18,34
11981-70-01-9	Toolox44	50,00	110	429	18,52

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11981-70-01-9-11	Toolox44	50,00	74	125	3,63
x161	Toolox44	50,00	150	550	32,38
x162	Toolox44	50,00	53	415	8,63
x163	Toolox44	50,00	170	245	16,35
X200	Toolox44	50,00	138	552	29,90
X205	Toolox44	50,00	125	230	11,28
021847	Toolox44	60,00	104	112	5,49
023863-1	Toolox44	60,00	40	220	4,15
023863-3-4	Toolox44	45,00	60	745	15,79
023864	Toolox44	60,00	91	113	4,84
023864-1	Toolox44	60,00	77	103	3,74
10466-20-01-33	Toolox44	60,00	135	351	22,32
10466-20-01-44	Toolox44	60,00	37	185	3,22
10466-20-01-44-55	Toolox44	60,00	45	386	8,18
10466-20-01-44-56	Toolox44	60,00	42	347	6,86
10564-70-01-10-16-17	Toolox44	60,00	140	200	13,19
10709-20-01-12	Toolox44	60,00	40	408	7,69
10803-10-01-18	Toolox44	60,00	50	345	8,13
10803-10-01-19	Toolox44	60,00	35	500	8,24
10803-10-01-25	Toolox44	60,00	108	114	5,80
10996-10-01-10-12	Toolox44	60,00	98	98	4,52
10996-10-01-13	Toolox44	60,00	137	311	20,07
10996-10-01-15	Toolox44	60,00	146	190	13,07
10996-10-01-16	Toolox44	60,00	202	207	19,69
10996-10-01-24	Toolox44	60,00	93	112	4,91
10996-10-01-27-29	Toolox44	60,00	143	167	11,25
10996-10-01-34	Toolox44	60,00	110	149	7,72
10996-10-01-35-36	Toolox44	60,00	157	202	14,94
11168-10-01-12	Toolox44	60,00	50	285	6,71
11168-10-01-16	Toolox44	60,00	210	247	24,43
11317-10-01-11	Toolox44	60,00	134	311	19,63
11317-10-01-6	Toolox44	60,00	125	310	18,25
11340-10-01-12	Toolox44	60,00	55	308	7,98
11340-10-01-22-23	Toolox44	60,00	146	215	14,79
11340-10-01-23	Toolox44	60,00	265	279	34,82
11340-10-01-26-28	Toolox44	60,00	29	302	4,13
11340-10-01-26-29	Toolox44	60,00	29	302	4,13
11770-10-01-17	Toolox44	60,00	73	160	5,50
11876-10-01-13	Toolox44	60,00	58	580	15,84
11876-10-01-16-19	Toolox44	60,00	220	352	36,47
12247-40-01-14-18-20-21	Toolox44	60,00	93	778	34,08
12247-40-01-14-18-20-22	Toolox44	60,00	50	787	18,53
12247-40-01-14-18-20-23	Toolox44	60,00	340	383	61,33
12247-40-01-3	Toolox44	60,00	98	300	13,85

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12582-20-01-3	Toolox44	60,00	125	465	27,38
12582-20-01-6	Toolox44	60,00	201	387	36,64
12582-20-01-7	Toolox44	60,00	122	1 023	58,78
12582-20-01-9	Toolox44	60,00	130	1 017	62,27
12678-50-01	Toolox44	60,00	2 080	5 310	5 202,10
60351-1	Toolox44	60,00	136	230	14,73
60351-5	Toolox44	60,00	60	210	5,94
91100-1	Toolox44	60,00	48	206	4,66
91100-1-3	Toolox44	60,00	49	206	4,75
91100-1-4	Toolox44	60,00	49	206	4,75
91102-1	Toolox44	60,00	55	140	3,63
91103	Toolox44	60,00	150	200	14,13
91105	Toolox44	60,00	60	380	10,74
99990	Toolox44	60,00	41	540	10,43
x158	Toolox44	60,00	118	165	9,17
x164	Toolox44	60,00	145	350	23,90
x165	Toolox44	60,00	115	386	20,91
x166	Toolox44	60,00	100	785	36,97
x167	Toolox44	60,00	191	203	18,26
x169	Toolox44	60,00	130	351	21,49
X197	Toolox44	35,00	60	353	5,82
X201	Toolox44	60,00	146	285	19,60
X204	Toolox44	60,00	60	210	5,94
X206	Toolox44	60,00	120	465	26,28
022184	Toolox44	80,00	125	147	11,54
022184-3	Toolox44	80,00	65	250	10,21
022184-3-10	Toolox44	80,00	80	92	4,62
022184-3-5-7	Toolox44	80,00	72	90	4,07
023892	Toolox44	80,00	48	167	5,03
10371-60-01-65	Toolox44	80,00	45	202	5,71
10371-60-01-67	Toolox44	80,00	36	102	2,31
11383-20-01-11	Toolox44	80,00	45	190	5,37
11383-20-01-15-16-19	Toolox44	80,00	18	118	1,33
11383-20-01-15-17	Toolox44	80,00	88	100	5,53
11383-20-01-20	Toolox44	80,00	80	118	5,93
11383-20-01-7-10	Toolox44	80,00	53	464	15,44
11884-10-01-6-8	Toolox44	80,00	61	299	11,45
12500-10-01-15	Toolox44	80,00	207	583	75,79
x172	Toolox44	80,00	128	441	35,45
12152-60-01-13	Toolox44	110,00	74	233	14,89
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			

Toolox valmispalat

18.03.2019

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
20171220-1-3	Toolox44 s	21,00		2 940	7,99
20171220-2	Toolox44 s	31,00		935	5,54
20171220-2-4	Toolox44 s	31,00		880	5,21
20171220-7-8	Toolox44 s	111,00		3 580	271,95
20171220-7-9	Toolox44 s	111,00		1 825	138,63
20171220-7-9-10	Toolox44 s	111,00		900	68,37
20171220-8	Toolox44 s	121,00		3 370	304,20
20180221-1	Toolox44 s	101,00		4 867	306,10
20180221-1-2	Toolox44 s	101,00		3 860	242,77