

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
020046	Toolox 33	90,00	32	181	4,09
020545	Toolox 33	60,00	46	121	2,62
020731	Toolox 33	60,00	46	287	6,22
020796	Toolox 33	43,00	35	287	3,39
021826	Toolox 33	60,00	44	179	3,71
022235	Toolox 33	104,00	100	163	13,31
022627	Toolox 33	104,00	50	795	32,45
022647	Toolox 33	104,00	95	246	19,08
022672	Toolox 33	104,00	84	324	22,22
022685	Toolox 33	105,00	108	115	10,24
022739	Toolox 33	60,00	42	187	3,70
022979	Toolox 33	50,00	35	425	5,84
023225	Toolox 33	40,00	67	255	5,37
023714	Toolox 33	40,00	19	232	1,38
023916	Toolox 33	104,00	35	264	7,54
023918	Toolox 33	104,00	35	397	11,34
x146-1	Toolox 33	104,00	104	710	60,28
14221-10-01	Toolox 33	6,00	2 100	5 545	548,46
13117-30-01-13-15-16	Toolox 33	8,00	126	196	1,55
13467-10-01-21-24-27-28	Toolox 33	12,00	315	474	14,07
13868-10-01-6	Toolox 33	12,00	321	740	22,38
13868-10-01-7	Toolox 33	12,00	295	930	25,84
13868-10-01-8	Toolox 33	12,00	380	463	16,57
13168-10-a4-2	Toolox 33	20,00	75	765	9,01
13168-10-a6-1-5-8	Toolox 33	20,00	460	463	33,44
13168-10-a6-1-5-9-11	Toolox 33	20,00	290	345	15,71
13243-2-01-18-32-38-39-40	Toolox 33	20,00	45	370	2,61
13243-2-a3	Toolox 33	20,00	128	199	4,00
13767-10-01-3-5-8-10-12-14	Toolox 33	20,00	1 265	2 060	409,13
13767-10-01-4-6	Toolox 33	20,00	140	2 060	45,28
13767-10-a1-2-7	Toolox 33	20,00	40	1 980	12,43
13767-10-a1-2-8	Toolox 33	20,00	60	410	3,86
13846-10-a4-2-4	Toolox 33	20,00	90	930	13,14
13846-10-a6	Toolox 33	20,00	125	230	4,51
14177-10-01-3	Toolox 33	20,00	1 740	5 470	1 494,30
14177-10-01-4	Toolox 33	20,00	90	1 425	20,14
14177-10-01-5-7	Toolox 33	20,00	250	1 330	52,20
14177-10-01-5-8	Toolox 33	20,00	91	300	4,29
14177-10-01-5-9	Toolox 33	20,00	185	1 127	32,73
12678-10-01-4-16	Toolox 33	22,00	82	5 792	82,02
13425-10-01-6-10-12-13-17	Toolox 33	22,00	170	260	7,63
13425-10-01-6-10-12-13-19	Toolox 33	22,00	32	2 060	11,38
13425-10-01-6-10-12-13-20	Toolox 33	22,00	32	2 060	11,38

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13425-10-a1	Toolox 33	22,00	32	2 060	11,38
13425-10-a2	Toolox 33	22,00	32	2 060	11,38
13943-10-01-4-7-9	Toolox 33	22,00	75	2 240	29,01
13943-10-01-4-8	Toolox 33	22,00	200	840	29,01
13943-10-02-3-5-6	Toolox 33	22,00	665	1 038	119,21
13943-10-02-3-5-7-10	Toolox 33	22,00	355	1 000	61,31
13943-10-02-3-5-7-9	Toolox 33	22,00	39	1 000	6,74
13943-10-02-3-6	Toolox 33	22,00	115	1 000	19,86
13022-60-01-4-18-21-24-26	Toolox 33	25,00	255	310	15,51
13022-60-a3	Toolox 33	25,00	120	225	5,30
13675-20-01-4-5-6-7-10-13	Toolox 33	25,00	155	925	28,14
13675-20-01-6-11-12	Toolox 33	25,00	195	410	15,69
13675-20-01-6-12-13	Toolox 33	25,00	195	409	15,65
13675-20-01-7-10-12-15-17	Toolox 33	25,00	260	267	13,62
13675-20-01-7-10-13	Toolox 33	25,00	305	407	24,36
13675-20-01-7-10-17	Toolox 33	25,00	375	407	29,95
13675-20-01-7-9-12	Toolox 33	25,00	193	733	27,76
13791-20-a1	Toolox 33	25,00	164	225	7,24
13791-20-a2	Toolox 33	25,00	164	225	7,24
13846-20-01-3-5-11-13	Toolox 33	0,00	0	0	0,00
13846-20-a1	Toolox 33	25,00	150	270	7,95
13846-20-a2	Toolox 33	25,00	150	355	10,45
14148-10-01-5	Toolox 33	25,00	1 395	4 985	1 364,74
14148-10-01-5-9	Toolox 33	25,00	190	4 985	185,88
14148-10-01-6-8-10-11	Toolox 33	25,00	197	2 110	81,58
14221-40-01	Toolox 33	25,00	2 050	4 500	1 810,41
11865-15-01-2	Toolox 33	30,00	95	143	3,20
12606-20-a1-1-2-3-4-6-7	Toolox 33	30,00	145	162	5,53
13168-20-01-6	Toolox 33	30,00	379	475	42,40
13332-10-01-6-11-13-15-17	Toolox 33	30,00	179	390	16,44
13332-10-01-6-12-14	Toolox 33	30,00	348	443	36,31
13332-10-01-6-12-15-18	Toolox 33	30,00	155	3 487	127,28
13332-10-a1-2-3	Toolox 33	30,00	475	675	75,51
13332-10-a3-1	Toolox 33	30,00	65	260	3,98
13332-10-a5	Toolox 33	30,00	61	1 085	15,59
13532-10-01-4-7-8-9-10	Toolox 33	30,00	125	191	5,62
13532-10-01-6-10-14	Toolox 33	30,00	326	663	50,90
13532-10-01-6-12-15-17-18	Toolox 33	30,00	82	969	18,71
13532-15-01-8-9-13-15	Toolox 33	30,00	225	380	20,14
13532-15-01-9-11-13-15	Toolox 33	30,00	203	514	24,57
13532-15-01-9-11-13-16	Toolox 33	30,00	140	4 945	163,04
13532-15-a1	Toolox 33	30,00	110	415	10,75
13675-30-01-3-6-11-14	Toolox 33	30,00	187	245	10,79
13675-30-01-3-6-12	Toolox 33	30,00	14	327	1,08

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13675-30-01-3-7-11	Toolox 33	30,00	204	525	25,22
13675-30-01-3-7-14-16	Toolox 33	30,00	170	200	8,01
13675-30-01-4-10-12	Toolox 33	30,00	219	232	11,97
13675-30-01-4-8-10	Toolox 33	30,00	380	532	47,61
13846-30-01-4-6-7-8-9	Toolox 33	30,00	80	180	3,39
13846-30-01-6-11-13	Toolox 33	30,00	180	208	8,82
13846-30-01-6-12-15-17-19	Toolox 33	30,00	184	470	20,37
13846-30-01-6-8-9-10	Toolox 33	30,00	86	2 109	42,71
13846-30-01-7-10-12	Toolox 33	30,00	175	1 955	80,57
13846-30-01-7-9	Toolox 33	30,00	150	2 910	102,80
13846-30-01-8-10-12-18	Toolox 33	30,00	295	395	27,44
13846-30-a1	Toolox 33	30,00	90	2 714	57,52
13846-30-a2	Toolox 33	30,00	190	449	20,09
13846-30-a4	Toolox 33	30,00	85	655	13,11
13868-30-a1-2	Toolox 33	30,00	297	386	27,00
13868-30-a2-2-3	Toolox 33	30,00	88	255	5,29
14102-30-01-14-17-18	Toolox 33	30,00	110	1 135	29,40
14102-30-01-14-17-19	Toolox 33	30,00	45	1 130	11,98
14148-20-01-3-5-7-11-14	Toolox 33	30,00	125	910	26,79
14148-20-01-3-5-7-12-13	Toolox 33	30,00	50	560	6,59
14148-20-01-3-5-7-12-14-16	Toolox 33	30,00	180	455	19,29
14148-20-01-3-5-7-13-14-15	Toolox 33	30,00	85	675	13,51
14148-20-01-3-5-7-13-14-16	Toolox 33	30,00	85	655	13,11
14148-20-01-3-5-7-13-14-17	Toolox 33	30,00	85	655	13,11
14148-20-01-3-5-7-13-14-18	Toolox 33	30,00	85	680	13,61
14148-20-01-3-5-7-13-14-19	Toolox 33	30,00	85	675	13,51
14148-20-01-3-5-7-13-14-20	Toolox 33	30,00	85	670	13,41
14148-20-01-3-5-7-13-14-21	Toolox 33	30,00	85	675	13,51
14148-20-01-3-5-7-13-14-22	Toolox 33	30,00	85	675	13,51
14148-20-01-3-5-7-13-14-23	Toolox 33	30,00	85	655	13,11
14148-20-01-3-5-7-13-14-24	Toolox 33	30,00	85	655	13,11
14148-20-01-3-5-7-13-14-25	Toolox 33	30,00	85	655	13,11
14148-20-01-3-5-7-13-14-26	Toolox 33	30,00	85	675	13,51
14148-20-01-3-5-7-13-14-27	Toolox 33	30,00	180	671	28,44
14148-20-01-3-5-7-14	Toolox 33	30,00	180	672	28,49
14148-20-02-5-10	Toolox 33	30,00	110	555	14,38
14148-20-02-5-7	Toolox 33	30,00	110	1 095	28,37
14148-20-02-5-8	Toolox 33	30,00	115	1 095	29,66
14148-20-02-5-9	Toolox 33	30,00	115	1 095	29,66
14148-20-02-6	Toolox 33	30,00	592	2 252	313,97
14148-20-02-7	Toolox 33	30,00	465	3 875	424,34
14177-20-01-3-5-7	Toolox 33	30,00	165	546	21,22
14177-20-01-4-6-9-11	Toolox 33	30,00	300	2 010	142,01
14177-20-01-4-7-10-12	Toolox 33	30,00	92	3 555	77,02

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
14177-20-01-4-7-10-13	Toolox 33	30,00	229	522	28,15
14177-20-01-4-7-11-12	Toolox 33	30,00	65	705	10,79
14177-20-01-4-7-9-10-12	Toolox 33	30,00	522	1 875	230,50
14177-20-01-4-8	Toolox 33	30,00	182	645	27,65
14177-20-a1	Toolox 33	30,00	50	623	7,34
14177-20-a3-1-2	Toolox 33	30,00	100	1 095	25,79
14177-20-a3-1-3	Toolox 33	30,00	305	1 340	96,25
14177-20-a3-2	Toolox 33	30,00	305	675	48,48
14221-50-01	Toolox 33	30,00	2 100	3 780	1 869,40
10975-40-01-26-30	Toolox 33	35,00	51	128	1,79
11981-40-01-7-10-12-13	Toolox 33	35,00	225	1 015	62,75
11981-40-01-7-10-12-14	Toolox 33	35,00	29	565	4,50
11981-40-01-7-18-19	Toolox 33	35,00	53	505	7,35
12108-30-01-3-23-26-29	Toolox 33	35,00	115	135	4,27
12970-40-01-7-12-14-16-19	Toolox 33	35,00	124	219	7,46
12970-40-a2-2	Toolox 33	35,00	78	875	18,75
12970-40-a4-2	Toolox 33	35,00	213	1 025	59,99
12970-6-01-3-14-18-22-24	Toolox 33	35,00	62	126	2,15
12970-6-01-3-14-18-22-25	Toolox 33	35,00	82	185	4,17
12970-6-01-3-14-18-22-26	Toolox 33	35,00	83	187	4,26
12970-6-01-3-14-18-22-28	Toolox 33	35,00	537	822	121,28
12970-6-01-3-15-16-18-21	Toolox 33	35,00	181	295	14,67
12970-6-01-3-16-18-19	Toolox 33	35,00	301	318	26,30
12970-6--a1	Toolox 33	35,00	184	228	11,53
12970-6-a2	Toolox 33	35,00	42	2 080	24,00
12970-6--a2	Toolox 33	35,00	184	228	11,53
12970-6--a3	Toolox 33	35,00	184	228	11,53
12970-6--a4	Toolox 33	35,00	184	228	11,53
13627-30-02-6-8-10	Toolox 33	35,00	123	344	11,63
13627-30-02-8-11	Toolox 33	35,00	50	675	9,27
13627-30-02-8-12-13-14	Toolox 33	35,00	790	890	193,18
13627-30-02-8-12-13-15	Toolox 33	35,00	492	880	118,96
13627-30-02-8-12-13-16-18	Toolox 33	35,00	127	406	14,17
13627-30-02-8-12-13-16-19	Toolox 33	35,00	124	405	13,80
13627-30-02-8-12-13-17-18	Toolox 33	35,00	50	1 030	14,15
13627-30-02-8-12-13-17-19	Toolox 33	35,00	50	1 030	14,15
13627-30-02-8-16-18	Toolox 33	35,00	122	2 935	98,38
13627-30-02-8-18-21-23	Toolox 33	35,00	348	525	50,20
13627-30-02-8-18-22	Toolox 33	35,00	216	360	21,37
13627-30-02-8-9-10	Toolox 33	35,00	50	1 025	14,08
13627-30-02-8-9-11	Toolox 33	35,00	50	1 025	14,08
13846-40-01-3-5-7-8-10	Toolox 33	35,00	74	400	8,13
13846-40-01-3-5-7-9	Toolox 33	35,00	166	293	13,36
14087-10-01-3-5-6	Toolox 33	35,00	118	1 942	62,96

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
14087-10-01-3-5-7-9-11	Toolox 33	35,00	135	2 000	74,18
14087-10-01-3-5-7-9-12-13	Toolox 33	35,00	205	208	11,72
14087-10-01-3-5-7-9-12-17	Toolox 33	35,00	613	1 372	231,08
14087-10-01-3-5-8-10	Toolox 33	35,00	220	700	42,31
14087-10-01-3-5-8-11	Toolox 33	35,00	160	395	17,36
14087-10-01-3-5-8-12	Toolox 33	35,00	90	160	3,96
14087-10-01-3-6	Toolox 33	35,00	118	1 938	62,83
14087-10-01-3-8-10-12-13-1	Toolox 33	35,00	80	835	18,35
14087-10-01-3-8-10-12-14	Toolox 33	35,00	80	795	17,47
14087-10-a1-2	Toolox 33	35,00	125	3 395	116,60
14087-10-a1-3	Toolox 33	35,00	98	593	15,97
x120	Toolox 33	35,00	28	378	2,91
10980-10-01-6	Toolox 33	40,00	27	875	7,42
12947-50-a1-1	Toolox 33	40,00	32	420	4,22
13467-25-01-14-17-19-21	Toolox 33	40,00	155	255	12,41
13467-25-01-3-6-7-9	Toolox 33	40,00	85	101	2,70
13718-30-a1	Toolox 33	40,00	50	1 060	16,64
13767-20-01-3-6-8-15	Toolox 33	40,00	90	110	3,11
13767-20-01-3-6-8-16	Toolox 33	40,00	95	110	3,28
13767-20-01-3-6-8-17	Toolox 33	40,00	95	110	3,28
13767-20-01-3-6-8-18	Toolox 33	40,00	95	110	3,28
13791-30-01-2-6-10	Toolox 33	40,00	320	1 560	156,75
13791-30-01-2-6-11	Toolox 33	40,00	110	545	18,82
13791-30-01-2-6-8-10-13	Toolox 33	40,00	100	2 850	89,49
13791-30-01-2-6-8-11	Toolox 33	40,00	200	675	42,39
13791-30-01-2-6-8-12	Toolox 33	40,00	200	675	42,39
13791-30-01-2-6-9	Toolox 33	40,00	565	1 730	306,92
13791-30-01-2-7-11	Toolox 33	40,00	147	480	22,16
13791-30-a1	Toolox 33	40,00	50	3 290	51,65
13791-30-a3	Toolox 33	40,00	155	4 850	236,05
13791-30-a5	Toolox 33	40,00	232	3 920	285,56
13846-50-01-16-19-21-23	Toolox 33	40,00	165	940	48,70
13846-50-01-3	Toolox 33	40,00	43	1 223	16,51
13846-50-01-4	Toolox 33	40,00	43	1 223	16,51
13846-50-01-7-10	Toolox 33	40,00	80	526	13,21
13846-50-01-8-9	Toolox 33	40,00	80	690	17,33
13868-40-01-3-12-14	Toolox 33	40,00	540	752	127,51
13868-40-01-3-13-16-18	Toolox 33	40,00	245	1 036	79,70
13868-40-01-3-13-16-19-21	Toolox 33	40,00	77	565	13,66
13868-40-a1	Toolox 33	40,00	136	185	7,90
14218-10-01	Toolox 33	40,00	2 090	5 790	3 799,75
40502-2	Toolox 33	40,00	27	805	6,83
10588-10-01-26-28	Toolox 33	43,00	29	442	4,33
10588-10-01-28-31	Toolox 33	43,00	101	284	9,68

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10690-20-01-13-15	Toolox 33	43,00	104	296	10,39
10690-20-01-15-16-17-18-19	Toolox 33	43,00	75	221	5,60
12436-10-01-3-6	Toolox 33	40,00	45	395	5,58
12586-100-a4-1-2-4	Toolox 33	45,00	86	185	5,62
12802-30-01-12-15-20-22-24	Toolox 33	45,00	120	340	14,41
12802-30-01-12-15-20-22-26	Toolox 33	45,00	85	580	17,42
12802-30-01-12-15-21	Toolox 33	45,00	730	2 270	585,37
12802-30-a1	Toolox 33	45,00	31	688	7,53
13791-40-01-2-5-7-11	Toolox 33	45,00	100	100	3,53
13791-40-01-3-6-8	Toolox 33	45,00	215	910	69,11
13791-40-01-3-7-10-12	Toolox 33	45,00	220	920	71,50
13791-40-01-3-7-8	Toolox 33	45,00	68	250	6,01
13791-40-01-3-7-9	Toolox 33	45,00	68	250	6,01
13791-40-01-4-8-10-12-15-1	Toolox 33	45,00	1 168	2 725	1 124,32
13791-40-01-4-9-11	Toolox 33	45,00	72	1 635	41,59
13791-40-a1	Toolox 33	45,00	135	430	20,51
170720-8	Toolox 33	45,00	625	625	137,99
170720-9	Toolox 33	45,00	625	625	137,99
10371-80-01-22-66	Toolox 33	50,00	38	265	3,95
10525-20-01-43-48	Toolox 33	50,00	40	202	3,17
11281-50-01-26-28	Toolox 33	50,00	26	222	2,27
11281-50-01-5-6-8	Toolox 33	50,00	25	176	1,73
11281-50-01-5-8-10	Toolox 33	50,00	25	175	1,72
11281-50-01-5-8-9-10	Toolox 33	50,00	25	172	1,69
11685-50-a1	Toolox 33	50,00	114	127	5,68
11865-20-01-7-8-9-14	Toolox 33	50,00	119	135	6,31
11865-20-01-7-8-9-15	Toolox 33	50,00	37	181	2,63
12554-10-a1	Toolox 33	50,00	47	218	4,02
12765-30-01-10-12-13	Toolox 33	50,00	25	960	9,42
12951-10-01-16	Toolox 33	50,00	26	1 142	11,65
13012-10-01-10-11-12	Toolox 33	50,00	99	132	5,13
13012-10-01-10-11-13-14	Toolox 33	50,00	68	180	4,80
13012-10-01-10-11-13-15	Toolox 33	50,00	100	132	5,18
13012-10-01-2-10-13-14-16	Toolox 33	50,00	46	350	6,32
13012-20-a2-1-3	Toolox 33	50,00	52	145	2,96
13168-40-01-3-5-8-10	Toolox 33	50,00	128	133	6,68
13308-10-a1-2-3	Toolox 33	50,00	40	559	8,78
13363-40-01-4-6-7-8	Toolox 33	50,00	69	240	6,50
13363-40-02-4-5-6-8-10	Toolox 33	50,00	45	178	3,14
13363-40-02-4-6-19	Toolox 33	50,00	125	133	6,53
13363-40-02-4-6-20	Toolox 33	50,00	125	132	6,48
13396-15-01-3-6-7-9	Toolox 33	50,00	75	194	5,71
13396-15-01-4-6	Toolox 33	50,00	48	2 060	38,81
13627-40-01-4-7	Toolox 33	50,00	96	295	11,12

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13675-40-01-3-5-6	Toolox 33	50,00	150	155	9,13
13675-40-01-9-10-11	Toolox 33	50,00	565	1 665	369,24
13675-40-01-9-10-12-14-16	Toolox 33	50,00	50	1 762	34,58
13675-40-01-9-10-12-14-17	Toolox 33	50,00	190	600	44,75
13675-40-01-9-10-12-15	Toolox 33	50,00	161	705	44,55
13675-40-01-9-10-13	Toolox 33	50,00	1 500	4 035	2 375,61
13675-40-01-9-11-13	Toolox 33	50,00	54	505	10,70
13675-40-01-9-11-14	Toolox 33	50,00	54	505	10,70
13675-40-01-9-11-15	Toolox 33	50,00	55	2 070	44,69
13675-40-01-9-11-16-18	Toolox 33	50,00	95	505	18,83
13675-40-02-8-11-12-14	Toolox 33	50,00	48	545	10,27
13767-30-01-3-4-6	Toolox 33	50,00	118	137	6,35
13767-30-01-3-4-7-9-11	Toolox 33	50,00	60	380	8,95
13767-30-01-5	Toolox 33	50,00	195	600	45,92
13791-50-01-4-7-9-13-15-17	Toolox 33	50,00	130	142	7,25
13791-50-01-4-7-9-13-16	Toolox 33	50,00	98	323	12,42
13846-60-01-2-4-6	Toolox 33	50,00	152	287	17,12
13846-60-01-2-5-7	Toolox 33	50,00	286	417	46,81
13846-60-01-3-6-9-11	Toolox 33	50,00	145	455	25,90
13868-50-01-3-6-8-9-10-12	Toolox 33	50,00	135	455	24,11
13868-50-02-7-9-10	Toolox 33	50,00	140	475	26,10
13868-50-03-10-11-12-13	Toolox 33	50,00	110	290	12,52
13868-50-03-4-6-8-10-12	Toolox 33	50,00	155	195	11,86
13868-50-03-9-11-17	Toolox 33	50,00	45	380	6,71
13868-50-a1-2-4	Toolox 33	50,00	300	350	41,21
13868-50-a1-3-6	Toolox 33	50,00	70	750	20,61
13868-50-a1-3-7	Toolox 33	50,00	70	725	19,92
13868-50-a1-3-8-10-11-13-1	Toolox 33	50,00	65	355	9,06
13868-50-a1-3-8-10-11-14	Toolox 33	50,00	140	460	25,28
13868-50-a1-3-8-12	Toolox 33	50,00	150	1 350	79,48
13868-50-a1-3-8-12-14	Toolox 33	50,00	55	1 350	29,14
13868-50-a1-3-8-12-15	Toolox 33	50,00	70	350	9,62
13868-50-a3-2	Toolox 33	50,00	265	297	30,89
14019-70-01-3-5	Toolox 33	50,00	90	338	11,94
14019-70-01-4	Toolox 33	50,00	90	558	19,71
14019-70-01-5	Toolox 33	50,00	95	557	20,77
14019-70-02-3-5	Toolox 33	50,00	605	710	168,60
14019-70-02-7-10-12	Toolox 33	50,00	90	1 270	44,86
14019-70-02-7-10-13-15-16	Toolox 33	50,00	213	465	38,88
14019-70-02-9-16-18-20	Toolox 33	50,00	120	280	13,19
14019-70-02-9-16-18-21	Toolox 33	50,00	40	205	3,22
14019-70-02-9-17	Toolox 33	50,00	405	445	70,74
14019-70-02-9-18-20	Toolox 33	50,00	285	405	45,30
14019-70-02-9-19	Toolox 33	50,00	210	504	41,54

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
14019-70-02-9-20	Toolox 33	50,00	505	615	121,90
14019-70-a3-1-2	Toolox 33	50,00	85	625	20,85
14019-70-a3-3-5	Toolox 33	50,00	126	900	44,51
14148-30-01-2-4	Toolox 33	50,00	235	755	69,64
14148-30-01-3	Toolox 33	50,00	2 060	4 845	3 917,43
14218-20-01	Toolox 33	50,00	2 088	4 715	3 864,13
14218-20-01-4	Toolox 33	50,00	350	800	109,90
x108	Toolox 33	50,00	43	480	8,10
X231	Toolox 33	50,00	27	1 303	13,81
023811-10-3	Toolox 33	60,00	31	410	5,99
10249-10-01-77	Toolox 33	60,00	39	660	12,12
10975-50-01-3-9	Toolox 33	60,00	35	677	11,16
12108-50-02-5-6-11-23-24	Toolox 33	60,00	37	200	3,49
12108-50-02-5-6-11-24-25	Toolox 33	60,00	50	188	4,43
12108-50-a1	Toolox 33	60,00	68	190	6,09
12152-50-02-5-15-16	Toolox 33	60,00	89	545	22,85
12765-10-01-12-13-14-15-17	Toolox 33	60,00	85	165	6,61
12765-10-01-13-19-21	Toolox 33	60,00	49	365	8,42
12765-20-01-23-25-27	Toolox 33	60,00	76	80	2,86
12765-20-01-24-27-33	Toolox 33	60,00	71	125	4,18
12765-20-01-4-7-13	Toolox 33	60,00	90	185	7,84
12765-20-01-4-7-14	Toolox 33	60,00	90	185	7,84
12765-20-01-4-7-8	Toolox 33	60,00	90	185	7,84
12765-20-01-4-7-9-11	Toolox 33	60,00	90	185	7,84
12947-60-01-8-17	Toolox 33	60,00	48	348	7,87
12947-60-01-9-12-13-14	Toolox 33	60,00	124	139	8,12
12947-60-01-9-16	Toolox 33	60,00	68	378	12,11
12947-60-a1-1	Toolox 33	60,00	95	150	6,71
12947-60-a1-2	Toolox 33	60,00	69	234	7,61
13168-50-01-3-5-13-14-17	Toolox 33	60,00	57	320	8,59
13168-50-01-3-5-13-16-17	Toolox 33	60,00	85	137	5,49
13168-50-01-3-5-9-12	Toolox 33	60,00	36	1 320	22,38
13168-50-a12	Toolox 33	60,00	145	780	53,27
13168-50-a14	Toolox 33	60,00	68	1 390	44,52
13168-50-a16-2	Toolox 33	60,00	135	1 090	69,31
13168-50-a18-2	Toolox 33	60,00	95	1 300	58,17
13168-50-a24	Toolox 33	60,00	56	860	22,68
13168-50-a6	Toolox 33	60,00	97	315	14,39
13168-50-a7-1	Toolox 33	60,00	97	315	14,39
13168-50-a8	Toolox 33	60,00	97	315	14,39
13168-50-a9	Toolox 33	60,00	97	315	14,39
13232-10-01-10	Toolox 33	60,00	96	135	6,10
13232-10-01-14	Toolox 33	60,00	83	225	8,80
13232-10-01-18-22-26-28	Toolox 33	60,00	350	402	66,27

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13232-10-a1	Toolox 33	60,00	59	286	7,95
13232-10-a3-2	Toolox 33	60,00	88	223	9,24
13243-10-01-19-20	Toolox 33	60,00	50	210	4,95
13243-10-01-19-21	Toolox 33	60,00	50	249	5,86
13243-10-01-20-22	Toolox 33	60,00	160	165	12,43
13243-10-01-22-23-27-28	Toolox 33	60,00	66	205	6,37
13243-10-01-22-24-26-29-30	Toolox 33	60,00	142	147	9,83
13675-50-01-10-12	Toolox 33	60,00	150	750	52,99
13675-50-01-10-14-16	Toolox 33	60,00	90	205	8,69
13675-50-01-10-14-17	Toolox 33	60,00	90	205	8,69
13675-50-01-10-14-18	Toolox 33	60,00	89	205	8,59
13675-50-01-10-14-19	Toolox 33	60,00	89	190	7,97
13675-50-01-10-14-20	Toolox 33	60,00	85	195	7,81
13675-50-01-8-12-14-15-16	Toolox 33	60,00	126	750	44,51
13675-50-a1	Toolox 33	60,00	260	347	42,49
13846-70-01-3-7	Toolox 33	60,00	320	1 115	168,05
13846-70-01-5-11	Toolox 33	60,00	190	473	42,33
13846-70-01-5-8-10	Toolox 33	60,00	12	85	0,48
13846-70-01-5-8-10-11-14	Toolox 33	60,00	350	365	60,17
13846-70-01-5-8-10-12	Toolox 33	60,00	85	358	14,33
13846-70-01-5-8-13-14	Toolox 33	60,00	135	380	24,16
13846-70-01-5-8-13-15	Toolox 33	60,00	135	380	24,16
13846-70-01-5-8-13-16	Toolox 33	60,00	108	350	17,80
13846-70-01-5-8-13-17-19	Toolox 33	60,00	106	218	10,88
13846-70-01-5-8-13-19	Toolox 33	60,00	105	350	17,31
13846-70-01-5-8-13-20	Toolox 33	60,00	135	380	24,16
13846-70-01-5-8-13-22	Toolox 33	60,00	110	351	18,19
13846-70-01-5-8-13-23	Toolox 33	60,00	107	350	17,64
13846-70-01-5-8-13-24	Toolox 33	60,00	105	350	17,31
13846-70-01-5-8-13-25	Toolox 33	60,00	135	380	24,16
13846-70-01-5-9-11	Toolox 33	60,00	275	476	61,65
13868-60-01-3-6	Toolox 33	60,00	99	485	22,62
13868-60-01-4-10	Toolox 33	60,00	89	253	10,61
13868-60-01-4-11	Toolox 33	60,00	89	260	10,90
13868-60-01-4-12	Toolox 33	60,00	89	260	10,90
13868-60-01-4-13	Toolox 33	60,00	89	260	10,90
13868-60-01-4-14-16	Toolox 33	60,00	315	495	73,44
13868-60-01-4-7	Toolox 33	60,00	89	253	10,61
13868-60-01-4-9	Toolox 33	60,00	89	253	10,61
13868-60-a2	Toolox 33	60,00	201	319	30,20
14148-40-01-5-7	Toolox 33	60,00	525	1 755	433,97
14148-40-01-5-8	Toolox 33	60,00	300	2 280	322,16
14148-40-01-6-7	Toolox 33	60,00	297	420	58,75
14148-40-01-6-9	Toolox 33	60,00	130	1 755	107,46

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
60452	Toolox 33	60,00	45	215	4,56
X188	Toolox 33	60,00	60	385	10,88
021923	Toolox 33	63,00	55	173	4,71
022254	Toolox 33	63,00	55	401	10,91
022260	Toolox 33	63,00	75	127	4,71
019760	Toolox 33	64,00	108	135	7,33
10289-10-01-48-51	Toolox 33	66,00	85	86	3,79
66102-1	Toolox 33	66,00	32	509	8,44
022861-9	Toolox 33	70,00	77	90	3,81
023949-8	Toolox 33	70,00	60	90	2,97
023953	Toolox 33	70,00	40	231	5,08
10330-40-01	Toolox 33	70,00	15	719	5,93
10330-40-01-33	Toolox 33	70,00	48	905	23,87
10330-40-01-45	Toolox 33	70,00	19	639	6,67
10495-20-01-11-12	Toolox 33	70,00	75	85	3,50
10564-40-01-11-14	Toolox 33	70,00	40	255	5,61
10803-30-01-14-20	Toolox 33	70,00	26	587	8,39
10803-30-01-7-9-12	Toolox 33	70,00	45	205	5,07
10915-10-01-20	Toolox 33	70,00	25	581	7,98
11160-30-01-15-17-19	Toolox 33	70,00	62	153	5,21
11160-30-01-29-31	Toolox 33	70,00	45	201	4,97
11551-40-01-10-11-12-15-17	Toolox 33	70,00	36	206	4,08
12178-40-01-16-17	Toolox 33	70,00	52	635	18,14
12178-40-01-19-21	Toolox 33	70,00	75	192	7,91
12178-40-01-21-24	Toolox 33	70,00	56	475	14,62
12368-15-01-16	Toolox 33	70,00	81	106	4,72
12368-15-01-22-25-27	Toolox 33	70,00	68	438	16,37
12368-15-01-36-39-40-41	Toolox 33	70,00	34	237	4,43
12586-110-01-24-32-33	Toolox 33	70,00	38	252	5,26
12733-40-01-2-4-7	Toolox 33	70,00	88	142	6,87
12733-40-01-2-5-7-12	Toolox 33	70,00	47	567	14,64
12733-40-01-2-5-7-8-10	Toolox 33	70,00	60	172	5,67
12733-40-01-2-5-8-12-13	Toolox 33	70,00	34	372	6,95
12733-40-01-2-5-8-14-15-17	Toolox 33	70,00	30	2 595	42,78
12733-40-01-2-5-8-22-23	Toolox 33	70,00	23	628	7,94
12733-40-01-2-5-8-23-24-26	Toolox 33	70,00	32	915	16,09
12733-40-a1-1	Toolox 33	70,00	69	976	37,01
12906-50-01-20-22-24	Toolox 33	70,00	55	598	18,07
12906-50-01-20-22-25	Toolox 33	70,00	55	598	18,07
12906-50-01-20-22-26	Toolox 33	70,00	55	600	18,13
13022-20-01-2-3-4-6	Toolox 33	70,00	54	655	19,44
13022-20-01-3-5	Toolox 33	70,00	70	106	4,08
13022-20-01-3-6	Toolox 33	70,00	70	106	4,08
13022-20-a1-1-4-6	Toolox 33	70,00	87	108	5,16

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13022-20-a1-2	Toolox 33	70,00	48	240	6,33
13022-20-a5	Toolox 33	70,00	75	182	7,50
13022-20-a6-5-6-10	Toolox 33	70,00	50	90	2,47
13022-20-a6-5-6-11	Toolox 33	70,00	50	90	2,47
13022-20-a6-5-6-13	Toolox 33	70,00	50	90	2,47
13022-20-a6-5-6-7	Toolox 33	70,00	50	90	2,47
13022-20-a6-5-6-8	Toolox 33	70,00	50	90	2,47
13022-20-a6-5-6-9	Toolox 33	70,00	50	90	2,47
13232-20-01-5-8-11-12	Toolox 33	70,00	32	275	4,84
13232-20-01-5-8-9-11	Toolox 33	70,00	45	1 025	25,35
13232-20-a1-2-4	Toolox 33	70,00	100	123	6,76
13308-20-01-2-5-9	Toolox 33	70,00	38	662	13,82
13308-20-01-3-6-8-12-14	Toolox 33	70,00	40	240	5,28
13308-20-01-3-6-8-12-15	Toolox 33	70,00	70	240	9,23
13408-10-01-15-17-19-20	Toolox 33	70,00	66	522	18,93
13408-10-01-15-17-20-28	Toolox 33	70,00	588	606	195,80
13408-10-01-15-17-20-29	Toolox 33	70,00	171	922	86,64
13408-10-01-15-17-20-30	Toolox 33	70,00	360	724	143,22
13408-10-01-15-17-20-31	Toolox 33	70,00	91	1 548	77,41
13408-10-01-3-7-10-13	Toolox 33	70,00	115	300	18,96
13408-10-01-4-6	Toolox 33	70,00	33	1 840	33,37
13408-10-01-5-7-10	Toolox 33	70,00	13	1 230	8,79
13408-10-01-6-10-12	Toolox 33	70,00	134	863	63,55
13408-10-01-6-8	Toolox 33	70,00	57	504	15,79
13408-10-01-7-9-12-14	Toolox 33	70,00	157	189	16,31
13408-10-02-3-4-6-11	Toolox 33	70,00	80	205	9,01
13408-10-02-4-5-7-10-12	Toolox 33	70,00	90	240	11,87
13408-10-02-4-5-7-11	Toolox 33	70,00	87	560	26,77
13408-10-02-4-5-7-13	Toolox 33	70,00	87	560	26,77
13408-10-02-5-12	Toolox 33	70,00	107	297	17,46
13408-10-02-5-9-11-13-14	Toolox 33	70,00	62	384	13,08
13408-10-a2	Toolox 33	70,00	32	360	6,33
13408-10-a3	Toolox 33	70,00	113	603	37,44
13408-10-a4-2-3-4	Toolox 33	70,00	210	465	53,66
13408-10-a4-2-3-6	Toolox 33	70,00	90	2 210	109,30
13408-10-a4-2-3-7-9	Toolox 33	70,00	160	510	44,84
13408-10-a4-4	Toolox 33	70,00	143	602	47,30
13430-15-01-5-7-8-12-15-17	Toolox 33	70,00	100	188	10,33
13430-15-01-5-7-8-12-18-19	Toolox 33	70,00	139	244	18,64
13430-15-01-5-7-8-12-18-21	Toolox 33	70,00	88	525	25,39
13430-15-01-6-8	Toolox 33	70,00	80	2 200	96,71
13430-15-01-7-8-10	Toolox 33	70,00	80	1 730	76,05
13430-15-01-7-8-9	Toolox 33	70,00	80	470	20,66
13430-15-a2-2	Toolox 33	70,00	120	155	10,22

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13430-15-a3-2	Toolox 33	70,00	25	428	5,88
13430-15-a5-2-4-6	Toolox 33	70,00	220	385	46,54
13430-15-a5-2-5-7	Toolox 33	70,00	90	559	27,65
13430-15-a6	Toolox 33	70,00	52	189	5,40
13430-15-a7-2	Toolox 33	70,00	163	346	30,99
13846-80-01-3	Toolox 33	70,00	105	602	34,73
13846-80-01-4-10	Toolox 33	70,00	113	312	19,37
13846-80-01-4-6-7	Toolox 33	70,00	142	577	45,02
13846-80-01-4-8	Toolox 33	70,00	114	315	19,73
13846-80-01-5-14	Toolox 33	70,00	73	544	21,82
13846-80-01-5-17-21	Toolox 33	70,00	105	263	15,17
13846-80-01-5-17-22	Toolox 33	70,00	105	263	15,17
13846-80-01-5-17-23	Toolox 33	70,00	105	263	15,17
14102-40-01-3	Toolox 33	70,00	10	184	1,01
14102-40-01-3-6-7-10	Toolox 33	70,00	40	245	5,39
14102-40-01-3-6-7-11	Toolox 33	70,00	35	245	4,71
14102-40-01-3-6-7-8	Toolox 33	70,00	185	250	25,41
14102-40-01-3-6-7-9	Toolox 33	70,00	40	245	5,39
14102-40-01-6-10	Toolox 33	70,00	90	301	14,89
14102-40-01-6-11	Toolox 33	70,00	88	301	14,56
14102-40-01-6-12	Toolox 33	70,00	90	301	14,89
14102-40-01-6-13	Toolox 33	70,00	88	301	14,56
14102-40-01-6-14	Toolox 33	70,00	243	301	40,19
14102-40-01-6-7-9-12	Toolox 33	70,00	205	615	69,28
14102-40-01-6-8	Toolox 33	70,00	90	301	14,89
14102-40-01-6-9	Toolox 33	70,00	87	301	14,39
14102-40-01-7-10	Toolox 33	70,00	83	837	38,17
14102-40-01-7-11	Toolox 33	70,00	83	841	38,36
14102-40-01-7-12	Toolox 33	70,00	83	842	38,40
14102-40-01-7-9-11	Toolox 33	70,00	225	600	74,18
14102-40-01-7-9-12-16-19	Toolox 33	70,00	320	560	98,47
14177-40-01-4	Toolox 33	70,00	362	405	80,56
14177-40-01-5-7	Toolox 33	70,00	525	2 040	588,51
14177-40-01-6	Toolox 33	70,00	405	1 090	242,58
14209-10-01	Toolox 33	70,00	2 030	2 300	2 565,62
14250-10-01	Toolox 33	70,00	2 055	4 497	5 078,11
x104-1	Toolox 33	70,00	40	630	13,85
x126	Toolox 33	70,00	40	190	4,18
X176-2	Toolox 33	70,00	35	295	5,67
X233	Toolox 33	70,00	48	978	25,80
018876	Toolox 33	80,00	60	336	12,66
020034	Toolox 33	80,00	71	185	8,25
020245	Toolox 33	80,00	59	344	12,75
020330	Toolox 33	80,00	35	164	3,61

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
020855	Toolox 33	80,00	39	479	11,73
020857	Toolox 33	80,00	37	478	11,11
020892	Toolox 33	80,00	36	476	10,76
021638	Toolox 33	80,00	47	175	5,17
021795	Toolox 33	80,00	35	845	18,57
021953	Toolox 33	80,00	53	224	7,46
021954	Toolox 33	80,00	43	324	8,75
022127	Toolox 33	80,00	70	160	7,03
022381	Toolox 33	80,00	66	135	5,60
022591	Toolox 33	80,00	55	152	5,25
022728	Toolox 33	80,00	38	337	8,04
023117	Toolox 33	80,00	43	300	8,10
023318	Toolox 33	80,00	47	455	13,43
023519	Toolox 33	80,00	70	197	8,66
023521	Toolox 33	80,00	61	333	12,76
023705	Toolox 33	80,00	66	216	8,95
023706	Toolox 33	80,00	20	955	12,00
023926	Toolox 33	80,00	40	374	9,40
10371-100-01-55	Toolox 33	80,00	60	278	10,48
10505-20-01-11-22	Toolox 33	80,00	36	558	12,62
10525-30-01-67	Toolox 33	80,00	26	514	8,39
10525-30-01-67-80	Toolox 33	80,00	42	520	13,72
10564-50-01-14-19	Toolox 33	80,00	38	345	8,23
10690-50-01-4	Toolox 33	80,00	62	215	8,37
10773-40-01-16-17	Toolox 33	80,00	36	480	10,85
10773-40-01-23	Toolox 33	80,00	54	245	8,31
11069-20-01-10	Toolox 33	80,00	71	127	5,66
11069-20-01-16-18	Toolox 33	80,00	71	167	7,45
11069-20-01-22	Toolox 33	80,00	121	259	19,68
11281-60-01-2-8-11-14	Toolox 33	80,00	27	170	2,88
11794-50-01-2-16-18	Toolox 33	80,00	48	195	5,88
11865-40-01-4-10	Toolox 33	80,00	58	171	6,23
11865-40-01-4-6-8	Toolox 33	80,00	95	108	6,44
11865-40-01-4-9	Toolox 33	80,00	58	169	6,16
11865-40-01-5-6-7-8-11	Toolox 33	80,00	42	919	24,24
12108-60-03-5	Toolox 33	80,00	63	279	11,04
12195-10-01-13-15	Toolox 33	80,00	45	265	7,49
12195-10-01-14	Toolox 33	80,00	75	95	4,47
12195-10-02-18	Toolox 33	80,00	30	198	3,73
12195-10-02-21-26	Toolox 33	80,00	77	180	8,70
12335-10-01-14-16-18-20	Toolox 33	80,00	47	695	20,51
12335-10-01-16-17-19-20	Toolox 33	80,00	40	482	12,11
12335-10-01-21-26-28	Toolox 33	80,00	42	165	4,35
12335-10-01-22-24	Toolox 33	80,00	70	184	8,09

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12340-20-01-14	Toolox 33	80,00	45	306	8,65
12340-20-01-14-15	Toolox 33	80,00	60	255	9,61
12340-20-01-21-22	Toolox 33	80,00	46	690	19,93
12340-20-01-4-11-16	Toolox 33	80,00	88	182	10,06
13012-30-01-2-4-17-20	Toolox 33	80,00	42	291	7,68
13012-30-a1	Toolox 33	80,00	28	285	5,01
13048-30-01-4-10-12	Toolox 33	80,00	95	314	18,73
13048-30-01-4-14-19	Toolox 33	80,00	95	311	18,55
13048-30-01-4-15-18-20	Toolox 33	80,00	90	179	10,12
13048-30-01-4-20	Toolox 33	80,00	374	649	152,43
13048-30-01-4-8-10	Toolox 33	80,00	25	887	13,93
13048-30-01-4-8-9-10-11-14	Toolox 33	22,00	80	1 013	14,00
13048-30-a2	Toolox 33	80,00	85	212	11,32
13048-30-a4	Toolox 33	22,00	125	857	18,50
13048-30-a6	Toolox 33	22,00	222	322	12,35
13243-20-01-4-6-7	Toolox 33	80,00	35	600	13,19
13308-30-01-2-4-6-7	Toolox 33	80,00	92	162	9,36
13308-30-01-5-6-8-9-10	Toolox 33	80,00	141	165	14,61
13308-30-01-5-8-15-16	Toolox 33	80,00	120	180	13,57
13308-30-01-5-8-9-11-15	Toolox 33	80,00	220	268	37,03
13308-30-01-5-8-9-12-13	Toolox 33	80,00	40	337	8,47
13308-30-01-6-8-9-11	Toolox 33	80,00	101	293	18,58
13308-30-01-6-8-9-13	Toolox 33	80,00	101	294	18,65
13467-30-01-9-10-12	Toolox 33	80,00	88	230	12,71
13467-30-a1	Toolox 33	80,00	48	557	16,79
13467-30-a3-2	Toolox 33	80,00	55	310	10,71
13467-30-a5-3	Toolox 33	80,00	18	437	4,94
13467-35-01-11-13	Toolox 33	80,00	155	173	16,84
13467-35-01-13	Toolox 33	80,00	153	597	57,36
13467-35-01-15	Toolox 33	80,00	155	461	44,87
13467-35-01-16	Toolox 33	80,00	147	464	42,84
13467-35-01-20-23-25-28-30	Toolox 33	80,00	55	180	6,22
13467-35-01-20-23-25-28-31	Toolox 33	80,00	55	180	6,22
13467-35-01-20-23-25-28-32	Toolox 33	80,00	55	180	6,22
13467-35-01-20-23-26	Toolox 33	80,00	170	191	20,39
13467-35-a1	Toolox 33	80,00	91	375	21,43
13467-35-a2	Toolox 33	80,00	60	370	13,94
13675-60-01-11-12	Toolox 33	80,00	145	1 595	145,24
13675-60-01-3-4	Toolox 33	80,00	155	230	22,39
13675-60-01-3-5	Toolox 33	80,00	155	230	22,39
13675-60-01-3-6	Toolox 33	80,00	155	230	22,39
13675-60-01-3-7	Toolox 33	80,00	155	230	22,39
13675-60-01-4	Toolox 33	80,00	155	230	22,39
13675-60-01-8	Toolox 33	80,00	54	745	25,26

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13675-60-01-9-12-14-16	Toolox 33	80,00	235	420	61,98
13675-60-01-9-12-15-16	Toolox 33	80,00	110	259	17,89
13675-60-02-12-14	Toolox 33	80,00	152	238	22,72
13675-60-02-13	Toolox 33	80,00	153	645	61,97
13675-60-02-14	Toolox 33	80,00	153	645	61,97
13675-60-02-23-26	Toolox 33	80,00	140	870	76,49
13675-60-02-23-27-29	Toolox 33	80,00	175	355	39,01
13675-60-02-23-28	Toolox 33	80,00	85	1 090	58,18
13675-60-02-24-26-28-30-31	Toolox 33	80,00	128	485	38,99
13675-60-02-3-4-6-8-10-12	Toolox 33	80,00	170	260	27,76
13675-60-02-3-4-6-8-9	Toolox 33	80,00	16	1 485	14,92
13767-60-01-3-6-8	Toolox 33	80,00	225	505	71,36
13767-60-01-3-6-9	Toolox 33	80,00	133	187	15,62
13767-60-01-3-7-9	Toolox 33	80,00	110	150	10,36
13767-60-01-3-8-10	Toolox 33	80,00	100	135	8,48
13767-60-01-3-9	Toolox 33	80,00	100	500	31,40
13767-60-01-4-6-11	Toolox 33	80,00	50	2 090	65,63
13767-60-01-4-6-8	Toolox 33	80,00	154	375	36,27
13767-60-01-4-6-9	Toolox 33	80,00	154	375	36,27
13868-70-01-5-10-15-17	Toolox 33	80,00	90	1 100	62,17
13868-70-01-5-10-15-18	Toolox 33	80,00	50	445	13,97
14087-40-01-10-11-13	Toolox 33	80,00	155	240	23,36
14087-40-01-10-12	Toolox 33	80,00	145	155	14,11
14087-40-01-10-13	Toolox 33	80,00	141	150	13,28
14087-40-01-10-14	Toolox 33	80,00	135	155	13,14
14087-40-01-10-15	Toolox 33	80,00	135	155	13,14
14087-40-01-10-16-17	Toolox 33	80,00	155	245	23,85
14087-40-01-17-19	Toolox 33	80,00	153	530	50,93
14087-40-01-17-20	Toolox 33	80,00	95	200	11,93
14087-40-01-17-21	Toolox 33	80,00	95	200	11,93
14087-40-01-17-23	Toolox 33	80,00	100	500	31,40
14087-40-01-17-24-25	Toolox 33	80,00	225	550	77,72
14087-40-01-17-25	Toolox 33	80,00	220	340	46,97
14148-50-01-3-5	Toolox 33	80,00	230	1 030	148,77
14148-50-01-4-6-8	Toolox 33	80,00	360	505	114,17
14148-50-01-4-7	Toolox 33	80,00	145	355	32,33
14148-50-01-5-10-14	Toolox 33	80,00	156	2 300	225,33
14148-50-01-5-9	Toolox 33	80,00	115	455	32,86
14148-50-a1	Toolox 33	80,00	245	245	37,70
14148-50-a3-1	Toolox 33	80,00	245	498	76,62
14148-50-a3-2	Toolox 33	80,00	245	498	76,62
14148-50-a3-3	Toolox 33	80,00	245	493	75,85
14148-50-a3-4	Toolox 33	80,00	245	497	76,47
14148-50-a3-5	Toolox 33	80,00	245	492	75,70

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
14148-50-a3-6	Toolox 33	80,00	245	495	76,16
14148-50-a3-7	Toolox 33	80,00	245	493	75,85
14148-50-a3-8	Toolox 33	80,00	245	495	76,16
14148-50-a3-9	Toolox 33	80,00	245	490	75,39
14148-50-a5	Toolox 33	80,00	245	496	76,32
14148-50-a7	Toolox 33	80,00	245	490	75,39
14209-20-01-3	Toolox 33	80,00	1 560	4 390	4 300,80
14209-20-01-4	Toolox 33	80,00	500	930	292,02
14209-20-01-5	Toolox 33	80,00	165	3 300	341,95
14209-20-01-6	Toolox 33	80,00	75	500	23,55
80702-8	Toolox 33	80,00	70	207	9,10
X182	Toolox 33	80,00	98	130	8,00
X186	Toolox 33	80,00	64	505	20,30
X215	Toolox 33	80,00	113	125	8,87
X230	Toolox 33	80,00	50	807	25,34
X235-3	Toolox 33	80,00	79	233	11,56
018793	Toolox 33	90,00	61	230	9,91
023365-1	Toolox 33	90,00	56	149	5,90
023526	Toolox 33	90,00	90	90	5,72
10371-90-01-45-55-77	Toolox 33	90,00	34	224	5,38
10690-40-01-17	Toolox 33	90,00	45	700	22,26
11022-30-01-6-8	Toolox 33	90,00	102	160	11,53
11022-30-01-6-9	Toolox 33	90,00	120	160	13,57
11354-10-01-2-4-6	Toolox 33	90,00	35	307	7,59
11354-10-01-5-6	Toolox 33	90,00	30	806	17,08
11354-10-01-5-9	Toolox 33	90,00	52	304	11,17
11614-40-01-4-11-14-15-16	Toolox 33	90,00	102	165	11,89
11614-40-01-6	Toolox 33	90,00	48	276	9,36
12079-40-01-2-16	Toolox 33	90,00	49	266	9,21
12079-40-01-3-13	Toolox 33	90,00	72	164	8,34
12079-40-01-3-13-15	Toolox 33	90,00	45	482	15,32
12079-40-01-3-6-9-10	Toolox 33	90,00	101	155	11,06
12438-40-01-21	Toolox 33	90,00	45	726	23,08
12438-40-01-3-4-6-7	Toolox 33	90,00	100	114	8,05
12438-40-01-3-4-8	Toolox 33	90,00	82	110	6,37
12733-50-01-2-11-13	Toolox 33	90,00	19	726	9,75
12733-50-01-2-16-17-19	Toolox 33	90,00	48	2 090	70,88
12733-50-01-2-16-18	Toolox 33	90,00	34	460	11,05
12733-50-01-2-19-22	Toolox 33	90,00	42	662	19,64
12733-50-01-2-21-22-23	Toolox 33	90,00	68	254	12,20
12733-50-01-2-6-8-9-10-12	Toolox 33	90,00	74	336	17,57
12733-50-a2	Toolox 33	90,00	69	248	12,09
12733-50-a4-1-2-5	Toolox 33	90,00	48	1 590	53,92
12733-50-a5	Toolox 33	90,00	88	195	12,12

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13022-10-01-10-13-14-16-18	Toolox 33	90,00	142	250	25,08
13022-10-01-12-14-18-20-22	Toolox 33	90,00	110	352	27,36
13022-10-01-8	Toolox 33	90,00	100	243	17,17
13022-10-01-9-10	Toolox 33	90,00	30	1 272	26,96
13022-10-01-9-12-13-14	Toolox 33	90,00	82	209	12,11
13022-10-01-9-12-15	Toolox 33	90,00	65	250	11,48
13022-10-a1-2	Toolox 33	90,00	65	213	9,78
13243-30-01-2-3-4	Toolox 33	90,00	70	207	10,24
13243-30-01-2-3-5	Toolox 33	90,00	45	207	6,58
13243-30-01-2-5-6-8	Toolox 33	90,00	45	435	13,83
13243-30-01-2-5-6-9	Toolox 33	90,00	33	443	10,33
13243-30-01-5	Toolox 33	90,00	50	1 005	35,50
13243-30-01-6	Toolox 33	90,00	48	1 000	33,91
13243-30-01-8	Toolox 33	90,00	47	998	33,14
13447-20-01-2-5-6-8-10-11	Toolox 33	90,00	62	131	5,74
13447-20-01-5-7-9	Toolox 33	90,00	57	313	12,61
13447-20-01-6-11-13	Toolox 33	90,00	40	690	19,50
13447-20-01-6-11-15	Toolox 33	90,00	30	691	14,65
13447-20-01-6-12-15-17	Toolox 33	90,00	100	165	11,66
13447-20-01-6-12-15-18	Toolox 33	90,00	100	165	11,66
13447-20-01-6-8-10	Toolox 33	90,00	73	403	20,79
13846-90-01-3	Toolox 33	90,00	70	794	39,27
13846-90-01-4	Toolox 33	90,00	70	794	39,27
13846-90-01-5	Toolox 33	90,00	70	794	39,27
13846-90-01-6	Toolox 33	90,00	70	794	39,27
13846-90-01-8-11	Toolox 33	90,00	145	165	16,90
13846-90-01-8-9-11-14-17	Toolox 33	90,00	95	560	37,59
13846-90-a1-2-3-4	Toolox 33	90,00	160	225	25,43
13846-90-a1-2-3-5	Toolox 33	90,00	160	225	25,43
13846-90-a1-3	Toolox 33	90,00	210	328	48,66
13846-90-a3	Toolox 33	90,00	195	770	106,08
14177-50-01-3	Toolox 33	90,00	185	720	94,11
14177-50-01-4	Toolox 33	90,00	160	225	25,43
14218-30-01-3-5	Toolox 33	90,00	2 045	4 420	6 385,98
14218-30-01-3-6	Toolox 33	90,00	560	775	306,62
14218-30-01-4-6	Toolox 33	90,00	105	270	20,03
14218-30-01-4-7	Toolox 33	90,00	475	1 520	510,09
14218-30-01-5	Toolox 33	90,00	131	190	17,59
90453	Toolox 33	90,00	45	312	9,92
99950	Toolox 33	90,00	42	137	4,07
99950-1	Toolox 33	90,00	47	725	24,07
x111-1	Toolox 33	90,00	65	593	27,23
x114	Toolox 33	90,00	64	175	7,91
X242-1	Toolox 33	90,00	63	283	12,60

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10583-30-01-17	Toolox 33	100,00	54	168	7,12
10583-30-01-18	Toolox 33	100,00	34	625	16,68
10825-40-01-20-21	Toolox 33	100,00	79	150	9,30
10975-60-01-12-13-16	Toolox 33	100,00	75	570	33,56
11444-20-01-11	Toolox 33	100,00	80	410	25,75
11876-20-01-2-3-4	Toolox 33	100,00	90	290	20,49
11876-20-01-2-4-7	Toolox 33	100,00	84	1 245	82,10
12079-50-01-16	Toolox 33	100,00	70	365	20,06
12079-50-01-19-20	Toolox 33	100,00	95	185	13,80
12079-50-01-19-21	Toolox 33	100,00	95	185	13,80
12079-50-01-19-22	Toolox 33	100,00	95	185	13,80
12438-50-01-12	Toolox 33	100,00	83	120	7,82
12438-50-01-13-16	Toolox 33	100,00	60	200	9,42
12438-50-01-21-22	Toolox 33	100,00	78	460	28,17
12438-50-01-24	Toolox 33	100,00	106	187	15,56
12438-50-01-26	Toolox 33	100,00	105	187	15,41
12438-50-01-28	Toolox 33	100,00	70	162	8,90
12438-50-01-6-11-13-14	Toolox 33	100,00	45	704	24,87
12438-50-01-6-11-13-17	Toolox 33	100,00	125	155	15,21
12438-50-01-6-8	Toolox 33	100,00	55	560	24,18
12692-10-01-2-3	Toolox 33	100,00	127	155	15,45
12692-10-01-2-5	Toolox 33	100,00	125	154	15,11
12692-10-01-3-8	Toolox 33	100,00	51	198	7,93
12692-10-01-8-10-11-14	Toolox 33	100,00	65	145	7,40
12692-10-01-8-12-16-18	Toolox 33	100,00	99	110	8,55
12970-10-01-2-3	Toolox 33	100,00	45	107	3,78
12970-10-01-8-10-11-16-17	Toolox 33	100,00	133	162	16,91
12970-10-01-8-10-11-16-19	Toolox 33	100,00	77	430	25,99
12970-10-01-8-9-14-15	Toolox 33	100,00	90	564	39,85
12970-10-a2-1-4	Toolox 33	100,00	62	160	7,79
12970-10-a2-3-5-6	Toolox 33	100,00	44	212	7,32
12970-10-a2-3-7	Toolox 33	100,00	34	220	5,87
12970-10-a3	Toolox 33	100,00	100	100	7,85
12970-10-a4	Toolox 33	100,00	99	100	7,77
12970-10-a5	Toolox 33	100,00	99	100	7,77
12970-10-a6	Toolox 33	100,00	99	100	7,77
12970-10-a7	Toolox 33	100,00	99	100	7,77
12970-10-a8	Toolox 33	100,00	99	100	7,77
13048-40-01-10-11	Toolox 33	100,00	55	157	6,78
13048-40-01-13-20-21-22-24	Toolox 33	100,00	70	630	34,62
13048-40-01-13-20-21-23	Toolox 33	100,00	35	364	10,00
13048-40-01-13-24	Toolox 33	100,00	92	493	35,60
13048-40-01-13-25-26	Toolox 33	100,00	155	180	21,90
13048-40-01-2-4	Toolox 33	100,00	67	580	30,51

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13048-40-01-2-6-7-9	Toolox 33	100,00	60	162	7,63
13048-40-01-2-6-9	Toolox 33	100,00	64	580	29,14
13048-40-a1-3-6-7-8-10	Toolox 33	100,00	72	490	27,70
13243-40-01-5	Toolox 33	35,00	80	290	6,37
13243-40-01-9-12-13	Toolox 33	100,00	35	245	6,73
13243-40-01-9-16-18	Toolox 33	100,00	34	210	5,61
13243-40-01-9-21-22	Toolox 33	100,00	70	210	11,54
13243-40-a3-2-5-6-8	Toolox 33	100,00	180	180	25,43
13243-40-a3-2-5-6-9	Toolox 33	100,00	58	246	11,20
13532-20-01-2-5-7	Toolox 33	100,00	95	400	29,83
13532-20-01-4-10	Toolox 33	100,00	124	162	15,77
13532-20-01-4-12-15-18-20	Toolox 33	100,00	98	230	17,69
13532-20-01-4-12-16-17	Toolox 33	100,00	77	207	12,51
13532-20-01-4-12-17	Toolox 33	100,00	33	1 230	31,86
13532-20-01-4-12-19-22	Toolox 33	100,00	109	164	14,03
13532-20-01-4-9	Toolox 33	100,00	81	1 198	76,18
13532-20-a10	Toolox 33	100,00	150	350	41,21
13532-20-a2	Toolox 33	100,00	70	150	8,24
13532-20-a3	Toolox 33	100,00	45	570	20,14
13532-20-a4	Toolox 33	100,00	124	150	14,60
13532-20-a6-2-5	Toolox 33	100,00	108	210	17,80
13532-20-a6-4	Toolox 33	100,00	155	210	25,55
13532-20-a7	Toolox 33	100,00	159	167	20,84
13532-20-a8	Toolox 33	100,00	45	305	10,77
13532-20-a9	Toolox 33	100,00	93	169	12,34
13675-70-01-6-10-11-13-15	Toolox 33	100,00	32	212	5,33
13675-70-01-6-10-11-14	Toolox 33	100,00	95	204	15,21
13675-70-01-6-10-12-13-14	Toolox 33	100,00	85	235	15,68
13675-70-01-6-10-12-14-17	Toolox 33	100,00	65	420	21,43
13675-70-01-6-10-12-14-18	Toolox 33	100,00	65	630	32,15
13675-70-01-6-10-13	Toolox 33	100,00	131	165	16,97
13675-70-01-6-10-14-16	Toolox 33	100,00	110	265	22,88
13675-70-01-6-10-14-18-20	Toolox 33	100,00	1 170	2 125	1 951,71
13675-70-01-7-9	Toolox 33	100,00	140	210	23,08
13675-70-a3	Toolox 33	100,00	154	314	37,96
13675-70-a5	Toolox 33	100,00	85	445	29,69
13675-70-a7	Toolox 33	100,00	162	185	23,53
13868-80-01-11-14-17-18-21	Toolox 33	100,00	76	207	12,35
13868-80-01-11-14-17-19	Toolox 33	100,00	126	535	52,92
13868-80-01-11-15-17-20	Toolox 33	100,00	145	209	23,79
13868-80-01-11-15-17-21	Toolox 33	100,00	150	209	24,61
13868-80-01-11-15-18-22	Toolox 33	100,00	80	1 015	63,74
13868-80-01-11-15-18-23	Toolox 33	100,00	115	165	14,90
13868-80-01-4	Toolox 33	100,00	70	244	13,41

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13868-80-01-5	Toolox 33	100,00	37	345	10,02
13868-80-01-6-8-10	Toolox 33	65,00	100	211	10,77
13868-80-01-6-8-11	Toolox 33	70,00	100	211	11,59
13868-80-01-6-9	Toolox 33	100,00	73	351	20,11
13868-80-01-7-10-11	Toolox 33	100,00	95	209	15,59
14209-30-01	Toolox 33	100,00	1 650	4 290	5 556,62
X193	Toolox 33	100,00	45	224	7,91
022829	Toolox 33	104,00	36	180	5,29
022993	Toolox 33	105,00	85	150	10,51
023725-1	Toolox 33	104,00	87	109	7,74
10144-20-01	Toolox 33	104,00	80	137	8,95
10144-20-01-34	Toolox 33	104,00	88	158	11,35
10183-20-01-12-13	Toolox 33	104,00	65	87	4,62
10183-20-01-44-78	Toolox 33	104,00	61	480	23,90
10183-20-01-67	Toolox 33	104,00	64	322	16,82
10265-30-01	Toolox 33	104,00	60	115	5,63
10265-30-01-11-45-57	Toolox 33	104,00	33	213	5,74
10265-30-01-12	Toolox 33	46,00	46	1 260	20,93
10413	Toolox 33	104,00	135	150	16,53
10418	Toolox 33	55,00	57	850	20,92
10418-2	Toolox 33	45,00	55	485	9,42
10439	Toolox 33	104,00	44	1 046	37,57
10440-1	Toolox 33	104,00	40	215	7,02
10448-1	Toolox 33	104,00	48	365	14,30
10460-1	Toolox 33	104,00	60	370	18,12
10466-10-01	Toolox 33	105,00	10	519	4,28
10466-10-01-11-12-22	Toolox 33	105,00	56	787	36,33
10466-10-01-23	Toolox 33	100,00	115	152	13,72
10466-10-01-44	Toolox 33	104,00	89	387	28,12
10470-1	Toolox 33	104,00	70	173	9,89
10480-1	Toolox 33	104,00	80	240	15,68
10490	Toolox 33	104,00	90	90	6,61
10502-10-01-33	Toolox 33	105,00	49	442	17,85
10591-1	Toolox 33	105,00	91	160	12,00
10702-30-01-10-15	Toolox 33	105,00	42	145	5,02
10702-30-01-13-15	Toolox 33	104,00	90	120	8,82
10702-30-01-13-16	Toolox 33	104,00	90	165	12,12
10702-30-01-13-18	Toolox 33	105,00	90	110	8,16
10702-30-01-13-22	Toolox 33	105,00	136	153	17,15
10857-10-01-13-16-17	Toolox 33	105,00	130	167	17,89
10857-10-01-8	Toolox 33	105,00	143	160	18,86
11022-40-01-14-19-21	Toolox 33	105,00	30	1 080	26,71
11022-40-01-15-16-17	Toolox 33	105,00	99	130	10,61
11022-40-01-17-18-21	Toolox 33	105,00	125	143	14,73

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11614-50-01-2-3-4-5-6-7-9	Toolox 33	104,00	70	485	27,72
11981-50-02-7-12-14	Toolox 33	105,00	100	105	8,66
11981-50-02-7-20	Toolox 33	105,00	106	442	38,62
11981-50-02-7-23-25	Toolox 33	105,00	87	394	28,25
11981-50-02-7-23-26	Toolox 33	105,00	91	394	29,55
11981-50-02-7-23-28	Toolox 33	105,00	115	397	37,63
11981-50-02-7-23-29	Toolox 33	105,00	115	399	37,82
11981-50-02-7-23-30-32-36	Toolox 33	105,00	106	295	25,77
11981-50-02-7-23-30-32-37	Toolox 33	105,00	108	294	26,17
11981-50-02-7-23-30-32-38	Toolox 33	105,00	122	294	29,56
11981-50-02-7-23-30-32-39	Toolox 33	105,00	122	288	28,96
11981-50-02-7-23-30-32-40	Toolox 33	105,00	121	293	29,22
11981-50-02-7-23-30-32-41	Toolox 33	105,00	120	280	27,70
11981-50-02-8-16	Toolox 33	105,00	60	380	18,79
11981-50-a1-1-2	Toolox 33	104,00	67	413	22,59
12551-10-01-3-4-5	Toolox 33	104,00	107	390	34,07
12551-10-01-3-4-6	Toolox 33	104,00	23	512	9,61
12551-10-01-3-5-6	Toolox 33	104,00	107	390	34,07
12551-10-01-3-5-7	Toolox 33	104,00	23	512	9,61
12551-10-01-3-8-10-11-13	Toolox 33	105,00	120	553	54,70
12551-10-01-3-8-10-12	Toolox 33	104,00	120	902	88,37
12551-10-01-3-8-10-13	Toolox 33	104,00	120	901	88,27
12551-10-01-3-8-10-14	Toolox 33	104,00	120	908	88,96
12551-10-01-3-8-10-15	Toolox 33	104,00	120	907	88,86
12551-10-01-3-8-10-16-17	Toolox 33	104,00	105	900	77,15
12551-10-01-3-8-10-16-18	Toolox 33	104,00	120	908	88,96
12551-10-01-3-8-10-17	Toolox 33	104,00	120	904	88,56
12551-10-01-3-8-10-19	Toolox 33	104,00	28	3 405	77,84
12970-20-01-2	Toolox 33	105,00	98	277	22,38
12970-20-01-6-10-14-15	Toolox 33	105,00	120	160	15,83
12970-20-01-8-11	Toolox 33	105,00	118	265	25,77
12970-20-01-8-12	Toolox 33	105,00	115	260	24,65
12970-20-01-8-14	Toolox 33	105,00	92	270	20,47
12970-20-01-8-16-17	Toolox 33	105,00	115	235	22,28
12970-20-01-8-16-18	Toolox 33	105,00	115	238	22,56
12970-20-a1-2	Toolox 33	105,00	325	385	103,13
12970-20-a1-3-5	Toolox 33	105,00	174	285	40,88
12970-20-a1-3-6	Toolox 33	105,00	55	770	34,91
12970-20-a3	Toolox 33	105,00	65	970	51,97
12970-20-a4-2	Toolox 33	105,00	80	193	12,73
13243-50-01-3-5-6	Toolox 33	105,00	104	1 825	156,44
13243-50-01-3-7-8	Toolox 33	105,00	100	3 095	255,11
13243-50-01-5-6	Toolox 33	105,00	125	155	15,97
13243-50-01-5-8-16-17-18	Toolox 33	105,00	115	1 173	111,19

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13243-50-01-5-8-16-17-19	Toolox 33	105,00	104	1 208	103,55
13243-50-01-5-8-16-18	Toolox 33	105,00	100	1 155	95,20
13243-50-01-5-8-17	Toolox 33	105,00	104	1 130	96,87
13718-10-01-11-16-18	Toolox 33	105,00	292	430	103,49
13718-10-01-11-16-19-20	Toolox 33	105,00	299	434	106,96
13718-10-01-11-17-22-23	Toolox 33	105,00	90	1 250	92,73
13718-10-01-11-17-22-25	Toolox 33	105,00	292	430	103,49
13718-10-01-11-17-23-25-31	Toolox 33	105,00	210	1 250	216,37
13718-10-01-9	Toolox 33	105,00	225	245	45,44
x107	Toolox 33	104,00	120	125	12,25
x122	Toolox 33	104,00	36	1 247	36,65
X174-1	Toolox 33	105,00	80	146	9,63
X228	Toolox 33	105,00	31	1 257	32,12
X229	Toolox 33	104,00	45	1 290	47,39
018572	Toolox 33	110,00	43	645	23,95
018573	Toolox 33	110,00	87	131	9,84
018765	Toolox 33	110,00	68	168	9,87
019015	Toolox 33	110,00	40	256	8,84
020514	Toolox 33	110,00	77	301	20,01
020836	Toolox 33	110,00	44	115	4,37
020837	Toolox 33	110,00	67	312	18,05
021461	Toolox 33	110,00	85	385	28,26
021518	Toolox 33	110,00	18	540	8,39
021639	Toolox 33	110,00	30	289	7,49
021844	Toolox 33	110,00	65	220	12,35
022024	Toolox 33	110,00	42	145	5,26
022177	Toolox 33	110,00	45	868	33,73
022916-9	Toolox 33	110,00	95	169	13,86
023883	Toolox 33	110,00	65	505	28,34
10330-50-01	Toolox 33	110,00	37	665	21,25
10583-40-01-10	Toolox 33	108,00	75	135	8,58
10583-40-01-10-13	Toolox 33	108,00	50	625	26,49
10583-40-01-3-5-7	Toolox 33	110,00	97	310	25,97
10773-30-01-12	Toolox 33	110,00	76	333	21,85
10773-30-01-18-20	Toolox 33	110,00	64	312	17,24
10773-30-01-19	Toolox 33	110,00	115	125	12,41
10773-30-01-5-8	Toolox 33	110,00	45	425	16,51
10773-30-01-8	Toolox 33	110,00	50	1 250	53,97
11013-1-2	Toolox 33	110,00	138	249	29,67
11036-1	Toolox 33	110,00	36	635	19,74
11444-10-01-5-11-13-14	Toolox 33	48,00	80	1 118	33,70
11767-9-01-4	Toolox 33	110,00	113	274	26,74
12079-60-01-2-4-5-6	Toolox 33	110,00	65	370	20,77
12079-60-01-2-4-5-7	Toolox 33	110,00	20	520	8,98

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12079-60-01-6-8-10	Toolox 33	110,00	90	490	38,08
12489-20-01-3-4-7-16	Toolox 33	110,00	40	244	8,43
12489-20-01-3-4-7-20	Toolox 33	110,00	76	172	11,29
12489-20-01-3-4-7-21-23-24	Toolox 33	110,00	22	895	17,00
12489-20-01-3-4-7-21-23-25	Toolox 33	110,00	51	150	6,61
12551-20-01-14-17	Toolox 33	110,00	87	512	38,46
12551-20-01-15-17	Toolox 33	110,00	47	370	15,02
12551-20-01-16-18-21	Toolox 33	110,00	69	356	21,21
12970-30-01-2	Toolox 33	110,00	85	273	20,04
12970-30-01-3	Toolox 33	110,00	86	272	20,20
12970-30-01-5	Toolox 33	110,00	86	270	20,05
12970-30-01-8-12-20-22	Toolox 33	110,00	150	191	24,74
12970-30-01-8-12-22-24-26	Toolox 33	110,00	132	161	18,35
12970-30-a1	Toolox 33	110,00	177	263	40,20
13243-60-01-3-5	Toolox 33	110,00	172	203	30,15
13243-60-01-3-6-8	Toolox 33	110,00	60	285	14,77
13396-10-01-2-5-6-9-10	Toolox 33	110,00	60	203	10,52
13396-10-01-2-5-6-9-11	Toolox 33	110,00	60	204	10,57
13396-10-01-2-5-6-9-13	Toolox 33	110,00	55	715	33,96
13396-10-01-2-5-7-9	Toolox 33	110,00	95	163	13,37
13654-30-01-7-13-17-22-24	Toolox 33	110,00	110	115	10,92
13654-30-01-7-13-18-21	Toolox 33	110,00	170	143	20,99
13654-30-01-7-13-18-22	Toolox 33	110,00	170	170	24,96
13654-30-01-7-13-18-25	Toolox 33	110,00	640	700	386,85
13654-30-01-7-13-18-26	Toolox 33	110,00	145	160	20,03
13654-30-01-8-10-12	Toolox 33	110,00	115	212	21,05
13654-30-01-8-11	Toolox 33	110,00	37	212	6,77
13654-30-01-8-12	Toolox 33	110,00	37	212	6,77
13654-30-01-8-13	Toolox 33	110,00	37	212	6,77
13654-30-01-8-14	Toolox 33	110,00	37	212	6,77
13654-30-01-8-15	Toolox 33	110,00	36	212	6,59
13654-30-01-8-16	Toolox 33	110,00	36	212	6,59
13654-30-01-8-17	Toolox 33	110,00	36	212	6,59
13767-40-01-12-18	Toolox 33	110,00	195	1 035	174,28
13767-40-01-13-15	Toolox 33	110,00	85	505	37,07
13767-40-01-14	Toolox 33	110,00	150	297	38,47
13767-40-01-15	Toolox 33	110,00	190	1 030	168,99
13767-40-01-8	Toolox 33	110,00	240	295	61,14
13868-100-01-3-6-8	Toolox 33	110,00	160	1 515	209,31
13868-100-01-3-6-9-10	Toolox 33	110,00	120	1 515	156,98
13868-100-01-3-7	Toolox 33	110,00	383	960	317,49
13868-100-01-4-5	Toolox 33	110,00	43	626	23,24
13868-100-01-5-6-8-10	Toolox 33	110,00	40	205	7,08
14209-40-01	Toolox 33	110,00	1 520	3 110	4 081,94

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
99984-1	Toolox 33	110,00	48	238	9,87
99984-1-2-3	Toolox 33	110,00	75	320	20,72
99984-1-2-3-4	Toolox 33	110,00	47	320	12,99
x138	Toolox 33	110,00	72	480	29,84
X244-2	Toolox 33	110,00	115	225	22,34
023404	Toolox 33	120,00	77	1 005	72,90
023609	Toolox 33	120,00	40	170	6,41
023610	Toolox 33	120,00	40	171	6,44
023647	Toolox 33	120,00	49	710	32,77
023678	Toolox 33	120,00	106	187	18,67
023756	Toolox 33	120,00	65	603	36,92
023756-4	Toolox 33	120,00	30	1 245	35,18
023756-8	Toolox 33	120,00	38	651	23,30
023765	Toolox 33	120,00	85	110	8,81
10330-60-01-22-33	Toolox 33	120,00	45	290	12,29
10330-60-01-34-45	Toolox 33	120,00	29	301	8,22
10330-60-01-56	Toolox 33	120,00	69	165	10,73
10330-60-01-67	Toolox 33	120,00	70	162	10,68
10564-60-01-55	Toolox 33	120,00	63	285	16,91
10623-20-01	Toolox 33	120,00	60	285	16,11
10623-20-01-11-13	Toolox 33	120,00	42	870	34,42
10623-20-01-12	Toolox 33	120,00	20	793	14,94
10623-20-01-15	Toolox 33	120,00	50	425	20,02
10623-20-01-2-4	Toolox 33	120,00	65	670	41,02
10623-20-01-2-7	Toolox 33	120,00	40	350	13,19
10623-20-01-4	Toolox 33	120,00	87	340	27,86
10943-10-01-15-17-19	Toolox 33	120,00	45	202	8,56
11328-10-01-10-13-14-16	Toolox 33	120,00	151	160	22,76
11328-10-01-11-12-14	Toolox 33	120,00	42	875	34,62
11328-10-01-11-12-15	Toolox 33	120,00	50	365	17,19
11328-10-01-11-12-16	Toolox 33	120,00	50	365	17,19
11328-10-01-11-12-17	Toolox 33	120,00	55	365	18,91
11328-10-01-12-15	Toolox 33	120,00	58	270	14,75
11328-10-01-3-7	Toolox 33	120,00	43	490	19,85
11641-10-01-2-3-4-5	Toolox 33	120,00	110	266	27,56
11641-10-01-2-3-4-6	Toolox 33	120,00	110	267	27,67
11641-10-01-2-3-4-7	Toolox 33	120,00	110	269	27,87
11641-10-01-2-3-4-8-12	Toolox 33	120,00	105	269	26,61
11641-10-01-2-3-4-8-9-11	Toolox 33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-12	Toolox 33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-13	Toolox 33	120,00	110	270	27,98
11641-10-01-3-4	Toolox 33	120,00	44	320	13,26
11641-10-a1-2-4	Toolox 33	120,00	65	515	31,53
11641-10-a1-2-7-9	Toolox 33	120,00	80	168	12,66

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11641-10-a2	Toolox 33	120,00	106	273	27,26
11641-10-a4	Toolox 33	120,00	106	275	27,46
12057-1	Toolox 33	120,00	57	852	45,75
12489-10-01-2-15	Toolox 33	120,00	45	500	21,20
12489-10-01-2-15-16	Toolox 33	120,00	70	455	30,00
12489-10-01-2-16-18	Toolox 33	120,00	102	148	14,22
12489-10-01-3-5	Toolox 33	120,00	21	355	7,02
12489-10-01-3-7	Toolox 33	120,00	84	231	18,28
12489-10-01-4	Toolox 33	120,00	62	711	41,53
12539-20-01-3-6	Toolox 33	120,00	55	285	14,77
12539-20-01-3-8	Toolox 33	120,00	47	937	41,49
12539-20-01-8-11-13	Toolox 33	120,00	105	160	15,83
12539-20-01-8-15-18	Toolox 33	120,00	45	406	17,21
12539-20-01-8-15-19	Toolox 33	120,00	46	406	17,59
12539-20-01-8-17-19	Toolox 33	120,00	52	282	13,81
12539-20-01-8-9-11-12	Toolox 33	120,00	60	580	32,78
12539-20-01-8-9-11-15	Toolox 33	120,00	91	215	18,43
12857-40-01-2-4-6	Toolox 33	120,00	94	685	60,66
12857-40-01-2-4-7	Toolox 33	120,00	65	255	15,61
12857-40-01-2-6-10-14-17	Toolox 33	120,00	57	236	12,67
12857-40-01-2-6-8-10	Toolox 33	35,00	105	158	4,56
12857-40-01-2-6-8-11	Toolox 33	35,00	105	157	4,53
12857-40-01-3-4	Toolox 33	120,00	37	395	13,77
12857-40-a2-1-10	Toolox 33	120,00	32	205	6,18
12857-40-a2-1-8	Toolox 33	120,00	159	262	39,24
12857-40-a2-1-9	Toolox 33	120,00	72	322	21,84
12857-40-a2-3	Toolox 33	120,00	29	555	15,16
12857-40-a3-1	Toolox 33	120,00	100	255	24,02
13243-70-01-4	Toolox 33	120,00	110	140	14,51
13243-70-01-8-10-14-15-17	Toolox 33	120,00	75	299	21,12
13243-70-01-8-10-14-17	Toolox 33	120,00	50	322	15,17
13243-70-01-8-10-15	Toolox 33	120,00	57	316	16,97
13243-70-a2	Toolox 33	120,00	38	332	11,88
13243-70-a3-2	Toolox 33	120,00	60	627	35,44
13243-70-a5-3-5	Toolox 33	120,00	50	273	12,86
13243-70-a5-3-6	Toolox 33	120,00	215	305	61,77
13243-70-a5-5-7-9	Toolox 33	120,00	220	734	152,11
13243-70-a5-5-8-10	Toolox 33	120,00	178	372	62,38
13243-70-a5-6	Toolox 33	120,00	222	231	48,31
13243-70-a5-7	Toolox 33	120,00	75	470	33,21
13243-70-a6-1-3	Toolox 33	120,00	100	685	64,53
13243-70-a6-3-5-6	Toolox 33	120,00	80	238	17,94
13243-70-a7	Toolox 33	120,00	190	395	70,70
13243-70-a9	Toolox 33	120,00	95	183	16,38

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13532-30-01-4-6-7-10	Toolox 33	120,00	265	648	161,76
13532-30-01-4-6-7-9	Toolox 33	120,00	1 075	1 135	1 149,36
13532-30-01-4-6-8	Toolox 33	120,00	170	625	100,09
13532-30-01-4-7	Toolox 33	120,00	146	155	21,32
13532-30-01-5-10-12-13	Toolox 33	120,00	345	390	126,75
13532-30-01-5-10-13	Toolox 33	120,00	345	380	123,50
13868-110-01-3	Toolox 33	120,00	1 100	3 485	3 611,16
13868-110-01-4-5	Toolox 33	120,00	440	820	339,87
13868-110-01-4-6	Toolox 33	120,00	42	272	10,76
13868-110-01-5	Toolox 33	120,00	330	357	110,98
x109	Toolox 33	120,00	38	137	4,90
021584	Toolox 33	125,00	40	1 090	42,78
021585	Toolox 33	125,00	51	183	9,16
021645	Toolox 33	125,00	95	150	13,98
021653	Toolox 33	125,00	38	1 302	48,55
021761-1	Toolox 33	125,00	44	322	13,90
021761-3-4	Toolox 33	125,00	31	698	21,23
023121	Toolox 33	125,00	38	132	4,92
023303	Toolox 33	125,00	160	160	25,12
023304	Toolox 33	125,00	75	345	25,39
023339	Toolox 33	125,00	73	160	11,46
023529	Toolox 33	125,00	75	130	9,57
12545	Toolox 33	125,00	45	160	7,07
14235-10-01-3	Toolox 33	130,00	1 010	1 805	1 860,42
14235-10-01-4	Toolox 33	130,00	361	590	217,36
14160-10-01-3-5	SM100	140,00	50	295	16,21
14160-10-01-4-5-7-8	SM100	140,00	475	590	308,00
14160-10-01-4-5-8	SM100	140,00	200	200	43,96
14160-10-01-4-6	SM100	140,00	172	559	105,67
14209-50-01	SM100	140,00	987	3 290	3 568,71
14209-50-01-4	SM100	140,00	125	1 490	204,69
14209-50-01-5	SM100	140,00	370	3 290	1 337,81
14209-50-01-6	SM100	140,00	425	1 415	660,91
14209-50-01-7	SM100	140,00	425	1 415	660,91
019192		60,00	140	195	12,86
019830		60,00	57	250	6,71
020942		60,00	176	229	18,98
022452		60,00	57	370	9,93
13447-10-01	Toolox 44	10,00	1 935	2 070	314,43
13868-180-01	Toolox 44	12,00	2 070	5 510	1 074,42
12906-30-01-23	Toolox 44	14,00	45	153	0,76
13308-40-01-10-14-15-17	Toolox 44	14,00	167	735	13,49
13308-40-01-10-14-19-20	Toolox 44	0,00			
13308-40-01-23	Toolox 44	14,00	53	334	1,95

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13308-40-01-24	Toolox 44	14,00	53	334	1,95
13308-40-01-26	Toolox 44	14,00	53	335	1,95
13308-40-01-27	Toolox 44	14,00	53	335	1,95
13308-40-01-28	Toolox 44	14,00	53	335	1,95
13308-40-01-29	Toolox 44	14,00	53	335	1,95
13308-40-01-30	Toolox 44	14,00	53	339	1,98
13308-40-01-31	Toolox 44	14,00	53	330	1,92
13718-40-01-14	Toolox 44	14,00	135	290	4,30
13718-40-01-15	Toolox 44	14,00	95	850	8,87
13718-40-01-16	Toolox 44	14,00	115	285	3,60
13718-40-01-4	Toolox 44	14,00	55	484	2,93
13718-40-01-7	Toolox 44	14,00	161	967	17,11
13718-40-01-8	Toolox 44	14,00	188	402	8,31
13868-120-01-13	Toolox 44	14,00	285	1 095	34,30
14148-60-01	Toolox 44	14,00	2 060	6 260	1 417,23
13846-100-01-13-15-17-18	Toolox 44	20,00	100	122	1,92
13846-100-01-14-21	Toolox 44	20,00	135	1 287	27,28
13846-100-a1	Toolox 44	20,00	151	361	8,56
13846-100-a5	Toolox 44	20,00	40	120	0,75
13846-100-a7	Toolox 44	20,00	40	115	0,72
13846-100-a9	Toolox 44	20,00	210	665	21,93
13868-130-01-2-8-10-12-1-1	Toolox 44	20,00	61	567	5,43
13868-130-a1	Toolox 44	20,00	61	500	4,79
13718-50-01-4-6-9-12-13-15	Toolox 44	25,00	50	760	7,46
13718-50-01-4-6-9-12-13-16	Toolox 44	25,00	45	285	2,52
13718-50-01-4-6-9-12-13-17	Toolox 44	25,00	45	285	2,52
13718-50-01-4-6-9-12-14	Toolox 44	25,00	165	252	8,16
13718-50-01-4-7	Toolox 44	25,00	0	0	0,00
13718-50-01-4-7-9	Toolox 44	25,00	70	315	4,33
13718-50-01-5-8	Toolox 44	25,00	145	440	12,52
13718-50-a1	Toolox 44	14,00	75	150	1,24
14102-50-01	Toolox 44	25,00	2 090	5 790	2 374,84
13546-10-01-12-15-19-21	Toolox 44	30,00	250	1 260	74,18
13546-10-01-12-15-19-25-27	Toolox 44	30,00	505	730	86,82
13546-10-01-9-11-14-17	Toolox 44	30,00	71	318	5,32
13868-140-01-6	Toolox 44	0,00			
13868-140-01-7-10	Toolox 44	30,00	55	180	2,33
13868-140-01-7-11	Toolox 44	30,00	55	294	3,81
13868-140-01-7-12	Toolox 44	30,00	55	113	1,46
13868-140-01-7-9	Toolox 44	30,00	605	770	109,71
10201-30-01-88-89	Toolox 44	39,00	75	210	4,82
12606-40-01-26-28-31	Toolox 44	40,00	70	236	5,19
12606-40-01-5-7-8	Toolox 44	40,00	83	180	4,69
12906-20-01-11-17-24-27	Toolox 44	40,00	120	200	7,54

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12906-20-01-2-3	Toolox 44	40,00	71	81	1,81
12906-20-01-6	Toolox 44	40,00	93	302	8,82
13232-40-01-15-17	Toolox 44	40,00	70	187	4,11
13232-40-01-15-18	Toolox 44	40,00	72	115	2,60
13232-40-01-15-19	Toolox 44	40,00	65	135	2,76
13232-40-01-7-9	Toolox 44	40,00	69	120	2,60
13627-20-01-10-13	Toolox 44	40,00	145	202	9,20
13627-20-01-22-24-26-27	Toolox 44	40,00	77	328	7,93
13627-20-a2-1-3-4	Toolox 44	40,00	410	425	54,71
13791-60-01-6-11-17-29	Toolox 44	40,00	1 380	3 285	1 423,46
13791-60-01-6-11-17-30	Toolox 44	40,00	122	1 170	44,82
13791-60-01-6-11-18-20-21	Toolox 44	40,00	30	875	8,24
13791-60-01-6-11-19-21-22	Toolox 44	40,00	50	550	8,64
13791-60-01-6-11-19-21-23	Toolox 44	40,00	125	127	4,99
13791-60-01-6-11-19-22	Toolox 44	40,00	30	270	2,54
13791-60-01-6-11-19-23	Toolox 44	40,00	30	270	2,54
13791-60-01-6-11-19-24	Toolox 44	40,00	30	270	2,54
13791-60-01-6-11-20	Toolox 44	40,00	142	788	35,14
13791-60-01-7-8-9-11-13	Toolox 44	40,00	85	230	6,14
13791-60-01-7-8-9-11-14	Toolox 44	40,00	25	880	6,91
13791-60-01-8-10	Toolox 44	40,00	113	361	12,81
13791-60-a5-1	Toolox 44	40,00	60	210	3,96
13791-60-a5-2	Toolox 44	40,00	125	150	5,89
x160	Toolox 44	40,00	90	217	6,13
13546-20-01-4-10-11	Toolox 44	50,00	80	200	6,28
13546-20-01-4-10-12	Toolox 44	50,00	75	200	5,89
13546-20-01-4-10-13	Toolox 44	50,00	90	166	5,86
13546-20-01-4-12	Toolox 44	50,00	90	165	5,83
13546-20-01-4-13-20-25	Toolox 44	50,00	105	390	16,07
13546-20-01-4-5	Toolox 44	50,00	91	152	5,43
13546-20-01-4-6	Toolox 44	50,00	89	168	5,87
13546-20-01-4-7	Toolox 44	50,00	90	169	5,97
13546-20-01-4-8	Toolox 44	50,00	90	167	5,90
021847	Toolox 44	60,00	104	112	5,49
023864	Toolox 44	60,00	91	113	4,84
023864-1	Toolox 44	60,00	77	103	3,74
10466-20-01-44	Toolox 44	60,00	37	185	3,22
10466-20-01-44-56	Toolox 44	60,00	42	347	6,86
10564-70-01-10-16-17	Toolox 44	60,00	140	200	13,19
10803-10-01-25	Toolox 44	60,00	108	114	5,80
10996-10-01-10-12	Toolox 44	60,00	98	98	4,52
10996-10-01-15	Toolox 44	60,00	146	190	13,07
10996-10-01-24	Toolox 44	60,00	93	112	4,91
10996-10-01-27-29	Toolox 44	60,00	143	167	11,25

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11168-10-01-12	Toolox 44	60,00	50	285	6,71
11340-10-01-12	Toolox 44	60,00	55	308	7,98
11340-10-01-22-23	Toolox 44	60,00	146	215	14,79
11340-10-01-26-29	Toolox 44	60,00	29	302	4,13
12247-40-01-14-15-21	Toolox 44	60,00	66	407	12,65
12247-40-01-14-15-22-23-25	Toolox 44	60,00	65	426	13,04
12247-40-01-14-15-22-23-26	Toolox 44	60,00	45	428	9,07
12247-40-01-14-15-22-24	Toolox 44	60,00	302	610	86,77
12247-40-01-14-15-22-25	Toolox 44	60,00	31	183	2,67
12582-20-01-3-10	Toolox 44	60,00	61	96	2,76
12582-20-01-3-11	Toolox 44	60,00	61	101	2,90
12582-20-01-3-7	Toolox 44	60,00	61	136	3,91
12582-20-01-3-8	Toolox 44	60,00	61	111	3,19
12582-20-01-3-9	Toolox 44	60,00	61	86	2,47
12678-50-01-17	Toolox 44	60,00	101	345	16,41
12906-5-01-6-14-16	Toolox 44	60,00	98	224	10,34
12906-5-01-6-15-18	Toolox 44	60,00	55	350	9,07
12906-5-01-6-20-22-24-26	Toolox 44	60,00	100	175	8,24
12906-5-01-6-9-10-11	Toolox 44	60,00	41	107	2,07
13232-50-01-12-13-15-16	Toolox 44	60,00	107	109	5,49
13232-50-01-14-16	Toolox 44	60,00	150	220	15,54
13232-50-01-14-18	Toolox 44	60,00	60	220	6,22
13232-50-01-15-17	Toolox 44	60,00	150	201	14,20
13232-50-01-17-18	Toolox 44	60,00	145	200	13,66
13232-50-01-17-19	Toolox 44	60,00	45	240	5,09
13232-50-01-18-19	Toolox 44	60,00	41	224	4,33
13232-50-01-19-20	Toolox 44	60,00	50	708	16,67
13232-50-01-32-34	Toolox 44	60,00	58	240	6,56
13232-50-01-32-35	Toolox 44	60,00	58	245	6,69
13232-50-01-32-36	Toolox 44	60,00	75	125	4,42
13532-40-01-12-13	Toolox 44	59,00	60	139	3,86
13532-40-01-21-23-25-26	Toolox 44	60,00	75	220	7,77
13532-40-01-21-24-26	Toolox 44	60,00	96	406	18,36
13532-40-01-21-25-26-27-28	Toolox 44	60,00	240	965	109,08
13532-40-01-21-25-26-27-29	Toolox 44	60,00	104	400	19,59
13532-40-01-21-25-27	Toolox 44	60,00	75	197	6,96
13532-40-01-22-27	Toolox 44	60,00	196	810	74,78
13532-40-01-23	Toolox 44	60,00	150	245	17,31
13532-40-01-24-28	Toolox 44	60,00	100	202	9,51
13868-150-01-4-27	Toolox 44	60,00	230	385	41,71
13868-150-01-4-28	Toolox 44	60,00	230	385	41,71
13868-150-01-4-29	Toolox 44	60,00	230	385	41,71
13868-150-01-4-30	Toolox 44	60,00	230	385	41,71
13868-150-01-4-31	Toolox 44	60,00	230	385	41,71

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13868-150-01-4-32	Toolox 44	60,00	230	385	41,71
13868-150-01-4-33	Toolox 44	60,00	230	385	41,71
13868-150-01-4-34	Toolox 44	60,00	230	385	41,71
13868-150-01-4-36	Toolox 44	60,00	180	315	26,71
13868-150-01-4-37	Toolox 44	0,00			
13868-150-01-4-38	Toolox 44	60,00	190	310	27,74
13868-150-01-4-39	Toolox 44	60,00	190	310	27,74
13868-150-01-4-40	Toolox 44	60,00	190	1 130	101,12
14148-70-01-3	Toolox 44	60,00	670	120	37,87
14209-60-01-4-5-7	Toolox 44	60,00	1 420	4 165	2 785,64
14209-60-01-4-6	Toolox 44	60,00	387	1 535	279,80
14221-60-01x	Toolox 44	60,00	2 365	2 670	2 974,15
60351-1-2	Toolox 44	60,00	136	160	10,25
60351-5	Toolox 44	60,00	60	210	5,94
91100-1	Toolox 44	60,00	48	206	4,66
91100-1-3	Toolox 44	60,00	49	206	4,75
91100-1-4	Toolox 44	60,00	49	206	4,75
91102-1	Toolox 44	60,00	55	140	3,63
91105	Toolox 44	60,00	60	380	10,74
x167	Toolox 44	60,00	191	203	18,26
X197	Toolox 44	60,00	35	353	5,82
X204	Toolox 44	60,00	60	210	5,94
X208-1	Toolox 44	60,00	130	465	28,47
Ö100-4-5	Toolox 44	60,00	73	174	5,98
Ö101-2-3	Toolox 44	60,00	107	132	6,65
Ö101-2-5	Toolox 44	60,00	106	132	6,59
14221-20-01	Toolox 44	70,00	2 080	3 895	4 451,83
022184-3-5-7	Toolox 44	80,00	72	90	4,07
023892	Toolox 44	80,00	48	167	5,03
10371-60-01-65	Toolox 44	80,00	45	202	5,71
10371-60-01-67	Toolox 44	80,00	36	102	2,31
11383-20-01-11	Toolox 44	80,00	45	190	5,37
11383-20-01-20	Toolox 44	80,00	80	118	5,93
11383-20-01-7-10	Toolox 44	80,00	53	464	15,44
11884-10-01-6-8	Toolox 44	80,00	61	299	11,45
12500-10-01-15-16	Toolox 44	80,00	34	584	12,47
12500-10-01-15-17	Toolox 44	80,00	49	170	5,23
12500-10-01-21-26-27	Toolox 44	80,00	75	205	9,66
12500-10-01-21-28-30-31-33	Toolox 44	80,00	40	190	4,77
12500-10-01-21-28-32	Toolox 44	80,00	38	170	4,06
12500-10-01-21-28-33	Toolox 44	80,00	38	170	4,06
12500-10-01-21-32-33	Toolox 44	80,00	43	155	4,19
12500-10-01-21-37-39	Toolox 44	80,00	40	172	4,32
12500-10-01-21-41-42-45	Toolox 44	80,00	28	205	3,61

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12500-10-01-21-41-43-44	Toolox 44	80,00	20	183	2,30
12692-30-01-11-12-13-15	Toolox 44	80,00	60	84	3,17
12692-30-01-13-15	Toolox 44	80,00	48	88	2,65
12692-30-01-22-23	Toolox 44	80,00	60	188	7,08
12692-30-01-25-28	Toolox 44	80,00	51	362	11,59
12692-30-01-25-29	Toolox 44	80,00	51	280	8,97
12692-30-01-32-33	Toolox 44	80,00	74	153	7,11
13117-10-01-2-4-7-8	Toolox 44	80,00	30	685	12,91
13117-10-01-2-5-14-15	Toolox 44	80,00	134	150	12,62
13117-10-01-2-5-8-9	Toolox 44	80,00	44	303	8,37
13243-80-01-10	Toolox 44	80,00	150	202	19,03
13243-80-01-12-14	Toolox 44	80,00	58	414	15,08
13243-80-01-15	Toolox 44	80,00	77	183	8,85
13243-80-01-17-21	Toolox 44	80,00	35	110	2,42
13243-80-01-17-22	Toolox 44	80,00	35	110	2,42
13243-80-01-17-23	Toolox 44	80,00	35	110	2,42
13243-80-01-17-24	Toolox 44	80,00	35	110	2,42
13243-80-01-18	Toolox 44	80,00	133	345	28,82
13430-20-01-3-4	Toolox 44	80,00	135	142	12,04
13430-20-01-3-5	Toolox 44	80,00	135	142	12,04
13430-20-01-3-6-7	Toolox 44	80,00	111	117	8,16
13430-20-01-4-10-13-15	Toolox 44	80,00	75	170	8,01
13430-20-01-4-10-15-17	Toolox 44	80,00	70	174	7,65
13430-20-01-4-6-8	Toolox 44	80,00	145	170	15,48
13430-20-01-4-8-10	Toolox 44	80,00	165	170	17,62
13532-50-01-18	Toolox 44	80,00	75	180	8,48
13532-50-01-7-10	Toolox 44	80,00	111	123	8,57
13532-50-01-7-8	Toolox 44	80,00	111	111	7,74
13532-50-01-7-9-11	Toolox 44	80,00	100	134	8,42
13654-10-01-12-13	Toolox 44	80,00	170	175	18,68
13654-10-01-13-16-18-19	Toolox 44	80,00	80	375	18,84
13654-10-01-13-16-23-24-26	Toolox 44	80,00	142	420	37,45
13654-10-01-13-16-24-26-28	Toolox 44	80,00	192	539	64,99
13654-10-01-5-7-9	Toolox 44	80,00	120	188	14,17
13654-20-01-4-21	Toolox 44	80,00	74	180	8,37
13654-20-01-4-22	Toolox 44	80,00	74	180	8,37
13654-20-01-4-23	Toolox 44	80,00	74	180	8,37
13654-20-01-4-24	Toolox 44	80,00	74	180	8,37
13654-20-01-4-25	Toolox 44	80,00	74	180	8,37
13654-20-01-4-5-8-10	Toolox 44	80,00	61	330	12,64
13846-110-01-5	Toolox 44	80,00	130	155	12,65
13846-110-01-6	Toolox 44	80,00	150	210	19,78
13846-110-01-7-11-13	Toolox 44	80,00	169	180	19,10
13846-110-01-7-13	Toolox 44	80,00	100	800	50,24

Toolox valmispalat

25.04.2024

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13846-110-01-7-9-11	Toolox 44	80,00	79	655	32,50
13846-110-01-8-17-19	Toolox 44	80,00	78	1 200	58,78
13846-110-01-8-17-20-22	Toolox 44	80,00	87	455	24,86
13846-110-01-8-18-22	Toolox 44	80,00	200	300	37,68
13868-160-01-3-6-8	Toolox 44	80,00	112	315	22,16
13868-160-01-4-6	Toolox 44	80,00	111	630	43,92
14250-20-01	Toolox 44	80,00	2 075	4 569	5 953,86
12313-25-01	Toolox 44	110,00	160	423	58,44
12313-25-01-10-12	Toolox 44	110,00	101	237	20,67
12313-25-01-11-12	Toolox 44	110,00	102	236	20,79
12313-25-01-14-15-16	Toolox 44	110,00	118	120	12,23
12313-25-01-15	Toolox 44	110,00	115	125	12,41
12313-25-01-8-9-10	Toolox 44	110,00	105	378	34,27
12313-25-01-9-11	Toolox 44	110,00	115	127	12,61
12313-25-01-9-12-13	Toolox 44	110,00	22	165	3,14
12857-30-01-2-4	Toolox 44	110,00	48	570	23,63
12857-30-01-4-11	Toolox 44	110,00	114	215	21,16
12857-30-01-4-12-13-14	Toolox 44	110,00	40	580	20,03
12857-30-01-4-12-13-16-17	Toolox 44	110,00	67	121	7,00
12857-30-01-4-15-16-17	Toolox 44	110,00	47	135	5,48
12857-30-01-4-15-17	Toolox 44	110,00	21	375	6,80
12857-30-01-4-17-21-24	Toolox 44	110,00	150	150	19,43
12857-30-01-4-17-21-32	Toolox 44	110,00	40	280	9,67
12857-30-01-4-17-21-33	Toolox 44	110,00	110	126	11,97
12857-30-01-4-17-21-35-37	Toolox 44	110,00	55	155	7,36
12857-30-01-4-9-10	Toolox 44	110,00	89	115	8,84
12857-30-a1-2	Toolox 44	110,00	97	122	10,22
12857-30-a1-3	Toolox 44	110,00	140	185	22,37
12857-30-a2	Toolox 44	110,00	115	153	15,19
12857-30-a3	Toolox 44	110,00	109	160	15,06
13243-90-01-11-14	Toolox 44	110,00	65	165	9,26
13243-90-01-13-14	Toolox 44	110,00	134	135	15,62
13243-90-01-13-15	Toolox 44	110,00	120	135	13,99
13243-90-01-13-16-17	Toolox 44	110,00	118	280	28,53
13243-90-01-20-21	Toolox 44	110,00	36	433	13,46
13243-90-01-20-25-27-30-32	Toolox 44	110,00	105	257	23,30
13243-90-01-20-25-28-29	Toolox 44	110,00	70	350	21,16
13243-90-01-20-25-28-30	Toolox 44	110,00	70	350	21,16
13243-90-01-20-25-28-31	Toolox 44	110,00	93	25	2,01
13243-90-01-20-25-28-32	Toolox 44	110,00	92	25	1,99
13243-90-01-20-25-28-33	Toolox 44	110,00	165	30	4,27
13243-90-01-20-26	Toolox 44	110,00	133	147	16,88
13243-90-01-4-5-7-9	Toolox 44	110,00	87	320	24,04
13243-90-01-4-8-10	Toolox 44	110,00	45	125	4,86

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13868-170-01	Toolox 44	110,00	937	4 110	3 325,40