

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
019389	Toolox33	35,00	86	250	5,91
020046	Toolox33	90,00	32	181	4,09
020117	Toolox33	35,00	85	280	6,54
020545	Toolox33	60,00	46	121	2,62
020731	Toolox33	60,00	46	287	6,22
020796	Toolox33	43,00	35	287	3,39
021508	Toolox33	35,00	82	255	5,75
021826	Toolox33	60,00	44	179	3,71
022235	Toolox33	104,00	100	163	13,31
022627	Toolox33	104,00	50	795	32,45
022647	Toolox33	104,00	95	246	19,08
022672	Toolox33	104,00	84	324	22,22
022685	Toolox33	105,00	108	115	10,24
022739	Toolox33	60,00	42	187	3,70
022979	Toolox33	50,00	35	425	5,84
023093	Toolox33	104,00	76	714	44,30
023225	Toolox33	40,00	67	255	5,37
023714	Toolox33	40,00	19	232	1,38
023916	Toolox33	104,00	35	264	7,54
023918	Toolox33	104,00	35	397	11,34
x146-1	Toolox33	104,00	104	710	60,28
x150	Toolox33	105,00	105	325	28,13
11685-10-01-15	Toolox33	8,00	508	680	21,69
13117-30-01	Toolox33	8,00	2 105	5 514	728,92
11981-10-01-3	Toolox33	12,00	1 933	2 120	386,03
11981-10-03-8-12-28	Toolox33	12,00	331	482	15,03
12108-20-01-10	Toolox33	12,00	1 875	2 690	475,12
12313-10-01-3-22	Toolox33	20,00	92	161	2,33
12313-10-01-3-23-25	Toolox33	20,00	92	116	1,68
12313-10-01-3-24	Toolox33	20,00	92	172	2,48
12586-70-01-5-10-11-14-15	Toolox33	20,00	80	459	5,77
12678-5-01-7-9-11	Toolox33	20,00	122	153	2,93
12802-20-01-3-7-8-10	Toolox33	20,00	105	3 305	54,48
12802-20-01-4-6-7-8-10	Toolox33	20,00	58	618	5,63
12802-20-a2	Toolox33	20,00	110	362	6,25
12947-10-01-7-10-12-14	Toolox33	20,00	111	311	5,42
12947-10-01-7-11-13	Toolox33	20,00	63	227	2,25
12947-20-01-3	Toolox33	20,00	137	357	7,68
13079-10-01-4-6-8-11	Toolox33	20,00	708	778	86,48
13079-10-01-4-6-8-9-10-11	Toolox33	20,00	72	1 520	17,18
13079-10-02-pk	Toolox33	20,00	58	742	6,76
13168-10-01-4	Toolox33	20,00	2 100	4 645	1 531,46
13243-2-01	Toolox33	20,00	2 065	5 790	1 877,15

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10702-20-a2-2	Toolox33	22,00	80	259	3,58
10702-20-a2-3-4-9	Toolox33	22,00	55	585	5,56
12678-10-01-4	Toolox33	22,00	79	5 795	79,06
12678-10-01-4-12	Toolox33	22,00	83	2 573	36,88
12678-10-01-4-13	Toolox33	22,00	83	2 573	36,88
12754-10-03-9	Toolox33	22,00	1 055	1 125	204,97
13012-5-01	Toolox33	22,00	2 090	5 780	2 086,25
12629-10-01-31	Toolox33	25,00	181	192	6,82
12629-20-01-5-8-17-19	Toolox33	25,00	680	1 100	146,80
12629-20-01-5-8-18-19-20	Toolox33	25,00	49	535	5,15
12629-20-01-5-9-11	Toolox33	25,00	209	260	10,66
12754-20-01-3-5-6-8	Toolox33	25,00	55	2 698	29,12
12754-20-01-4-7-9-12-13	Toolox33	25,00	53	540	5,62
12754-20-a1	Toolox33	25,00	130	367	9,36
12947-30-01-5-7	Toolox33	25,00	283	682	37,88
12947-30-01-5-8	Toolox33	25,00	90	457	8,07
12947-30-01-7-14-15	Toolox33	25,00	45	291	2,57
12947-30-01-7-14-16	Toolox33	25,00	45	290	2,56
12947-30-01-7-16	Toolox33	25,00	45	1 138	10,05
12947-30-01-7-17	Toolox33	25,00	45	1 138	10,05
12947-30-01-7-18	Toolox33	25,00	45	1 138	10,05
12947-30-01-7-19	Toolox33	25,00	45	1 138	10,05
12947-30-01-7-20-32	Toolox33	25,00	263	715	36,90
12947-30-01-7-8	Toolox33	25,00	45	1 138	10,05
12947-30-01-7-9-10	Toolox33	25,00	30	432	2,54
12970-5-01-3	Toolox33	25,00	223	2 060	90,15
12970-5-01-4	Toolox33	25,00	223	2 060	90,15
12970-5-01-5	Toolox33	25,00	223	2 060	90,15
12970-5-01-6	Toolox33	25,00	200	2 060	80,86
12970-5-01-8-10	Toolox33	25,00	427	2 060	172,63
12970-5-01-8-9	Toolox33	25,00	2 060	2 232	902,34
12970-5-01-8-9-12	Toolox33	25,00	875	935	160,56
13022-50-01-2-5	Toolox33	25,00	92	675	12,19
13022-50-01-2-6	Toolox33	25,00	275	588	31,73
11281-30-01-18-23-24-26-31	Toolox33	30,00	70	162	2,67
11281-30-01-18-23-25-26	Toolox33	30,00	75	213	3,76
11865-15-01-2	Toolox33	30,00	95	143	3,20
11981-30-01-3-6-12	Toolox33	30,00	56	188	2,48
12218-20-01-19-21-23	Toolox33	30,00	44	227	2,35
12218-20-01-25	Toolox33	20,00	30	732	3,45
12606-10-01-17	Toolox33	30,00	49	413	4,77
12606-10-01-17-20	Toolox33	30,00	48	413	4,67
12606-20-a1-1-2-3-4-6-7	Toolox33	30,00	145	162	5,53
12606-30-a2-1-2-3	Toolox33	30,00	115	122	3,30

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12947-40-01-11-13	Toolox33	30,00	40	840	7,91
12947-40-01-13-24-26	Toolox33	30,00	47	1 560	17,27
13022-40-01-2-3-6-7-10	Toolox33	30,00	318	450	33,70
13022-40-a1	Toolox33	30,00	168	390	15,43
13022-40-a2-3	Toolox33	30,00	400	1 295	121,99
13022-40-a2-4-5	Toolox33	30,00	313	540	39,80
13022-40-a2-4-7	Toolox33	30,00	175	1 875	77,27
13168-20-01-6	Toolox33	30,00	379	710	63,37
13168-30-01-5-11-13	Toolox33	30,00	125	1 761	51,84
13168-30-01-5-13	Toolox33	30,00	60	493	6,97
13168-30-01-5-14	Toolox33	30,00	61	495	7,11
13168-30-01-5-15	Toolox33	30,00	61	495	7,11
13168-30-01-5-16	Toolox33	30,00	61	496	7,13
13168-30-01-5-18-20	Toolox33	30,00	392	430	39,70
13168-30-01-5-18-22	Toolox33	30,00	187	2 150	94,68
13168-30-01-5-18-23	Toolox33	30,00	855	1 670	336,26
13168-30-01-5-18-25	Toolox33	30,00	635	1 852	276,95
13168-30-01-5-6-10	Toolox33	30,00	508	675	80,75
13168-30-01-5-6-7	Toolox33	30,00	115	411	11,13
13168-30-01-5-6-8	Toolox33	30,00	95	392	8,77
13168-30-01-5-7-10	Toolox33	30,00	127	3 000	89,73
13168-30-01-5-7-8	Toolox33	30,00	188	836	37,01
13168-30-01-5-8-9	Toolox33	30,00	35	737	6,08
13243-3-01	Toolox33	30,00	2 070	5 790	2 822,54
x101	Toolox33	30,00	70	199	3,28
x113	Toolox33	30,00	27	592	3,76
10975-40-01-26-30	Toolox33	35,00	51	128	1,79
10975-40-01-26-31	Toolox33	35,00	51	128	1,79
11281-40-01-3-4-12-13	Toolox33	35,00	79	118	2,56
11981-40-01-7-10-11	Toolox33	35,00	281	326	25,17
11981-40-01-7-10-12	Toolox33	35,00	29	565	4,50
11981-40-01-7-11	Toolox33	35,00	430	906	107,04
12108-30-01-3-23-24	Toolox33	35,00	66	727	13,18
12108-30-01-3-23-26-29	Toolox33	35,00	115	135	4,27
12678-20-01-11-17-21-22	Toolox33	35,00	157	182	7,85
12678-20-01-4-6	Toolox33	35,00	65	382	6,82
12678-20-a3	Toolox33	35,00	35	355	3,41
12678-20-a4-2	Toolox33	35,00	713	732	143,40
12970-40-01	Toolox33	35,00	2 090	5 450	3 129,54
12970-6-01-3-12	Toolox33	35,00	601	980	161,82
12970-6-01-3-14	Toolox33	35,00	1 945	2 080	1 111,53
12970-6-01-3-15	Toolox33	35,00	610	990	165,92
12970-6-01-3-16	Toolox33	35,00	609	995	166,49
12970-6-01-3-4-6-8	Toolox33	35,00	290	2 080	165,73

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12970-6-01-3-7-10	Toolox33	35,00	390	2 080	222,88
12970-6-01-3-7-12-14	Toolox33	35,00	89	847	20,71
35131	Toolox33	35,00	131	136	4,90
x120	Toolox33	35,00	28	378	2,91
021252	Toolox33	40,00	112	135	4,75
021957	Toolox33	40,00	131	133	5,47
023943	Toolox33	40,00	154	154	7,45
10857-30-01-13	Toolox33	40,00	23	427	3,08
10980-10-01-6	Toolox33	40,00	27	875	7,42
11444-40-01-12-14-15	Toolox33	40,00	136	151	6,45
11614-20-a3-1-7-10	Toolox33	40,00	91	107	3,06
11614-20-a3-1-7-16-17	Toolox33	40,00	134	140	5,89
11614-20-a3-1-7-9	Toolox33	40,00	90	108	3,05
11767-10-01-22	Toolox33	40,00	138	253	10,96
11767-10-01-24	Toolox33	38,00	40	820	9,78
12108-80-01-3-8	Toolox33	40,00	79	186	4,61
12438-30-01-4	Toolox33	40,00	125	150	5,89
12438-30-01-7-10-13-29-31	Toolox33	40,00	119	147	5,49
12438-30-01-7-10-14-20	Toolox33	40,00	97	173	5,27
12438-30-01-7-10-14-21	Toolox33	40,00	97	175	5,33
12438-30-01-7-9	Toolox33	39,00	40	385	4,72
12586-90-01-17-20	Toolox33	40,00	213	237	15,85
12586-90-01-28	Toolox33	40,00	126	537	21,25
12586-90-01-34-38-42	Toolox33	40,00	125	290	11,38
12586-90-01-34-38-43	Toolox33	40,00	59	510	9,45
12692-20-01-3-16-25-29	Toolox33	40,00	147	305	14,08
12692-20-01-3-16-25-30	Toolox33	40,00	128	295	11,86
12692-20-01-3-16-25-31	Toolox33	40,00	200	252	15,83
12692-20-01-3-16-25-32	Toolox33	40,00	131	174	7,16
12692-20-01-3-16-27	Toolox33	40,00	146	388	17,79
12692-20-01-3-16-29-31	Toolox33	40,00	148	280	13,01
12692-20-01-3-16-29-32	Toolox33	40,00	142	242	10,79
12692-20-01-3-16-29-41	Toolox33	40,00	140	305	13,41
12947-50-01-14	Toolox33	40,00	169	380	20,17
12947-50-01-17-18	Toolox33	40,00	250	250	19,63
12947-50-01-17-19	Toolox33	40,00	107	135	4,54
12947-50-01-20	Toolox33	40,00	102	920	29,47
12947-50-01-21-23-25	Toolox33	40,00	136	350	14,95
12947-50-01-21-23-26	Toolox33	40,00	150	349	16,44
12947-50-01-21-23-28-29-30	Toolox33	40,00	98	301	9,26
12947-50-01-21-23-28-30	Toolox33	40,00	205	605	38,94
12947-50-01-23-24-25-26	Toolox33	40,00	188	265	15,64
12947-50-01-23-25	Toolox33	40,00	84	220	5,80
12947-50-01-29	Toolox33	40,00	236	350	25,94

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12947-50-01-30	Toolox33	40,00	175	1 254	68,91
12947-50-01-31-32	Toolox33	40,00	102	565	18,10
12947-50-01-32	Toolox33	40,00	275	455	39,29
12947-50-a1-1	Toolox33	40,00	32	420	4,22
12947-50-a1-2-3	Toolox33	40,00	75	433	10,20
12947-50-a1-2-4	Toolox33	40,00	75	260	6,12
12947-50-a1-3	Toolox33	40,00	80	182	4,57
12947-50-a1-4	Toolox33	40,00	177	1 026	57,02
13048-25-01	Toolox33	40,00	2 085	4 608	3 016,81
13048-25-01-4-6	Toolox33	40,00	215	770	51,98
13243-5-01-2-3	Toolox33	40,00	455	563	80,44
13243-5-01-2-5-6-10	Toolox33	40,00	67	402	8,46
13243-5-01-2-5-6-11	Toolox33	40,00	152	1 630	77,80
13243-5-01-2-5-6-7	Toolox33	40,00	67	402	8,46
13243-5-01-2-5-6-8	Toolox33	40,00	67	402	8,46
13243-5-01-2-5-6-9	Toolox33	40,00	67	402	8,46
13243-5-01-2-5-8	Toolox33	40,00	67	402	8,46
13243-5-01-4	Toolox33	40,00	2 080	5 155	3 366,83
40502-2	Toolox33	40,00	27	805	6,83
X178	Toolox33	40,00	50	227	3,56
10405-20-01-23	Toolox33	43,00	148	158	7,89
10588-10-01-26-28	Toolox33	43,00	29	442	4,33
10588-10-01-28-31	Toolox33	43,00	101	284	9,68
10690-20-01-13-15	Toolox33	43,00	104	296	10,39
10690-20-01-15-16-17-18-19	Toolox33	43,00	75	221	5,60
023105	Toolox33	45,00	66	129	3,01
023235	Toolox33	45,00	91	185	5,95
11022-10-01-3	Toolox33	45,00	134	170	8,05
11641-30-01-4-6	Toolox33	45,00	135	150	7,15
12436-10-01-3-6	Toolox33	40,00	45	395	5,58
12436-10-01-5-13-15-17-19	Toolox33	45,00	156	338	18,63
12586-100-01-9	Toolox33	45,00	163	378	21,77
12586-100-a1-1-2	Toolox33	45,00	1 050	2 887	1 070,82
12586-100-a3-1-2	Toolox33	45,00	290	1 117	114,43
12586-100-a3-1-2-3	Toolox33	45,00	175	175	10,82
12586-100-a3-1-3	Toolox33	45,00	125	1 050	46,36
12586-100-a4-1	Toolox33	45,00	199	310	21,79
12802-30-01	Toolox33	45,00	2 095	5 476	4 052,56
12802-30-01-3	Toolox33	45,00	66	2 090	48,73
170720-1	Toolox33	45,00	625	625	137,99
170720-10	Toolox33	45,00	625	625	137,99
170720-11	Toolox33	45,00	745	745	196,06
170720-2	Toolox33	45,00	625	625	137,99
170720-3	Toolox33	45,00	625	625	137,99

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
170720-4	Toolox33	45,00	625	625	137,99
170720-5	Toolox33	45,00	625	625	137,99
170720-6	Toolox33	45,00	625	625	137,99
170720-7	Toolox33	45,00	625	625	137,99
170720-8	Toolox33	45,00	625	625	137,99
170720-9	Toolox33	45,00	625	625	137,99
X175	Toolox33	45,00	83	273	8,00
10371-80-01-22-66	Toolox33	50,00	38	265	3,95
10525-20-01-43-48	Toolox33	50,00	40	202	3,17
11112-30-01-21-24	Toolox33	50,00	30	415	4,89
11281-50-01-19-22	Toolox33	50,00	45	323	5,71
11281-50-01-26-27	Toolox33	50,00	40	165	2,59
11281-50-01-26-28	Toolox33	50,00	26	222	2,27
11281-50-01-5-6-8	Toolox33	50,00	25	176	1,73
11281-50-01-5-8-10	Toolox33	50,00	25	175	1,72
11281-50-01-5-8-9-10	Toolox33	50,00	25	172	1,69
11685-50-a1	Toolox33	50,00	114	127	5,68
11865-20-01-7-8-9-14	Toolox33	50,00	119	135	6,31
11865-20-01-7-8-9-15	Toolox33	50,00	37	181	2,63
12554-10-01-5-10-24-32	Toolox33	50,00	85	323	10,78
12554-10-a1	Toolox33	50,00	47	218	4,02
12609-10-01-8-16-23-24-26	Toolox33	36,00	50	250	3,53
12609-10-01-8-16-28-30	Toolox33	50,00	67	295	7,76
12765-30-01-10-12-13	Toolox33	50,00	25	960	9,42
12765-30-01-15-17	Toolox33	50,00	55	405	8,74
12765-30-01-16-18-25	Toolox33	50,00	83	245	7,98
12765-30-01-16-18-26	Toolox33	50,00	80	405	12,72
12951-10-01-15-16-18	Toolox33	48,00	50	438	8,25
12951-10-01-16	Toolox33	50,00	26	1 142	11,65
13012-10-01-10-11-12	Toolox33	50,00	99	132	5,13
13012-10-01-10-11-13-14	Toolox33	50,00	68	180	4,80
13012-10-01-10-11-13-15	Toolox33	50,00	100	132	5,18
13012-10-01-11-13	Toolox33	50,00	82	125	4,02
13012-10-01-11-14	Toolox33	50,00	81	125	3,97
13012-10-01-11-15	Toolox33	50,00	75	85	2,50
13012-10-01-11-16	Toolox33	50,00	74	85	2,47
13012-10-01-11-17	Toolox33	50,00	75	195	5,74
13012-10-01-11-19	Toolox33	50,00	115	530	23,92
13012-10-01-11-20	Toolox33	50,00	113	276	12,24
13012-10-01-2-10-13-14-16	Toolox33	50,00	46	350	6,32
13012-10-01-2-10-13-16-17	Toolox33	50,00	114	1 520	68,01
13012-10-01-2-9	Toolox33	50,00	65	425	10,84
13012-10-a1	Toolox33	50,00	125	141	6,92
13012-20-01-2-3	Toolox33	50,00	104	560	22,86

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13012-20-01-2-5-6-8-10-11	Toolox33	50,00	113	214	9,49
13012-20-01-2-5-7	Toolox33	50,00	85	155	5,17
13012-20-01-4-15-16-17	Toolox33	50,00	498	575	112,39
13012-20-01-4-15-16-18	Toolox33	50,00	112	321	14,11
13012-20-01-4-15-17	Toolox33	50,00	137	355	19,09
13168-40-01-3	Toolox33	50,00	2 060	5 409	4 373,45
x108	Toolox33	50,00	43	480	8,10
X231	Toolox33	50,00	27	1 303	13,81
53295	Toolox33	53,00	29	575	6,94
023506	Toolox33	60,00	38	432	7,73
023507	Toolox33	60,00	51	255	6,13
023811-10-3	Toolox33	60,00	31	410	5,99
10249-10-01-77	Toolox33	60,00	39	660	12,12
10975-50-01-3-9	Toolox33	60,00	35	677	11,16
11075-10-01-3	Toolox33	60,00	45	178	3,77
11641-20-01-12-15-18-19-25	Toolox33	60,00	45	270	5,72
11865-30-01-10-11-12-13-19	Toolox33	60,00	112	122	6,44
11865-30-01-10-11-12-13-20	Toolox33	60,00	112	122	6,44
11865-30-01-10-11-12-13-21	Toolox33	60,00	108	120	6,10
11865-30-01-10-11-12-13-23	Toolox33	60,00	97	122	5,57
11865-30-01-10-11-12-13-25	Toolox33	60,00	51	445	10,69
11865-30-01-10-11-12-14	Toolox33	60,00	55	615	15,93
12108-50-01-10	Toolox33	60,00	184	325	28,17
12108-50-01-13-15	Toolox33	60,00	80	195	7,35
12108-50-01-14-15-18	Toolox33	60,00	106	130	6,49
12108-50-01-23-27	Toolox33	60,00	52	405	9,92
12108-50-02-5-6-11-21-22	Toolox33	60,00	40	223	4,20
12108-50-02-5-6-11-23-24	Toolox33	60,00	37	220	3,83
12108-50-02-5-6-11-24-25	Toolox33	60,00	50	188	4,43
12108-50-02-5-6-8-13-14	Toolox33	60,00	60	216	6,10
12108-50-02-6-8	Toolox33	60,00	90	385	16,32
12108-50-a1	Toolox33	60,00	68	190	6,09
12152-50-02-5-15	Toolox33	60,00	89	545	22,85
12539-10-01-14-20-22	Toolox33	42,00	45	411	6,10
12539-10-01-28-31	Toolox33	55,00	60	280	7,25
12733-30-01-3-5-8-10-11-14	Toolox33	60,00	40	675	12,72
12765-10-01-10-11-12	Toolox33	60,00	80	200	7,54
12765-10-01-10-11-14	Toolox33	60,00	80	200	7,54
12765-10-01-12-13-14	Toolox33	60,00	553	1 290	336,00
12765-10-01-12-13-15-16	Toolox33	60,00	155	744	54,32
12765-10-01-12-13-15-17	Toolox33	60,00	124	178	10,40
12765-10-01-12-14-15	Toolox33	60,00	165	250	19,43
12765-10-01-6-7	Toolox33	60,00	165	175	13,60
12765-10-01-6-8	Toolox33	60,00	60	165	4,66

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12765-10-01-7-9	Toolox33	60,00	165	199	15,47
12765-20-01-14-16-17	Toolox33	60,00	45	545	11,55
12765-20-01-23	Toolox33	60,00	454	698	149,26
12765-20-01-24	Toolox33	60,00	268	2 455	309,89
12765-20-01-25	Toolox33	60,00	249	932	109,30
12765-20-01-26	Toolox33	60,00	305	684	98,26
12765-20-01-4-7	Toolox33	60,00	43	520	10,53
12765-20-01-8-9	Toolox33	60,00	45	935	19,82
12947-60-01-8-13	Toolox33	60,00	29	762	10,41
12947-60-01-8-14	Toolox33	60,00	41	762	14,72
12947-60-01-8-16	Toolox33	60,00	50	231	5,44
12947-60-01-8-17	Toolox33	60,00	48	348	7,87
12947-60-01-8-18	Toolox33	60,00	115	268	14,52
12947-60-01-9-12-13-14	Toolox33	60,00	124	139	8,12
12947-60-01-9-16	Toolox33	60,00	68	378	12,11
12947-60-a1-1	Toolox33	60,00	95	150	6,71
12947-60-a1-2	Toolox33	60,00	69	234	7,61
13168-50-01	Toolox33	60,00	2 050	5 498	5 308,59
13243-10-01	Toolox33	60,00	2 030	5 200	4 971,88
188628	Toolox33	60,00	744	2 784	975,58
6,29	Toolox33	60,00	26	514	6,29
60452	Toolox33	60,00	45	215	4,56
x125	Toolox33	60,00	61	422	12,12
x143	Toolox33	60,00	26	514	6,29
X188	Toolox33	60,00	60	385	10,88
x224-2	Toolox33	60,00	64	327	9,86
021115	Toolox33	63,00	35	435	7,53
021415	Toolox33	63,00	35	505	8,74
021923	Toolox33	63,00	55	173	4,71
022254	Toolox33	63,00	55	401	10,91
022260	Toolox33	63,00	75	127	4,71
019760	Toolox33	64,00	108	135	7,33
10289-10-01-12-44	Toolox33	66,00	34	205	3,61
10289-10-01-37-42	Toolox33	66,00	40	400	8,29
10289-10-01-48-51	Toolox33	66,00	85	86	3,79
66102-1	Toolox33	66,00	32	509	8,44
022861-9	Toolox33	70,00	77	90	3,81
023949-8	Toolox33	70,00	60	90	2,97
023953	Toolox33	70,00	40	231	5,08
10249-20-01-56	Toolox33	70,00	37	212	4,31
10330-40-01	Toolox33	70,00	15	719	5,93
10330-40-01-33	Toolox33	70,00	48	905	23,87
10330-40-01-45	Toolox33	70,00	19	639	6,67
10495-20-01-11-12	Toolox33	70,00	75	85	3,50

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10564-40-01-11-14	Toolox33	70,00	40	255	5,61
10803-30-01-14-20	Toolox33	70,00	26	587	8,39
10803-30-01-7-9-12	Toolox33	70,00	45	205	5,07
10915-10-01-20	Toolox33	70,00	25	581	7,98
11058-20-01-3-7-9-10	Toolox33	70,00	70	136	5,23
11160-30-01-13	Toolox33	70,00	64	536	18,85
11160-30-01-15-17-19	Toolox33	70,00	62	153	5,21
11160-30-01-29-30	Toolox33	70,00	31	158	2,69
11160-30-01-29-31	Toolox33	70,00	45	201	4,97
11160-30-01-32	Toolox33	70,00	96	322	16,99
11551-40-01-10-11-12-15-17	Toolox33	70,00	36	206	4,08
11914-10-01-2-7-8-14	Toolox33	70,00	87	152	7,27
12178-40-01-16-17	Toolox33	52,00	70	635	18,14
12178-40-01-19-21	Toolox33	70,00	75	192	7,91
12178-40-01-21-24	Toolox33	70,00	56	475	14,62
12368-15-01-16	Toolox33	70,00	81	106	4,72
12368-15-01-22-25-27	Toolox33	68,00	70	438	16,37
12368-15-01-36-39-40-41	Toolox33	70,00	34	237	4,43
12586-110-01-15-17	Toolox33	70,00	72	200	7,91
12586-110-01-24-32-33	Toolox33	70,00	38	252	5,26
12586-110-a1	Toolox33	70,00	71	242	9,44
12586-110-a2	Toolox33	70,00	112	275	16,93
12733-40-01-2-4-7	Toolox33	70,00	88	142	6,87
12733-40-01-2-5-7-12	Toolox33	70,00	47	567	14,64
12733-40-01-2-5-7-8-10	Toolox33	60,00	70	172	5,67
12733-40-01-2-5-8-12-13	Toolox33	70,00	34	372	6,95
12733-40-01-2-5-8-14-15-17	Toolox33	30,00	70	2 595	42,78
12733-40-01-2-5-8-22-23	Toolox33	70,00	23	628	7,94
12733-40-01-2-5-8-23-24-26	Toolox33	32,00	70	915	16,09
12733-40-01-2-5-8-25-28-29	Toolox33	70,00	108	155	9,20
12733-40-01-2-5-8-27	Toolox33	70,00	80	210	9,23
12733-40-a1-1	Toolox33	70,00	69	976	37,01
12906-50-01-14	Toolox33	70,00	108	730	43,32
12906-50-01-20-22-24	Toolox33	55,00	70	598	18,07
12906-50-01-20-22-25	Toolox33	55,00	70	598	18,07
12906-50-01-20-22-26	Toolox33	55,00	70	600	18,13
12906-50-01-21	Toolox33	44,00	70	267	6,46
12906-50-01-2-3	Toolox33	70,00	81	263	11,71
12906-50-01-2-5	Toolox33	56,00	70	902	27,76
12906-50-01-25-26	Toolox33	70,00	265	585	85,19
12906-50-01-26	Toolox33	65,00	70	788	28,15
12906-50-01-26-27-28	Toolox33	70,00	159	415	36,26
12906-50-01-5	Toolox33	70,00	122	280	18,77
12906-50-01-9	Toolox33	70,00	97	107	5,70

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13022-20-01-2-3-4-6	Toolox33	70,00	54	655	19,44
13022-20-01-3-5	Toolox33	70,00	70	106	4,08
13022-20-01-3-6	Toolox33	70,00	70	106	4,08
13022-20-01-6-9-11-13-14	Toolox33	70,00	123	360	24,33
13022-20-01-6-9-12-15-16	Toolox33	70,00	114	329	20,61
13022-20-01-6-9-12-16	Toolox33	70,00	391	2 735	587,63
13022-20-01-6-9-12-18	Toolox33	70,00	1 350	2 735	2 028,89
13022-20-a1-1	Toolox33	70,00	555	555	169,26
13022-20-a1-2	Toolox33	70,00	48	240	6,33
13232-20-01	Toolox33	70,00	2 050	4 500	5 069,14
x104-1	Toolox33	70,00	40	630	13,85
x126	Toolox33	70,00	40	190	4,18
x128-1	Toolox33	70,00	42	630	14,54
x132	Toolox33	70,00	92	301	15,22
X176-2	Toolox33	35,00	70	295	5,67
X233	Toolox33	48,00	70	978	25,80
018729	Toolox33	80,00	51	140	4,48
018876	Toolox33	80,00	60	336	12,66
019966	Toolox33	80,00	63	126	4,99
020034	Toolox33	80,00	71	185	8,25
020069	Toolox33	80,00	29	533	9,71
020245	Toolox33	84,00	59	344	13,38
020330	Toolox33	80,00	35	164	3,61
020753	Toolox33	80,00	25	547	8,59
020855	Toolox33	80,00	39	479	11,73
020857	Toolox33	80,00	37	478	11,11
020892	Toolox33	80,00	36	476	10,76
021638	Toolox33	80,00	47	175	5,17
021795	Toolox33	80,00	35	845	18,57
021953	Toolox33	80,00	53	224	7,46
021954	Toolox33	80,00	43	324	8,75
022020	Toolox33	80,00	54	160	5,43
022127	Toolox33	80,00	70	160	7,03
022381	Toolox33	80,00	66	135	5,60
022591	Toolox33	55,00	80	152	5,25
022728	Toolox33	80,00	38	337	8,04
023117	Toolox33	80,00	43	300	8,10
023278	Toolox33	80,00	54	478	16,21
023318	Toolox33	80,00	47	455	13,43
023519	Toolox33	80,00	70	197	8,66
023521	Toolox33	84,00	61	333	13,39
023705	Toolox33	80,00	66	216	8,95
023706	Toolox33	80,00	20	955	12,00
023926	Toolox33	40,00	80	374	9,40

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10371-100-01-55	Toolox33	80,00	60	278	10,48
10505-20-01-11-22	Toolox33	80,00	36	558	12,62
10525-30-01-23-33	Toolox33	80,00	62	123	4,79
10525-30-01-67	Toolox33	80,00	26	514	8,39
10525-30-01-67-80	Toolox33	80,00	42	520	13,72
10564-50-01-14-19	Toolox33	80,00	38	345	8,23
10690-50-01-4	Toolox33	80,00	62	215	8,37
10773-40-01-16-17	Toolox33	80,00	36	480	10,85
10773-40-01-23	Toolox33	54,00	80	245	8,31
11069-20-01-10	Toolox33	80,00	71	127	5,66
11069-20-01-16-18	Toolox33	80,00	71	167	7,45
11069-20-01-21	Toolox33	80,00	54	436	14,79
11069-20-01-22	Toolox33	80,00	121	259	19,68
11069-20-01-26	Toolox33	80,00	47	268	7,91
11281-60-01-27	Toolox33	80,00	62	372	14,48
11281-60-01-2-8-11-14	Toolox33	80,00	27	170	2,88
11794-50-01-2-16-18	Toolox33	80,00	48	195	5,88
11794-50-01-2-17-18	Toolox33	80,00	80	120	6,03
11794-50-01-2-18-19	Toolox33	80,00	100	103	6,47
11865-40-01-4-10	Toolox33	80,00	58	171	6,23
11865-40-01-4-6	Toolox33	80,00	95	165	9,84
11865-40-01-4-9	Toolox33	80,00	58	169	6,16
11865-40-01-5-6-7-8-11	Toolox33	80,00	42	919	24,24
12108-60-03-5	Toolox33	80,00	63	279	11,04
12108-60-03-6	Toolox33	80,00	35	2 235	49,13
12195-10-01-13-15	Toolox33	80,00	45	265	7,49
12195-10-01-14	Toolox33	75,00	80	95	4,47
12195-10-01-6-12	Toolox33	80,00	93	95	5,55
12195-10-02-18	Toolox33	30,00	80	198	3,73
12195-10-02-19-23	Toolox33	80,00	95	282	16,82
12195-10-02-21-26	Toolox33	77,00	80	180	8,70
12335-10-01-14-16-18-20	Toolox33	80,00	47	695	20,51
12335-10-01-16-17-19-20	Toolox33	40,00	80	482	12,11
12335-10-01-16-17-19-21-22	Toolox33	80,00	29	406	7,39
12335-10-01-21-25-27-28	Toolox33	80,00	110	338	23,35
12335-10-01-21-26-28	Toolox33	80,00	42	165	4,35
12335-10-01-22-23-25-26-27	Toolox33	80,00	125	187	14,68
12335-10-01-22-24	Toolox33	80,00	70	184	8,09
12340-20-01-11-13	Toolox33	68,00	80	860	36,73
12340-20-01-14	Toolox33	45,00	80	306	8,65
12340-20-01-14-15	Toolox33	60,00	80	255	9,61
12340-20-01-21-22	Toolox33	80,00	46	690	19,93
12340-20-01-4-11-16	Toolox33	80,00	88	182	10,06
13012-30-01-2-4-17-20	Toolox33	80,00	42	291	7,68

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13012-30-01-2-4-20-22	Toolox33	80,00	66	395	16,37
13012-30-01-2-4-23-24	Toolox33	55,00	80	296	10,22
13012-30-01-2-4-25-26-27	Toolox33	80,00	28	649	11,41
13012-30-01-2-4-25-26-28	Toolox33	80,00	135	265	22,47
13048-30-01-4-10	Toolox33	62,00	80	553	21,53
13048-30-01-4-10-12	Toolox33	80,00	95	314	18,73
13048-30-01-4-10-13	Toolox33	30,00	80	1 160	21,85
13048-30-01-4-10-14	Toolox33	30,00	80	457	8,61
13048-30-01-4-8-10	Toolox33	80,00	25	887	13,93
13048-30-01-4-8-9	Toolox33	80,00	152	1 838	175,45
13243-20-01	Toolox33	80,00	2 090	4 115	5 401,02
80702-8	Toolox33	80,00	70	207	9,10
X182	Toolox33	80,00	98	130	8,00
X186	Toolox33	80,00	64	505	20,30
X215	Toolox33	80,00	113	125	8,87
X230	Toolox33	50,00	80	807	25,34
X230-1	Toolox33	80,00	82	210	10,81
X235-3	Toolox33	80,00	79	233	11,56
018793	Toolox33	90,00	61	230	9,91
023365-1	Toolox33	90,00	56	149	5,90
023526	Toolox33	90,00	90	90	5,72
10371-90-01-45-55-66	Toolox33	90,00	115	121	9,83
10371-90-01-45-55-77	Toolox33	90,00	34	224	5,38
10690-40-01-17	Toolox33	90,00	45	700	22,26
11022-30-01-6-8	Toolox33	90,00	102	160	11,53
11022-30-01-6-9	Toolox33	90,00	120	160	13,57
11354-10-01-2-4-6	Toolox33	90,00	35	307	7,59
11354-10-01-5-6	Toolox33	90,00	30	806	17,08
11354-10-01-5-9	Toolox33	90,00	52	304	11,17
11614-40-01-4-11-14-15-16	Toolox33	90,00	102	165	11,89
11614-40-01-4-11-15	Toolox33	90,00	67	258	12,21
11614-40-01-6	Toolox33	90,00	48	276	9,36
12079-40-01-2-15	Toolox33	90,00	115	262	21,29
12079-40-01-2-16	Toolox33	49,00	90	266	9,21
12079-40-01-3-13	Toolox33	72,00	90	164	8,34
12079-40-01-3-13-15	Toolox33	45,00	90	482	15,32
12079-40-01-3-15-16	Toolox33	90,00	72	483	24,57
12079-40-01-3-6-8	Toolox33	90,00	91	167	10,74
12079-40-01-3-6-9-10	Toolox33	90,00	101	155	11,06
12438-40-01-20-22	Toolox33	90,00	134	174	16,47
12438-40-01-21	Toolox33	90,00	45	726	23,08
12438-40-01-3-4-6-7	Toolox33	90,00	100	114	8,05
12438-40-01-3-4-7	Toolox33	90,00	115	255	20,72
12438-40-01-3-4-8	Toolox33	82,00	90	110	6,37

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12733-50-01-2-11-12	Toolox33	90,00	20	726	10,26
12733-50-01-2-11-13	Toolox33	90,00	19	726	9,75
12733-50-01-2-16-17-19	Toolox33	90,00	48	2 090	70,88
12733-50-01-2-16-17-20	Toolox33	90,00	110	835	64,89
12733-50-01-2-16-18	Toolox33	90,00	34	460	11,05
12733-50-01-2-19-20	Toolox33	90,00	128	830	75,06
12733-50-01-2-19-22	Toolox33	42,00	90	662	19,64
12733-50-01-2-21-22-23	Toolox33	68,00	90	254	12,20
12733-50-01-2-21-22-25-26	Toolox33	90,00	225	225	35,77
12733-50-01-2-3	Toolox33	90,00	107	330	24,95
12733-50-01-2-6-8-9-10-12	Toolox33	90,00	74	336	17,57
12733-50-01-2-6-8-9-10-13	Toolox33	88,00	90	195	12,12
12733-50-01-2-6-8-9-11	Toolox33	90,00	115	1 524	123,82
12733-50-01-2-8	Toolox33	90,00	107	346	26,16
12733-50-a1-1	Toolox33	90,00	90	360	22,89
12733-50-a1-2	Toolox33	90,00	133	360	33,83
12733-50-a2	Toolox33	90,00	69	248	12,09
12733-50-a3	Toolox33	90,00	105	165	12,24
12733-50-a4-1	Toolox33	90,00	475	2 595	870,85
13022-10-01	Toolox33	90,00	1 675	3 985	4 715,80
13243-30-01	Toolox33	90,00	1 670	4 005	4 725,32
90453	Toolox33	90,00	45	312	9,92
99950	Toolox33	92,00	42	137	4,16
99950-1	Toolox33	92,00	47	725	24,61
x111	Toolox33	90,00	65	1 050	48,22
x114	Toolox33	90,00	64	175	7,91
x137	Toolox33	90,00	123	350	30,42
X173-2	Toolox33	90,00	103	355	25,83
X214	Toolox33	90,00	102	165	11,89
X242-1	Toolox33	63,00	90	283	12,60
10583-30-01-17	Toolox33	100,00	54	168	7,12
10583-30-01-18	Toolox33	100,00	34	625	16,68
10825-40-01-14-15-16	Toolox33	100,00	58	705	32,10
10825-40-01-20-21	Toolox33	100,00	79	150	9,30
10975-60-01-12-13-16	Toolox33	100,00	75	570	33,56
11444-20-01-11	Toolox33	80,00	100	410	25,75
11876-20-01-2-3-4	Toolox33	90,00	100	290	20,49
11876-20-01-2-4-7	Toolox33	100,00	84	1 245	82,10
12079-50-01-16	Toolox33	100,00	70	365	20,06
12079-50-01-19-20	Toolox33	95,00	100	185	13,80
12079-50-01-19-21	Toolox33	95,00	100	185	13,80
12079-50-01-19-22	Toolox33	95,00	100	185	13,80
12438-50-01	Toolox33	66,00	100	850	44,04
12438-50-01-12	Toolox33	83,00	100	120	7,82

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12438-50-01-13-16	Toolox33	60,00	100	200	9,42
12438-50-01-21-22	Toolox33	78,00	100	460	28,17
12438-50-01-21-24	Toolox33	100,00	136	150	16,01
12438-50-01-24	Toolox33	100,00	106	187	15,56
12438-50-01-26	Toolox33	100,00	105	187	15,41
12438-50-01-6-11-13-14	Toolox33	45,00	100	704	24,87
12438-50-01-6-11-13-17	Toolox33	100,00	125	155	15,21
12438-50-01-6-11-14-16	Toolox33	100,00	57	196	8,77
12438-50-01-6-11-14-17	Toolox33	100,00	59	196	9,08
12438-50-01-6-11-15	Toolox33	100,00	92	299	21,59
12438-50-01-6-8	Toolox33	55,00	100	560	24,18
12692-10-01-2-3	Toolox33	100,00	127	155	15,45
12692-10-01-2-5	Toolox33	100,00	125	154	15,11
12692-10-01-3-4	Toolox33	41,00	100	485	15,61
12692-10-01-3-7	Toolox33	100,00	155	171	20,81
12692-10-01-3-8	Toolox33	100,00	51	198	7,93
12692-10-01-5	Toolox33	100,00	107	532	44,69
12692-10-01-8-10-11-14	Toolox33	65,00	100	145	7,40
12692-10-01-8-10-11-15	Toolox33	100,00	145	185	21,06
12692-10-01-8-11-12	Toolox33	100,00	100	197	15,46
12692-10-01-8-12-15	Toolox33	100,00	28	1 251	27,50
12692-10-01-8-12-16	Toolox33	100,00	129	731	74,03
12970-10-01-2	Toolox33	100,00	107	520	43,68
12970-10-01-3	Toolox33	100,00	108	534	45,27
12970-10-01-4	Toolox33	100,00	108	533	45,19
12970-10-01-5	Toolox33	100,00	108	528	44,76
12970-10-01-6	Toolox33	100,00	108	530	44,93
12970-10-01-8-10-11-16-17	Toolox33	100,00	133	162	16,91
12970-10-01-8-10-11-16-19	Toolox33	77,00	100	430	25,99
12970-10-01-8-9-14-15	Toolox33	100,00	90	564	39,85
12970-10-01-8-9-14-16	Toolox33	100,00	110	563	48,62
12970-10-a1	Toolox33	100,00	140	652	71,66
12970-10-a2-1-3	Toolox33	100,00	35	390	10,72
12970-10-a2-1-4	Toolox33	100,00	62	160	7,79
12970-10-a2-3-5-11-12-13	Toolox33	100,00	100	720	56,52
12970-10-a2-3-5-6	Toolox33	44,00	100	212	7,32
12970-10-a2-3-5-8	Toolox33	100,00	143	248	27,84
12970-10-a2-3-5-9	Toolox33	100,00	139	248	27,06
12970-10-a2-3-7	Toolox33	100,00	34	220	5,87
13048-40-01-10-11	Toolox33	100,00	55	157	6,78
13048-40-01-11-13	Toolox33	100,00	110	363	31,35
13048-40-01-13-16-17	Toolox33	100,00	256	296	59,48
13048-40-01-13-16-19	Toolox33	100,00	585	3 190	1 464,93
13048-40-01-13-17	Toolox33	100,00	100	1 490	116,97

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13048-40-01-13-20	Toolox33	100,00	340	360	96,08
13048-40-01-13-23	Toolox33	100,00	300	1 370	322,64
13048-40-01-13-24	Toolox33	100,00	92	493	35,60
13048-40-01-13-25	Toolox33	100,00	180	372	52,56
13048-40-01-2-3	Toolox33	100,00	135	518	54,90
13048-40-01-2-4	Toolox33	67,00	100	580	30,51
13048-40-01-2-6-7-9	Toolox33	60,00	100	162	7,63
13048-40-01-2-6-9	Toolox33	64,00	100	580	29,14
13243-40-01	Toolox33	100,00	1 515	4 290	5 101,99
X193	Toolox33	100,00	45	224	7,91
022829	Toolox33	104,00	36	180	5,29
022993	Toolox33	105,00	85	150	10,51
023725-1	Toolox33	104,00	87	109	7,74
10144-20-01	Toolox33	104,00	80	137	8,95
10144-20-01-34	Toolox33	104,00	88	158	11,35
10183-20-01-12	Toolox33	104,00	86	440	30,89
10183-20-01-44-78	Toolox33	104,00	61	480	23,90
10183-20-01-67	Toolox33	104,00	64	322	16,82
10265-30-01	Toolox33	104,00	60	115	5,63
10265-30-01-11-45-57	Toolox33	104,00	33	213	5,74
10265-30-01-12	Toolox33	46,00	46	1 260	20,93
10413	Toolox33	104,00	135	150	16,53
10418	Toolox33	55,00	57	850	20,92
10418-2	Toolox33	45,00	55	485	9,42
10439	Toolox33	104,00	44	1 046	37,57
10440-1	Toolox33	104,00	40	215	7,02
10448-1	Toolox33	104,00	48	365	14,30
10460-1	Toolox33	104,00	60	370	18,12
10466-10-01	Toolox33	105,00	10	519	4,28
10466-10-01-11-12-22	Toolox33	105,00	56	787	36,33
10466-10-01-23	Toolox33	100,00	115	152	13,72
10466-10-01-44	Toolox33	104,00	89	387	28,12
10470-1	Toolox33	104,00	70	173	9,89
10480-1	Toolox33	104,00	80	240	15,68
10490	Toolox33	104,00	90	90	6,61
10502-10-01-33	Toolox33	105,00	49	442	17,85
10502-10-01-36	Toolox33	23,00	59	1 007	10,73
10591-1	Toolox33	105,00	91	160	12,00
10702-30-01-10-15	Toolox33	105,00	42	145	5,02
10702-30-01-13-15	Toolox33	104,00	90	120	8,82
10702-30-01-13-16	Toolox33	104,00	90	165	12,12
10702-30-01-13-18	Toolox33	105,00	90	110	8,16
10702-30-01-13-22	Toolox33	105,00	136	153	17,15
10857-10-01-13-16-17	Toolox33	105,00	130	167	17,89

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10857-10-01-8	Toolox33	105,00	143	160	18,86
11022-40-01-14-19-21	Toolox33	105,00	30	1 080	26,71
11022-40-01-15-16	Toolox33	105,00	99	407	33,21
11022-40-01-17-18	Toolox33	105,00	125	339	34,93
11614-50-01-2-3-4-5-6-7-9	Toolox33	104,00	70	485	27,72
11614-50-01-2-3-4-6	Toolox33	105,00	142	506	59,22
11981-50-02-7-12	Toolox33	105,00	125	358	36,89
11981-50-02-7-18-19	Toolox33	105,00	35	400	11,54
11981-50-02-7-20	Toolox33	105,00	106	442	38,62
11981-50-02-7-22	Toolox33	105,00	126	443	46,01
11981-50-02-7-23-25	Toolox33	105,00	87	394	28,25
11981-50-02-7-23-26	Toolox33	105,00	91	394	29,55
11981-50-02-7-23-28	Toolox33	105,00	115	397	37,63
11981-50-02-7-23-29	Toolox33	105,00	115	399	37,82
11981-50-02-7-23-30-32-34	Toolox33	105,00	106	295	25,77
11981-50-02-7-23-30-32-36	Toolox33	105,00	106	295	25,77
11981-50-02-7-23-30-32-37	Toolox33	105,00	108	294	26,17
11981-50-02-7-23-30-32-38	Toolox33	105,00	122	294	29,56
11981-50-02-7-23-30-32-39	Toolox33	105,00	122	288	28,96
11981-50-02-7-23-30-32-40	Toolox33	105,00	121	293	29,22
11981-50-02-7-23-30-32-41	Toolox33	105,00	120	280	27,70
11981-50-02-8-16	Toolox33	60,00	105	380	18,79
11981-50-a1-1-2	Toolox33	104,00	67	413	22,59
12551-10-01-3-4-5	Toolox33	104,00	107	390	34,07
12551-10-01-3-4-6	Toolox33	104,00	23	512	9,61
12551-10-01-3-5-6	Toolox33	104,00	107	390	34,07
12551-10-01-3-5-7	Toolox33	104,00	23	512	9,61
12551-10-01-3-8-10-11	Toolox33	104,00	120	900	88,17
12551-10-01-3-8-10-12	Toolox33	104,00	120	902	88,37
12551-10-01-3-8-10-13	Toolox33	104,00	120	901	88,27
12551-10-01-3-8-10-14	Toolox33	104,00	120	908	88,96
12551-10-01-3-8-10-15	Toolox33	104,00	120	907	88,86
12551-10-01-3-8-10-16-17	Toolox33	104,00	105	900	77,15
12551-10-01-3-8-10-16-18	Toolox33	104,00	120	908	88,96
12551-10-01-3-8-10-17	Toolox33	104,00	120	904	88,56
12551-10-01-3-8-10-19	Toolox33	28,00	104	3 405	77,84
12970-20-01-2	Toolox33	98,00	105	277	22,38
12970-20-01-6-10	Toolox33	105,00	435	513	183,94
12970-20-01-6-8	Toolox33	105,00	174	415	59,52
12970-20-01-8-10	Toolox33	105,00	142	265	31,02
12970-20-01-8-11	Toolox33	105,00	118	265	25,77
12970-20-01-8-12	Toolox33	105,00	115	260	24,65
12970-20-01-8-14	Toolox33	92,00	105	270	20,47
12970-20-01-8-16-17	Toolox33	105,00	115	235	22,28

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12970-20-01-8-16-18	Toolox33	105,00	115	238	22,56
12970-20-01-8-16-20-21	Toolox33	105,00	975	1 520	1 221,54
12970-20-01-8-16-20-26	Toolox33	105,00	667	1 250	687,22
13243-50-01	Toolox33	105,00	1 665	4 005	5 496,37
x107	Toolox33	104,00	120	125	12,25
x122	Toolox33	36,00	104	1 247	36,65
X174	Toolox33	105,00	146	340	40,92
X228	Toolox33	31,00	105	1 257	32,12
X229	Toolox33	104,00	45	1 290	47,39
018572	Toolox33	110,00	43	645	23,95
018573	Toolox33	110,00	87	131	9,84
018765	Toolox33	110,00	68	168	9,87
019015	Toolox33	40,00	110	256	8,84
020514	Toolox33	110,00	77	301	20,01
020836	Toolox33	110,00	44	115	4,37
020837	Toolox33	110,00	67	312	18,05
021461	Toolox33	110,00	85	385	28,26
021518	Toolox33	110,00	18	540	8,39
021639	Toolox33	110,00	30	289	7,49
021844	Toolox33	110,00	65	220	12,35
021971	Toolox33	110,00	115	215	21,35
022024	Toolox33	110,00	42	145	5,26
022177	Toolox33	110,00	45	868	33,73
022916	Toolox33	110,00	95	350	28,71
023883	Toolox33	110,00	65	505	28,34
10330-50-01	Toolox33	110,00	37	665	21,25
10330-50-01-78	Toolox33	110,00	153	303	40,03
10583-40-01-10	Toolox33	108,00	75	135	8,58
10583-40-01-10-13	Toolox33	108,00	50	625	26,49
10583-40-01-3-4	Toolox33	110,00	102	155	13,65
10583-40-01-3-5	Toolox33	110,00	246	310	65,85
10773-30-01-12	Toolox33	110,00	76	333	21,85
10773-30-01-18-20	Toolox33	110,00	64	312	17,24
10773-30-01-19	Toolox33	110,00	115	125	12,41
10773-30-01-20	Toolox33	110,00	113	125	12,20
10773-30-01-5-8	Toolox33	110,00	45	425	16,51
10773-30-01-8	Toolox33	110,00	50	1 250	53,97
11013-1-2	Toolox33	110,00	138	249	29,67
11036-1	Toolox33	110,00	36	635	19,74
11444-10-01-11-18-21-22	Toolox33	110,00	420	517	187,50
11444-10-01-5-11-13	Toolox33	80,00	110	1 115	77,02
11767-9-01-2-3-4-6	Toolox33	110,00	185	238	38,02
11767-9-01-4	Toolox33	110,00	113	274	26,74
12079-60-01-2-4-5	Toolox33	110,00	393	520	176,47

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12079-60-01-6-10	Toolox33	110,00	110	415	39,42
12079-60-01-6-11	Toolox33	110,00	110	415	39,42
12079-60-01-6-8-10	Toolox33	110,00	90	490	38,08
12079-60-01-6-8-9	Toolox33	110,00	70	120	7,25
12489-20-01-3-4-7-13	Toolox33	110,00	151	295	38,47
12489-20-01-3-4-7-15	Toolox33	90,00	110	220	17,10
12489-20-01-3-4-7-16	Toolox33	40,00	110	244	8,43
12489-20-01-3-4-7-20	Toolox33	76,00	110	172	11,29
12489-20-01-3-4-7-21-23	Toolox33	110,00	174	893	134,17
12489-20-01-3-4-7-21-24	Toolox33	110,00	185	350	55,91
12551-20-01-12-13	Toolox33	107,00	110	670	61,90
12551-20-01-12-14	Toolox33	110,00	307	462	122,47
12551-20-01-14	Toolox33	110,00	294	512	129,98
12551-20-01-15	Toolox33	110,00	200	730	126,07
12551-20-01-16-18	Toolox33	110,00	267	470	108,36
12551-20-01-16-19	Toolox33	110,00	155	1 250	167,30
12551-20-01-17	Toolox33	110,00	227	493	96,64
12551-20-01-4	Toolox33	110,00	130	270	30,31
12551-20-01-6	Toolox33	102,00	110	133	11,71
12970-30-01-2	Toolox33	85,00	110	273	20,04
12970-30-01-3	Toolox33	86,00	110	272	20,20
12970-30-01-5	Toolox33	86,00	110	270	20,05
12970-30-01-8-10	Toolox33	110,00	131	1 460	165,15
12970-30-01-8-12-15	Toolox33	110,00	120	900	93,26
13243-60-01	Toolox33	110,00	1 470	4 060	5 153,54
99984-1	Toolox33	110,00	48	238	9,87
99984-1-2-3	Toolox33	75,00	110	320	20,72
99984-1-2-3-4	Toolox33	47,00	110	320	12,99
x138	Toolox33	110,00	72	480	29,84
X244	Toolox33	110,00	115	392	38,93
023404	Toolox33	120,00	77	1 005	72,90
023609	Toolox33	40,00	120	170	6,41
023610	Toolox33	40,00	120	171	6,44
023647	Toolox33	49,00	120	710	32,77
023678	Toolox33	120,00	106	187	18,67
023756	Toolox33	120,00	65	603	36,92
023756-4	Toolox33	120,00	30	1 245	35,18
023756-8	Toolox33	120,00	38	651	23,30
023765	Toolox33	120,00	85	110	8,81
10330-60-01-22-33	Toolox33	120,00	45	290	12,29
10330-60-01-34-45	Toolox33	120,00	29	301	8,22
10330-60-01-56	Toolox33	120,00	69	165	10,73
10330-60-01-67	Toolox33	120,00	70	162	10,68
10564-60-01-55	Toolox33	120,00	63	285	16,91

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10623-20-01	Toolox33	120,00	60	285	16,11
10623-20-01-11-13	Toolox33	120,00	42	870	34,42
10623-20-01-12	Toolox33	120,00	20	793	14,94
10623-20-01-15	Toolox33	120,00	50	425	20,02
10623-20-01-2-4	Toolox33	120,00	65	670	41,02
10623-20-01-2-7	Toolox33	120,00	40	350	13,19
10623-20-01-4	Toolox33	120,00	87	340	27,86
10943-10-01-15-17-19	Toolox33	120,00	45	202	8,56
11328-10-01-10-13-14-16	Toolox33	120,00	151	160	22,76
11328-10-01-11-12-14	Toolox33	120,00	42	875	34,62
11328-10-01-11-12-15	Toolox33	120,00	50	365	17,19
11328-10-01-11-12-16	Toolox33	120,00	50	365	17,19
11328-10-01-11-12-17	Toolox33	120,00	55	365	18,91
11328-10-01-12-15	Toolox33	120,00	58	270	14,75
11328-10-01-3-7	Toolox33	120,00	43	490	19,85
11328-10-01-3-8	Toolox33	120,00	133	177	22,18
11328-10-01-3-9-10-11-12	Toolox33	120,00	56	237	12,50
11641-10-01-2-3-4-5	Toolox33	120,00	110	266	27,56
11641-10-01-2-3-4-6	Toolox33	120,00	110	267	27,67
11641-10-01-2-3-4-7	Toolox33	120,00	110	269	27,87
11641-10-01-2-3-4-8-10	Toolox33	120,00	105	271	26,81
11641-10-01-2-3-4-8-11	Toolox33	120,00	105	270	26,71
11641-10-01-2-3-4-8-12	Toolox33	120,00	105	269	26,61
11641-10-01-2-3-4-8-9-11	Toolox33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-12	Toolox33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-13	Toolox33	120,00	110	270	27,98
11641-10-01-3-4	Toolox33	120,00	44	320	13,26
11641-10-a1-2-4	Toolox33	65,00	120	515	31,53
11641-10-a1-2-7-8	Toolox33	120,00	120	166	18,77
11641-10-a1-2-7-9	Toolox33	80,00	120	168	12,66
11641-10-a2	Toolox33	120,00	106	273	27,26
11641-10-a3	Toolox33	120,00	105	272	26,90
11641-10-a4	Toolox33	120,00	106	275	27,46
12057-1	Toolox33	120,00	57	852	45,75
12489-10-01-2-15	Toolox33	45,00	120	500	21,20
12489-10-01-2-15-16	Toolox33	70,00	120	455	30,00
12489-10-01-2-16-18	Toolox33	120,00	102	148	14,22
12489-10-01-3-12-13	Toolox33	120,00	139	146	19,12
12489-10-01-3-5	Toolox33	21,00	120	355	7,02
12489-10-01-3-7	Toolox33	84,00	120	231	18,28
12489-10-01-4	Toolox33	120,00	62	711	41,53
12539-20-01-3-6	Toolox33	55,00	120	285	14,77
12539-20-01-3-8	Toolox33	47,00	120	937	41,49
12539-20-01-8-11-13	Toolox33	120,00	105	160	15,83

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12539-20-01-8-15-18	Toolox33	120,00	45	406	17,21
12539-20-01-8-15-19	Toolox33	120,00	46	406	17,59
12539-20-01-8-17-19	Toolox33	120,00	52	282	13,81
12539-20-01-8-9-11	Toolox33	90,00	120	330	27,98
12539-20-01-8-9-11-12	Toolox33	60,00	120	580	32,78
12857-40-01-2-4-6	Toolox33	120,00	94	685	60,66
12857-40-01-2-4-7	Toolox33	120,00	65	255	15,61
12857-40-01-2-6-10-14-17	Toolox33	120,00	57	236	12,67
12857-40-01-2-6-8-10	Toolox33	35,00	105	158	4,56
12857-40-01-2-6-8-11	Toolox33	35,00	105	157	4,53
12857-40-01-2-6-8-13	Toolox33	35,00	105	471	13,59
12857-40-01-3-4	Toolox33	120,00	37	395	13,77
12857-40-a2-1-10	Toolox33	120,00	32	205	6,18
12857-40-a2-1-7-11	Toolox33	120,00	372	375	131,41
12857-40-a2-1-8	Toolox33	120,00	159	262	39,24
12857-40-a2-1-9	Toolox33	120,00	72	322	21,84
12857-40-a2-3	Toolox33	120,00	29	555	15,16
12857-40-a3	Toolox33	120,00	240	255	57,65
13243-70-01-4	Toolox33	110,00	120	140	14,51
13243-70-01-8-10	Toolox33	120,00	1 680	3 720	5 887,12
x109	Toolox33	38,00	120	137	4,90
021584	Toolox33	125,00	40	1 090	42,78
021585	Toolox33	125,00	51	183	9,16
021645	Toolox33	95,00	125	150	13,98
021653	Toolox33	125,00	38	1 302	48,55
021761-1	Toolox33	44,00	125	322	13,90
021761-3-4	Toolox33	31,00	125	698	21,23
022665	Toolox33	125,00	104	232	23,68
023121	Toolox33	125,00	38	132	4,92
023303	Toolox33	125,00	160	160	25,12
023304	Toolox33	125,00	75	345	25,39
023339	Toolox33	125,00	73	160	11,46
023529	Toolox33	125,00	75	130	9,57
023886	Toolox33	125,00	145	160	22,77
12545	Toolox33	125,00	45	160	7,07
019192		60,00	140	195	12,86
019830		60,00	57	250	6,71
020942		60,00	176	229	18,98
022452		60,00	57	370	9,93
12152-10-01-3-12	Toolox44	12,00	300	1 009	28,51
12152-10-01-3-12-14	Toolox44	12,00	147	300	4,15
12906-40-01	Toolox44	12,00	2 070	5 510	1 074,42
12539-30-01-36-37-39	Toolox44	20,00	80	396	4,97
12857-10-01-17-18	Toolox44	20,00	130	557	11,37

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12857-10-01-28-31	Toolox44	20,00	143	225	5,05
12857-10-01-29-31	Toolox44	20,00	108	410	6,95
12857-10-01-29-32	Toolox44	20,00	164	272	7,00
13048-20-01-20-23	Toolox44	20,00	385	453	27,38
13048-20-01-20-24	Toolox44	20,00	114	660	11,81
13048-20-01-23	Toolox44	20,00	100	1 169	18,35
13048-20-01-25	Toolox44	20,00	530	1 002	83,38
13232-30-01	Toolox44	20,00	2 070	5 800	1 884,94
13243-75-01	Toolox44	20,00	2 050	5 798	1 866,09
13064-20-01-6-7	Toolox44	25,00	370	432	31,37
12629-30-01-11-13-14	Toolox44	30,00	35	580	4,78
12857-20-01-21-22	Toolox44	30,00	262	514	31,71
12857-20-01-21-23	Toolox44	30,00	53	265	3,31
12857-20-01-21-24	Toolox44	30,00	150	486	17,17
10201-30-01-45	Toolox44	39,00	90	160	4,41
10201-30-01-88-89	Toolox44	39,00	75	210	4,82
10371-40-01-78	Toolox44	40,00	38	335	4,00
10583-20-02-5-7	Toolox44	40,00	48	330	4,97
12368-30-01-4	Toolox44	40,00	120	393	14,81
12606-40-01-20	Toolox44	40,00	230	242	17,48
12606-40-01-20-24-25	Toolox44	40,00	48	453	6,83
12606-40-01-23-27-28	Toolox44	40,00	147	321	14,82
12606-40-01-23-27-30-32-33	Toolox44	40,00	65	283	5,78
12606-40-01-23-29-31	Toolox44	40,00	100	370	11,62
12606-40-01-26-28	Toolox44	40,00	131	693	28,51
12606-40-01-27-28	Toolox44	40,00	92	481	13,90
12606-40-01-37	Toolox44	40,00	201	280	17,67
12606-40-01-40	Toolox44	40,00	130	495	20,21
12606-40-01-5	Toolox44	40,00	83	830	21,63
12606-40-01-6	Toolox44	40,00	98	196	6,03
12906-20-01-11-12	Toolox44	40,00	60	648	12,21
12906-20-01-11-13	Toolox44	40,00	60	648	12,21
12906-20-01-11-15-16	Toolox44	40,00	107	136	4,57
12906-20-01-2	Toolox44	40,00	85	538	14,36
12906-20-01-3	Toolox44	40,00	85	300	8,01
12906-20-01-6	Toolox44	40,00	93	302	8,82
13232-40-01	Toolox44	40,00	2 070	5 800	3 769,88
x160	Toolox44	40,00	90	217	6,13
X207	Toolox44	40,00	106	194	6,46
11981-70-01-16-22-23	Toolox44	50,00	100	147	5,77
11981-70-01-16-23-24-25	Toolox44	50,00	132	185	9,59
11981-70-01-16-23-26-27	Toolox44	50,00	67	300	7,89
11981-70-01-16-23-26-28	Toolox44	50,00	152	155	9,25
12583-10-01-14-15-16-19	Toolox44	50,00	113	225	9,98

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12583-10-01-8-10-11	Toolox44	45,00	50	125	2,21
x161-2	Toolox44	50,00	150	263	15,48
x163	Toolox44	50,00	170	245	16,35
021847	Toolox44	60,00	104	112	5,49
023864	Toolox44	60,00	91	113	4,84
023864-1	Toolox44	60,00	77	103	3,74
10466-20-01-44	Toolox44	60,00	37	185	3,22
10466-20-01-44-56	Toolox44	60,00	42	347	6,86
10564-70-01-10-16-17	Toolox44	60,00	140	200	13,19
10709-20-01-12	Toolox44	60,00	40	408	7,69
10803-10-01-25	Toolox44	60,00	108	114	5,80
10996-10-01-10-12	Toolox44	60,00	98	98	4,52
10996-10-01-15	Toolox44	60,00	146	190	13,07
10996-10-01-24	Toolox44	60,00	93	112	4,91
10996-10-01-27-29	Toolox44	60,00	143	167	11,25
10996-10-01-34	Toolox44	60,00	110	149	7,72
10996-10-01-35-36	Toolox44	60,00	157	202	14,94
11168-10-01-12	Toolox44	60,00	50	285	6,71
11317-10-01-11	Toolox44	60,00	134	311	19,63
11340-10-01-12	Toolox44	60,00	55	308	7,98
11340-10-01-22-23	Toolox44	60,00	146	215	14,79
11340-10-01-26-29	Toolox44	60,00	29	302	4,13
11876-10-01-13	Toolox44	60,00	58	580	15,84
12247-40-01-14-15-21	Toolox44	60,00	66	407	12,65
12247-40-01-14-15-22	Toolox44	60,00	31	183	2,67
12582-20-01-3-10	Toolox44	60,00	61	96	2,76
12582-20-01-3-11	Toolox44	60,00	61	101	2,90
12582-20-01-3-12	Toolox44	60,00	61	376	10,80
12582-20-01-3-7	Toolox44	60,00	61	136	3,91
12582-20-01-3-8	Toolox44	60,00	61	111	3,19
12582-20-01-3-9	Toolox44	60,00	61	86	2,47
12582-20-01-7-8-9	Toolox44	60,00	120	365	20,63
12582-20-01-7-9-10	Toolox44	60,00	130	310	18,98
12678-50-01-15-16	Toolox44	60,00	90	700	29,67
12678-50-01-15-17	Toolox44	60,00	127	310	18,54
12678-50-01-15-18	Toolox44	60,00	123	310	17,96
12678-50-01-17	Toolox44	60,00	101	345	16,41
12678-50-01-19	Toolox44	60,00	128	463	27,91
12678-50-01-21	Toolox44	60,00	314	704	104,12
12678-50-01-22	Toolox44	60,00	232	385	42,07
12906-5-01-3	Toolox44	60,00	157	994	73,50
12906-5-01-4	Toolox44	60,00	159	984	73,69
12906-5-01-6-14	Toolox44	60,00	224	352	37,14
12906-5-01-6-15	Toolox44	60,00	224	353	37,24

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12906-5-01-6-20	Toolox44	60,00	404	438	83,34
12906-5-01-6-9-10	Toolox44	60,00	105	334	16,52
13232-50-01	Toolox44	60,00	2 070	5 385	5 250,21
60351-1	Toolox44	60,00	136	230	14,73
60351-5	Toolox44	60,00	60	210	5,94
91100-1	Toolox44	60,00	48	206	4,66
91100-1-3	Toolox44	60,00	49	206	4,75
91100-1-4	Toolox44	60,00	49	206	4,75
91102-1	Toolox44	60,00	55	140	3,63
91105	Toolox44	60,00	60	380	10,74
99990	Toolox44	60,00	41	540	10,43
x167	Toolox44	60,00	191	203	18,26
X197	Toolox44	35,00	60	353	5,82
X204	Toolox44	60,00	60	210	5,94
X208-1	Toolox44	60,00	130	465	28,47
Ö100-4-5	Toolox44	60,00	73	174	5,98
Ö101-2-3	Toolox44	60,00	107	132	6,65
Ö101-2-5	Toolox44	60,00	106	132	6,59
022184-3	Toolox44	80,00	65	250	10,21
022184-3-10	Toolox44	80,00	80	92	4,62
022184-3-5-7	Toolox44	80,00	72	90	4,07
023892	Toolox44	80,00	48	167	5,03
10371-60-01-65	Toolox44	80,00	45	202	5,71
10371-60-01-67	Toolox44	80,00	36	102	2,31
11383-20-01-11	Toolox44	80,00	45	190	5,37
11383-20-01-20	Toolox44	80,00	80	118	5,93
11383-20-01-7-10	Toolox44	80,00	53	464	15,44
11884-10-01-6-8	Toolox44	80,00	61	299	11,45
12500-10-01-15-16	Toolox44	80,00	34	584	12,47
12500-10-01-15-17	Toolox44	80,00	49	170	5,23
12500-10-01-19-21-22	Toolox44	80,00	122	293	22,45
12500-10-01-21-26-27	Toolox44	80,00	75	205	9,66
12500-10-01-21-27-29	Toolox44	80,00	90	270	15,26
12500-10-01-21-28-30	Toolox44	80,00	241	390	59,03
12500-10-01-21-28-32	Toolox44	80,00	38	170	4,06
12500-10-01-21-28-33	Toolox44	80,00	38	170	4,06
12500-10-01-21-32-33	Toolox44	80,00	43	155	4,19
12500-10-01-21-37-38	Toolox44	80,00	73	220	10,09
12500-10-01-21-37-39	Toolox44	80,00	40	172	4,32
12500-10-01-21-38	Toolox44	80,00	139	207	18,07
12500-10-01-21-41	Toolox44	80,00	490	870	267,72
12692-30-01	Toolox44	80,00	480	612	184,48
12692-30-01-11-12	Toolox44	80,00	82	323	16,63
12692-30-01-13-15	Toolox44	48,00	81	88	2,69

Toolox valmispalat

25.02.2021

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12692-30-01-18-20	Toolox44	80,00	85	150	8,01
12692-30-01-22-23	Toolox44	80,00	60	188	7,08
12692-30-01-25-28	Toolox44	80,00	51	362	11,59
12692-30-01-25-29	Toolox44	80,00	51	280	8,97
12692-30-01-31-32	Toolox44	80,00	132	155	12,85
12692-30-01-32-33	Toolox44	80,00	74	153	7,11
12692-30-01-33-34	Toolox44	80,00	88	140	7,74
13117-10-01-2-4	Toolox44	80,00	560	800	281,34
13243-80-01	Toolox44	80,00	2 070	3 960	5 147,84
PK666	Toolox44	80,00	330	335	69,43
x172-2	Toolox44	80,00	128	135	10,85
12152-60-01-15-20	Toolox44	110,00	90	960	74,61
12313-25-01	Toolox44	110,00	580	603	302,00
12313-25-01-10-12	Toolox44	101,00	110	237	20,67
12313-25-01-11-12	Toolox44	102,00	110	236	20,79
12313-25-01-14-15-16	Toolox44	110,00	118	120	12,23
12313-25-01-15	Toolox44	110,00	115	125	12,41
12313-25-01-8-10-11	Toolox44	110,00	219	235	44,44
12313-25-01-8-9-10	Toolox44	105,00	110	378	34,27
12313-25-01-9-11	Toolox44	110,00	115	127	12,61
12313-25-01-9-12	Toolox44	70,00	110	410	24,78
12313-25-01-9-12-13	Toolox44	22,00	110	165	3,14
12857-30-01-2-3	Toolox44	110,00	70	650	39,29
12857-30-01-2-4	Toolox44	110,00	48	570	23,63
12857-30-01-4-10	Toolox44	110,00	115	215	21,35
12857-30-01-4-11	Toolox44	110,00	114	215	21,16
12857-30-01-4-12-13	Toolox44	110,00	170	580	85,14
12857-30-01-4-15-16-17	Toolox44	110,00	47	135	5,48
12857-30-01-4-15-17	Toolox44	110,00	21	375	6,80
12857-30-01-4-17-18	Toolox44	110,00	235	247	50,12
12857-30-01-4-17-21	Toolox44	110,00	1 108	1 620	1 549,95
12857-30-01-4-9	Toolox44	89,00	110	400	30,74
13243-90-01	Toolox44	110,00	990	4 290	3 667,37
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox 44,	0,00			
	Toolox 44,	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
	Toolox44 s	0,00			
13074-10-01	Toolox44 s	403,00	0	2 608	2 611,42
x20201020	Toolox44 s	0,00			