

K110 valmispalat

30.11.2020

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13039-20-01	Böhler K110	202,00		1 250	314,47
13042-10-01-3	Böhler K110	202,00		880	221,38
v1-1-5	Böhler K110	202,00		30	7,55
13080-40-01	Böhler K110	222,00		1 700	516,55
c1-1-9	Böhler K110	222,00		611	185,66
13042-20-01	Böhler K110	232,00		1 004	333,17
z1-1-4	Böhler K110	232,00		450	149,33
13042-30-01	Böhler K110	252,50		1 004	394,65
z2-1-5	Böhler K110	252,50		240	94,34
z3-1	Böhler K110	272,50		1 225	560,83
13042-40-01	Böhler K110	282,50		1 002	493,02
z4-1	Böhler K110	282,50		47	23,13
z4-1-2-4	Böhler K110	282,50		116	57,08
z5-1-6	Böhler K110	302,50		2 192	1 236,66
13148-10-01	Böhler K110	323,00	0	1 002	644,51
z7-1-4-12	Böhler K110	323,00		327	210,34
z7-1-5	Böhler K110	323,00		20	12,87
z8-1-2-4-6	Böhler K110	343,00		638	462,77
13042-50-01	Böhler K110	373,00		1 001	858,64
z10-1	Böhler K110	373,00		26	22,30
z10-1-2	Böhler K110	373,00		103	88,35
z10-1-3	Böhler K110	373,00		50	42,89
z10-1-4	Böhler K110	373,00		31	26,59
z10-1-5	Böhler K110	373,00		29	24,88
z13-1-10	Böhler K110	403,00		47	47,06
z13-1-2	Böhler K110	403,00		48	48,06
z13-1-3	Böhler K110	403,00		29	29,04
z13-1-4-6-7	Böhler K110	403,00		440	440,58
z13-1-5	Böhler K110	403,00		680	680,89
z13-1-6	Böhler K110	403,00		56	56,07
z13-1-7	Böhler K110	403,00		26	26,03
z13-1-8	Böhler K110	403,00		47	47,06
010850	Böhler K110	27,00	60	319	4,06
010994	Böhler K110	45,00	97	125	4,28
010995	Böhler K110	45,00	97	125	4,28
010996	Böhler K110	45,00	97	159	5,45
011001	Böhler K110	45,00	124	136	5,96
011009	Böhler K110	45,00	63	310	6,90
011054	Böhler K110	50,00	50	350	6,87
013103	Böhler K110	53,00	60	230	5,74
013277	Böhler K110	45,00	81	202	5,78
013376	Böhler K110	39,00	40	342	4,19
014132	Böhler K110	52,00	60	194	4,75

K110 valmispalat

30.11.2020

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
014650	Böhler K110	20,00	104	220	3,59
015219	Böhler K110	60,00	50	530	12,48
016476	Böhler K110	43,00	126	155	6,59
016730	Böhler K110	45,00	60	256	5,43
017696	Böhler K110	60,00	47	300	6,64
017700	Böhler K110	50,00	59	525	12,16
017722	Böhler K110	37,00	133	170	6,57
018213	Böhler K110	15,00	52	255	1,56
019103	Böhler K110	35,00	101	166	4,61
019557	Böhler K110	43,00	124	155	6,49
019616	Böhler K110	35,00	52	331	4,73
019639	Böhler K110	35,00	58	345	5,50
019642	Böhler K110	35,00	63	305	5,28
019817	Böhler K110	43,00	140	165	7,80
019820	Böhler K110	43,00	140	165	7,80
65105-1	Böhler K110	65,00	105	140	7,50
015517	Böhler K110	18,00	320	724	32,74
011014	Böhler K110	37,00	40	432	5,02
10217-10-01-71-73	Böhler K110	35,00	97	202	5,38
35135-1	Böhler K110	35,00	91	150	3,75
019629	Böhler K110	43,00	80	792	21,39
019677	Böhler K110	43,00	51	628	10,81
019819	Böhler K110	43,00	88	457	13,58
43125-1	Böhler K110	43,00	125	155	6,54
015488	K110	60,50	27	538	6,90
015498	K110	104,00	67	116	6,35
015785	K110	60,50	53	176	4,43
015895	K110	50,50	40	295	4,68
015900	K110	105,00	25	535	11,02
016006	K110	80,50	32	195	3,94
016141	K110	104,00	25	161	3,29
016381	K110	60,50	30	376	5,36
016516	K110	60,50	27	329	4,22
016551	K110	60,50	40	320	6,08
016732	K110	60,50	28	245	3,26
016765	K110	80,50	34	205	4,41
016988	K110	50,50	29	535	6,15
017047	K110	60,50	40	353	6,71
017070	K110	50,50	31	450	5,53
017082	K110	50,50	45	226	4,03
017171	K110	60,50	41	606	11,80
017359	K110	60,50	35	440	7,31
018255	K110	60,50	21	514	5,13
018268	K110	65,00	120	152	9,31

K110 valmispalat

30.11.2020

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
018696	K110	50,50	22	499	4,35
018869	K110	34,00	121	155	5,01
019020	K110	45,50	105	221	8,29
019067	K110	45,50	55	278	5,46
019276	K110	71,50	26	282	4,12
019282	K110	45,50	60	245	5,25
019433	K110	60,00	100	220	10,36
019451	K110	50,50	30	335	3,98
019521	K110	80,50	45	210	5,97
019559	K110	60,50	37	502	8,82
019655	K110	60,50	23	361	3,94
019937	K110	80,50	40	445	11,25
020074	K110	80,50	38	180	4,32
020081	K110	45,50	105	111	4,16
020148	K110	50,50	38	398	6,00
020215	K110	60,50	41	335	6,52
020216	K110	60,50	29	440	6,06
020217	K110	60,50	29	440	6,06
020378	K110	71,50	28	365	5,74
020929	K110	32,50	35	290	2,59
021004	K110	45,50	136	162	7,87
021050	K110	60,50	81	112	4,31
021147	K110	80,50	36	285	6,48
021214	K110	80,50	51	351	11,31
021345	K110	50,50	43	337	5,75
021410	K110	45,50	90	165	5,30
021496	K110	60,50	28	381	5,07
021507	K110	50,50	27	305	3,27
021586	K110	45,50	40	260	3,72
021675	K110	60,50	60	234	6,67
021707	K110	60,50	76	250	9,02
021715	K110	45,50	28	422	4,22
021727	K110	71,50	49	141	3,88
021728	K110	71,50	49	140	3,85
021768	K110	80,50	41	180	4,66
021770	K110	45,50	51	450	8,20
021781	K110	80,50	51	232	7,48
021835	K110	80,50	55	345	11,99
021873	K110	50,50	27	259	2,77
021883	K110	32,50	53	145	1,96
021898	K110	71,50	33	255	4,72
022175	K110	60,50	48	250	5,70
022219	K110	80,50	73	75	3,46
022236	K110	23,00	106	155	2,97

K110 valmispalat

30.11.2020

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
022240	K110	60,50	25	250	2,97
022245	K110	40,50	47	235	3,51
022246	K110	45,50	33	680	8,02
022265	K110	50,50	61	90	2,18
022431	K110	45,50	30	335	3,59
022433	K110	50,50	65	248	6,39
022440	K110	80,50	41	164	4,25
022516	K110	80,50	20	505	6,38
022520	K110	40,50	74	195	4,59
022669	K110	80,50	32	142	2,87
022694	K110	71,50	49	112	3,08
022713	K110	60,50	44	205	4,28
022721	K110	24,00	110	268	5,55
022769	K110	15,50	74	596	5,37
022801	K110	60,50	31	163	2,40
022949	K110	45,50	59	443	9,34
022950	K110	60,50	40	161	3,06
022984	K110	32,50	150	166	6,35
022986	K110	71,50	44	131	3,24
022995	K110	32,50	102	125	3,25
023011	K110	32,50	56	265	3,79
023132	K110	40,50	56	327	5,82
023228	K110	32,50	109	125	3,48
023287	K110	25,50	127	140	3,56
023472	K110	15,50	54	613	4,03
023493	K110	80,50	48	210	6,37
023538	K110	40,50	55	216	3,78
023542	K110	40,50	56	197	3,51
023669	K110	50,50	80	257	8,15
023670	K110	40,50	60	251	4,79
023696	K110	70,00	100	105	5,77
023781	K110	32,50	69	170	2,99
023866	K110	25,50	113	131	2,96
023958	K110	75,00	100	145	8,54
023959	K110	80,00	100	109	6,85
11957-10-01-2-3-4-7-10-12	Böhler K110	15,50	274	282	9,40
11957-10-a2-1	Böhler K110	15,50	157	496	9,48
11957-10-a3	Böhler K110	15,50	87	303	3,21
12317-10-01-10	Böhler K110	15,50	95	1 040	12,02
12317-10-01-6-9	Böhler K110	15,50	64	257	2,00
12317-10-02-4-10-12-13	Böhler K110	15,50	99	499	6,01
12317-10-02-4-8	Böhler K110	15,50	68	267	2,21
12490-10-01-7-9	Böhler K110	15,50	112	114	1,55
12490-10-02-3-4	Böhler K110	15,50	1 060	2 820	363,71

K110 valmispalat

30.11.2020

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12687-10-01	Böhler K110	15,50	747	1 348	122,52
12687-10-02-4-5	Böhler K110	15,50	1 050	2 282	291,55
Huom13kpl	Böhler K110	15,50	30	115	0,42
Huom7KPL	Böhler K110	15,50	30	115	0,42
11740-20-02-4-6-7-8-9-11	Böhler K110	20,50	64	356	3,67
11957-20-01-15	Böhler K110	20,50	58	208	1,94
11957-20-01-7	Böhler K110	20,50	64	260	2,68
11957-20-02-9-11	Böhler K110	20,50	111	572	10,22
12317-20-01-4-5-6	Böhler K110	20,50	275	638	28,23
12317-20-01-4-8-10-11-13	Böhler K110	20,50	145	836	19,51
12317-20-01-4-8-10-12-14	Böhler K110	20,50	137	650	14,33
12317-20-01-4-8-10-12-15	Böhler K110	20,50	64	694	7,15
12317-20-02-4-6	Böhler K110	20,50	254	497	20,32
12317-20-02-4-7	Böhler K110	20,50	317	551	28,11
12317-20-02-5-6-7	Böhler K110	20,50	62	835	8,33
12317-20-02-5-6-8	Böhler K110	20,50	234	1 054	39,69
12317-20-02-5-7	Böhler K110	20,50	279	725	32,55
12687-20-01	Böhler K110	20,50	1 038	2 225	371,66
12687-20-02	Böhler K110	20,50	1 037	2 212	369,14
10565-30-01-4	W.1.2379	20,50	64	510	5,25
10235-10-02-43	Böhler K110	25,50	66	176	2,33
10315-20-01-14	Böhler K110	25,50	69	233	3,22
10315-20-02-20	Böhler K110	25,50	104	162	3,37
10886-80-02-16-17	Böhler K110	25,50	68	155	2,11
10886-80-02-3	Böhler K110	25,50	78	202	3,15
10886-80-02-6-8	Böhler K110	25,50	80	114	1,83
11300-20-01-21-22-24	Böhler K110	25,50	53	156	1,66
11300-20-a1-1	Böhler K110	25,50	52	205	2,13
11740-30-01-2-5	Böhler K110	25,50	55	460	5,06
11957-30-01-2-7	Böhler K110	25,50	135	203	5,49
11957-30-02-15-16-19	Böhler K110	25,50	140	202	5,66
12825-10-01-4-5-6-7-8-15	Böhler K110	25,50	149	253	7,55
12825-10-01-4-5-6-7-8-17	Böhler K110	25,50	52	425	4,42
12825-10-01-4-5-6-9	Böhler K110	25,50	73	421	6,15
12825-10-01-5-6	Böhler K110	25,50	39	390	3,05
12825-10-01-6	Böhler K110	25,50	40	602	4,82
12825-10-a2-3	Böhler K110	25,50	435	596	51,90
12825-10-a2-4-6	Böhler K110	25,50	54	304	3,29
13033-10-01	Böhler K110	25,50	1 045	3 625	758,29
13086-10-01	W.1.2379	25,50	1 004	3 002	603,33
10187-10-02-13-54	Böhler K110	32,50	60	135	2,07
10235-20-02	Böhler K110	32,50	44	149	1,67
10315-30-01-93	Böhler K110	32,50	16	485	1,98
10748-10-01-5	Böhler K110	32,50	87	132	2,93

K110 valmispalat

30.11.2020

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10995-10-01-12	Böhler K110	32,50	82	212	4,44
10995-10-01-12-15-17	Böhler K110	32,50	20	701	3,58
11156-10-02-16	Böhler K110	32,50	72	191	3,51
11300-30-01-16	Böhler K110	32,50	102	218	5,67
11573-10-01-5-6-7-9-11	Böhler K110	32,50	43	228	2,50
11573-10-02-6-9-10	Böhler K110	32,50	109	197	5,48
11917-20-02-6-7-10	Böhler K110	32,50	92	220	5,16
11917-20-02-6-7-11-12	Böhler K110	32,50	53	525	7,10
11917-20-02-6-7-16	Böhler K110	32,50	61	209	3,25
11917-20-02-7-11	Böhler K110	32,50	52	217	2,88
11917-20-02-7-13	Böhler K110	32,50	68	166	2,88
11976-10-01-2-5-8-15	Böhler K110	32,50	67	505	8,63
11976-10-02-10-16-18	Böhler K110	32,50	252	253	16,27
12317-30-01-7	Böhler K110	30,00	32	1 035	7,80
12490-20-01-4-6-14	Böhler K110	32,50	47	578	6,93
12490-20-01-5	Böhler K110	32,50	90	197	4,52
12687-30-01-2-4	Böhler K110	32,50	967	2 350	579,76
10565-40-01	W.1.2379	32,50	63	264	4,24
10741-10-01-8	W.1.2379	32,50	55	297	4,17
10995-20-02-5-8-10	Böhler K110	40,50	80	87	2,21
11219-10-01-6-8	Böhler K110	40,50	46	185	2,71
11413-10-01-3-7	Böhler K110	40,50	46	187	2,74
11573-20-01-6-7-10-12-13	Böhler K110	40,50	55	268	4,69
11573-20-01-6-7-10-13	Böhler K110	40,50	101	142	4,56
11573-20-01-6-7-11-12	Böhler K110	40,50	117	355	13,21
11917-30-02-6-7-8	Böhler K110	40,50	84	193	5,15
11976-20-01-3-7	Böhler K110	40,50	16	500	2,54
11976-20-02-6-7	Böhler K110	40,00	42	618	8,15
11976-20-02-6-8	Böhler K110	40,00	77	312	7,54
11976-20-03-6-9-10	Böhler K110	40,50	68	1 045	22,59
11976-20-03-6-9-11-12	Böhler K110	40,50	630	811	162,44
11976-20-03-7-10-12	Böhler K110	40,50	58	112	2,07
11976-20-03-8-9	Böhler K110	40,50	62	239	4,71
12317-40-01-10	Böhler K110	40,50	49	452	7,04
12317-40-01-12	Böhler K110	40,50	50	450	7,15
12317-40-01-7-11-12	Böhler K110	40,50	153	155	7,54
12490-30-01-5-10-11-13	Böhler K110	40,50	60	146	2,79
12490-30-01-5-6-7	Böhler K110	40,50	54	341	5,85
12687-40-01-3	Böhler K110	40,50	118	293	10,99
12687-40-02-6-7-8-12	Böhler K110	40,50	134	147	6,26
12687-40-02-6-7-9-10	Böhler K110	40,50	109	705	24,43
12687-40-02-6-7-9-11	Böhler K110	40,50	90	100	2,86
12687-40-a1	Böhler K110	40,50	82	462	12,04
12885-10-01-2-4-6-7	Böhler K110	40,50	20	1 031	6,56

K110 valmispalat

30.11.2020

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12885-10-02-3	Böhler K110	40,50	179	1 472	83,77
12885-10-02-4-11	Böhler K110	40,50	92	265	7,75
12885-10-02-4-12	Böhler K110	40,50	115	338	12,36
12988-10-01	Böhler K110	40,50	1 042	2 380	788,44
12988-10-02-4-5	Böhler K110	40,50	288	452	41,39
12988-10-02-6	Böhler K110	40,50	1 030	1 927	631,02
40281	Böhler K110	40,50	47	281	4,20
X1002	Böhler K110	40,50	62	153	3,02
10147-40-01-23	Böhler K110	45,50	131	237	11,09
10147-40-01-77-88	Böhler K110	45,50	41	325	4,76
10241-40-01-21	Böhler K110	45,50	112	275	11,00
10748-20-01-20	Böhler K110	45,50	55	274	5,38
10995-30-01-15-19	Böhler K110	45,50	56	267	5,34
10995-30-01-17	Böhler K110	45,50	132	275	12,97
10995-30-01-21-23	Böhler K110	45,50	31	196	2,17
11413-20-01-14-18	Böhler K110	45,50	144	288	14,81
11413-20-01-2-7	Böhler K110	45,50	31	217	2,40
11413-20-01-2-9	Böhler K110	45,50	55	248	4,87
11413-20-01-7-10	Böhler K110	45,50	81	288	8,33
11413-20-01-9-12	Böhler K110	45,50	70	176	4,40
11573-30-01-12-13-14-16	Böhler K110	45,50	56	243	4,86
11573-30-01-8-13	Böhler K110	45,50	48	284	4,87
11573-30-02-3-4-11-12	Böhler K110	45,50	217	325	25,19
11573-30-02-3-4-11-13	Böhler K110	45,50	98	310	10,85
11573-30-a1	Böhler K110	45,50	30	514	5,51
11573-30-a2	Böhler K110	45,50	87	538	16,72
11606-10-01-11-14-17	Böhler K110	45,40	50	204	3,64
11606-10-01-13-16	Böhler K110	45,40	57	385	7,82
11637-10-01-10	Böhler K110	45,50	92	400	13,14
11637-10-01-17-18	Böhler K110	45,50	95	305	10,35
11637-10-01-2	Böhler K110	45,50	174	310	19,27
11637-10-01-2-4	Böhler K110	45,50	33	417	4,92
11637-10-01-6	Böhler K110	45,50	134	141	6,75
11637-10-01-7	Böhler K110	45,50	134	140	6,70
11976-30-01-11-12	Böhler K110	45,50	97	593	20,55
11976-30-01-15-16-23	Böhler K110	45,50	103	599	22,04
11976-30-01-15-16-25-26	Böhler K110	45,50	209	585	43,67
11976-30-01-15-16-25-27	Böhler K110	45,50	49	437	7,65
11976-30-01-15-16-26-27	Böhler K110	45,50	245	375	32,82
11976-30-01-15-16-26-28	Böhler K110	45,50	68	380	9,23
11976-30-01-3	Böhler K110	45,50	98	362	12,67
11976-30-01-6-9	Böhler K110	45,50	233	345	28,71
11976-30-01-8	Böhler K110	45,50	111	161	6,38
11976-30-01-9	Böhler K110	45,50	203	225	16,31

K110 valmispalat

30.11.2020

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
X1000-1-2	Böhler K110	45,50	200	290	20,72
023087-4	Böhler K110	50,50	27	480	5,14
10147-50-01-11	Böhler K110	50,50	63	285	7,12
10147-50-01-11-67	Böhler K110	50,50	33	365	4,78
10147-50-01-5	Böhler K110	50,50	38	606	9,13
10748-30-01	Böhler K110	50,50	32	208	2,64
10748-30-01-12-13-14-15	Böhler K110	50,50	27	275	2,94
10748-30-01-7	Böhler K110	50,50	41	1 020	16,58
10748-30-01-8-11	Böhler K110	50,50	22	112	0,98
11127-20-01-11-12	Böhler K110	50,50	66	181	4,74
11127-20-01-13-16	Böhler K110	50,50	41	244	3,97
11127-20-01-13-17	Böhler K110	50,50	117	161	7,47
11127-20-01-14-19-20	Böhler K110	50,50	207	653	53,59
11127-20-01-14-19-21	Böhler K110	50,50	115	384	17,51
11127-20-01-17	Böhler K110	50,50	130	235	12,11
11127-20-01-19	Böhler K110	50,50	147	247	14,39
11593-10-01-4-5-6-7-11	Böhler K110	50,50	36	322	4,60
11593-10-01-4-5-6-7-9-11	Böhler K110	50,50	67	315	8,37
11593-10-a1	Böhler K110	50,50	63	315	7,87
11593-10-a2	Böhler K110	50,50	140	155	8,60
11593-10-a3	Böhler K110	50,50	149	240	14,18
11957-40-01-4-5-6-7	Böhler K110	50,50	1 030	2 018	823,99
11957-40-01-4-5-6-8	Böhler K110	50,50	286	1 030	116,78
11976-40-01-3-10-12-14	Böhler K110	50,50	117	156	7,24
11976-40-01-3-14	Böhler K110	50,50	201	259	20,64
11976-40-01-3-15-16-17-18	Böhler K110	50,00	556	647	141,20
11976-40-01-3-15-16-17-19	Böhler K110	50,00	185	465	33,77
11976-40-01-3-15-16-20	Böhler K110	50,50	76	315	9,49
11976-40-01-3-15-19	Böhler K110	50,50	158	396	24,80
11976-40-01-3-16	Böhler K110	50,50	297	433	50,98
11976-40-01-3-8	Böhler K110	50,50	121	281	13,48
10741-20-01-11	W.1.2379	50,50	106	397	16,68
10741-20-01-11-16	W.1.2379	50,50	89	169	5,96
10741-20-01-12	W.1.2379	50,50	43	305	5,20
10741-20-01-14	W.1.2379	50,50	85	440	14,83
10741-20-01-15	W.1.2379	50,50	207	343	28,15
11127-30-01-20-21-22-24	Böhler K110	60,50	44	151	3,16
11593-20-01-3-4-11-12	Böhler K110	60,50	66	360	11,28
11593-20-01-3-4-11-13	Böhler K110	60,50	66	360	11,28
11593-20-01-3-4-11-14-15	Böhler K110	60,50	65	360	11,11
11593-20-01-3-4-11-14-16	Böhler K110	60,50	92	733	32,03
11593-20-01-3-4-19	Böhler K110	60,50	90	632	27,01
11593-20-01-3-4-31-33	Böhler K110	60,50	130	130	8,03
11593-20-01-3-4-32	Böhler K110	60,50	145	178	12,26

K110 valmispalat

30.11.2020

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11593-20-01-3-4-6-7	Böhler K110	60,50	100	220	10,45
11593-20-01-3-4-8	Böhler K110	60,50	90	117	5,00
11593-20-01-3-4-9	Böhler K110	60,50	92	117	5,11
12444-10-01-4-5-6	Böhler K110	60,50	151	301	21,59
12444-10-01-4-5-7-8	Böhler K110	60,50	232	632	69,64
12444-10-01-4-5-7-9	Böhler K110	60,50	1 034	1 398	686,52
12444-10-01-5	Böhler K110	60,50	147	500	34,91
12444-10-01-6	Böhler K110	60,50	147	325	22,69
12444-10-01-7	Böhler K110	60,50	147	304	21,22
12444-10-02-4-6	Böhler K110	60,50	57	455	12,32
10507-30-01-13	W.1.2379	60,50	70	365	12,13
10507-30-01-18-19	W.1.2379	60,50	31	492	7,24
10096-30-01	Böhler K110	71,50	45	140	3,54
10995-40-01-15-19	Böhler K110	71,50	47	165	4,35
10995-40-01-15-20	Böhler K110	71,50	47	168	4,43
10995-40-01-16-17-18-20-21	Böhler K110	71,50	46	501	12,94
10995-40-01-16-18-22-23	Böhler K110	24,00	71	646	8,64
10995-40-01-17-18-19	Böhler K110	34,00	71	650	12,32
10995-40-01-17-18-20	Böhler K110	71,50	105	147	8,66
10995-40-01-9-14	Böhler K110	71,50	90	132	6,67
12186-10-01-5-6-7-9	Böhler K110	42,00	71	351	8,22
12186-10-01-5-6-9-10	Böhler K110	71,50	342	500	95,98
12186-10-01-5-6-9-10-11	Böhler K110	60,00	71	250	8,36
12186-10-01-5-6-9-14-17	Böhler K110	71,50	93	168	8,77
12186-10-01-5-7-8	Böhler K110	71,50	82	235	10,82
12186-10-01-6-7	Böhler K110	71,50	78	527	23,07
12186-10-01-6-8-10	Böhler K110	71,50	78	150	6,57
12186-10-a2	Böhler K110	71,50	67	302	11,36
12186-10-a3	Böhler K110	71,50	302	670	113,57
12687-50-01-2	Böhler K110	71,50	1 049	2 037	1 199,34
10695-30-01-14-15	W.1.2379	71,50	74	271	11,26
10695-30-01-17	W.1.2379	71,50	22	380	4,69
10695-30-01-21	W.1.2379	71,50	67	150	5,64
017175	Böhler K110	80,50	34	292	6,27
022976	Böhler K110	80,50	50	630	19,91
10206-10-01-11-29	Böhler K110	80,50	33	112	2,34
10206-10-01-95	Böhler K110	80,50	64	90	3,64
10748-40-01-12	Böhler K110	80,50	49	652	20,19
12197-10-01-11-12-14-15-16	Böhler K110	80,50	92	535	31,10
12197-10-01-11-12-14-15-17	Böhler K110	80,50	20	502	6,35
12197-10-01-11-12-14-16-17	Böhler K110	80,50	35	535	11,83
12197-10-01-11-13	Böhler K110	80,50	30	499	9,46
12197-10-01-3	Böhler K110	80,50	37	306	7,16
12197-10-01-4	Böhler K110	80,50	38	304	7,30

K110 valmispalat

30.11.2020

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12197-10-01-9-10	Böhler K110	80,50	90	229	13,02
12687-60-01-3-4	Böhler K110	80,50	170	345	37,06
12687-60-01-3-6	Böhler K110	56,00	80	500	17,58
12687-60-01-4-5-6	Böhler K110	80,50	1 034	1 638	1 070,29
10741-30-01-8-9	W.1.2379	80,50	262	406	67,22
10741-30-a1-1-2	W.1.2379	80,50	100	126	7,96
015053	W.1.2379	104,00	45	531	19,51
022441	W.1.2379	34,00	125	148	4,94
060410-1	W.1.2379	100,00	68	245	13,08
060410-1-2	W.1.2379	100,00	75	100	5,89
10017	W.1.2379	100,00	61	171	8,19
10017-2	W.1.2379	100,00	51	197	7,89
10074	W.1.2379	100,00	74	171	9,93
10276-10-01-3-78	W.1.2379	100,00	26	229	4,67
10276-10-01-3-83	W.1.2379	100,00	64	125	6,28
10276-10-01-88	W.1.2379	100,00	70	120	6,59
10640-10-01	W.1.2379	100,00	20	1 015	15,94
10640-10-01-10-12	W.1.2379	100,00	55	85	3,67
10640-10-01-10-15	W.1.2379	100,00	34	93	2,48
10640-10-01-3	W.1.2379	100,00	35	305	8,38
10640-10-01-6-8	W.1.2379	100,00	46	180	6,50
10817-10-01-5	W.1.2379	100,00	74	117	6,80
10817-10-01--7-10	W.1.2379	100,00	58	112	5,10
10817-10-01--7-11	W.1.2379	100,00	24	194	3,66
10817-10-01--7-8	W.1.2379	100,00	30	403	9,49
10979-50-01-10-12	W.1.2379	100,00	75	93	5,48
10979-50-01-11	W.1.2379	100,50	58	313	14,32
10979-50-01-16	W.1.2379	100,00	59	258	11,95
13041-10-01-4-7	W.1.2379	55,00	100	148	6,39
13041-10-01-5-6	W.1.2379	100,00	605	760	360,94
13041-10-01-5-7	W.1.2379	100,00	91	508	36,29