

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
020046	Toolox33	90,00	32	181	4,09
020545	Toolox33	60,00	46	121	2,62
020731	Toolox33	60,00	46	287	6,22
020796	Toolox33	43,00	35	287	3,39
021826	Toolox33	60,00	44	179	3,71
022235	Toolox33	104,00	100	163	13,31
022627	Toolox33	104,00	50	795	32,45
022647	Toolox33	104,00	95	246	19,08
022672	Toolox33	104,00	84	324	22,22
022685	Toolox33	105,00	108	115	10,24
022739	Toolox33	60,00	42	187	3,70
022979	Toolox33	50,00	35	425	5,84
023225	Toolox33	40,00	67	255	5,37
023714	Toolox33	40,00	19	232	1,38
023916	Toolox33	104,00	35	264	7,54
023918	Toolox33	104,00	35	397	11,34
x146-1	Toolox33	104,00	104	710	60,28
x150	Toolox33	105,00	105	325	28,13
13168-10-01-4-8-19-21	Toolox 33	20,00	920	1 955	282,38
13168-10-01-4-8-19-22	Toolox 33	0,00	0	0	0,00
13243-2-01-18-32-38-39-40	Toolox 33	20,00	45	370	2,61
13243-2-01-18-35-37-40	Toolox 33	20,00	121	350	6,65
13243-2-01-18-39-44	Toolox 33	0,00	0	0	0,00
13243-2-01-18-39-45	Toolox 33	20,00	207	430	13,98
13243-2-01-18-40-43-44	Toolox 33	0,00	0	0	0,00
13243-2-01-18-40-43-45	Toolox 33	20,00	375	485	28,55
13243-2-a3	Toolox 33	20,00	128	199	4,00
13846-10-01-7-10-12-19	Toolox 33	0,00			
13846-10-01-7-10-12-20	Toolox 33	0,00			
13846-10-01-7-10-12-21	Toolox 33	0,00			
13846-10-01-7-10-12-22	Toolox 33	0,00			
13846-10-01-7-10-12-23	Toolox 33	0,00			
13846-10-01-7-10-12-24	Toolox 33	0,00			
13846-10-a1	Toolox 33	20,00	195	485	14,85
13846-10-a2	Toolox 33	20,00	110	503	8,69
11865-15-01-2	Toolox 33	30,00	95	143	3,20
12606-10-01-17	Toolox 33	30,00	49	413	4,77
12606-20-a1-1-2-3-4-6-7	Toolox 33	30,00	145	162	5,53
13168-20-01-17-21-26	Toolox 33	30,00	222	245	12,81
13168-20-01-6	Toolox 33	30,00	379	475	42,40
13168-30-01-5-8-9-11	Toolox 33	30,00	35	400	3,30
13243-3-01-10-14-18	Toolox 33	30,00	572	617	83,11
13243-3-01-7-10-12	Toolox 33	30,00	128	235	7,08

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13332-10-01-3-6	Toolox 33	30,00	75	135	2,38
13332-10-01-6-11-13-15-17	Toolox 33	30,00	179	390	16,44
13332-10-01-6-11-13-16-17	Toolox 33	30,00	61	4 045	58,11
13332-10-01-6-11-13-16-18	Toolox 33	0,00	0	0	0,00
13332-10-01-6-11-14-15	Toolox 33	30,00	242	242	13,79
13332-10-01-6-12-14	Toolox 33	30,00	348	443	36,31
13332-10-01-6-12-15-18	Toolox 33	30,00	155	3 487	127,28
13332-10-02-5-6-8-10	Toolox 33	30,00	530	618	77,14
13332-10-a1-2	Toolox 33	30,00	675	1 690	268,65
13332-10-a3	Toolox 33	30,00	99	778	18,14
13532-10-01-4-7-8-9	Toolox 33	30,00	125	447	13,16
13532-10-01-6-10-14	Toolox 33	30,00	326	663	50,90
13532-10-01-6-12-15-17-18	Toolox 33	30,00	82	969	18,71
13532-10-01-6-12-17	Toolox 33	30,00	395	635	59,07
13532-10-01-6-9-12-14	Toolox 33	30,00	133	1 775	55,60
13532-15-01-8-9	Toolox 33	0,00	0	0	0,00
13532-15-01-8-9-13	Toolox 33	30,00	380	1 230	110,07
13532-15-01-8-9-13-15	Toolox 33	30,00	225	380	20,14
13532-15-01-8-9-13-16	Toolox 33	30,00	75	1 000	17,66
13532-15-01-9-11-13-15	Toolox 33	30,00	203	514	24,57
13532-15-01-9-11-13-16	Toolox 33	30,00	140	4 945	163,04
13532-15-01-9-12-13-15-16	Toolox 33	30,00	166	797	31,16
13532-15-01-9-12-14-17	Toolox 33	30,00	195	2 010	92,30
13675-30-01-3-6-11-14	Toolox 33	30,00	187	245	10,79
13675-30-01-3-6-12	Toolox 33	30,00	327	1 690	130,14
13675-30-01-3-7-11	Toolox 33	30,00	204	525	25,22
13675-30-01-3-7-14-16	Toolox 33	30,00	170	200	8,01
13675-30-01-4-10	Toolox 33	30,00	235	339	18,76
13675-30-01-4-8-10	Toolox 33	30,00	380	532	47,61
13675-30-a2	Toolox 33	30,00	295	305	21,19
13846-30-01-4-6	Toolox 33	30,00	180	330	13,99
13846-30-01-6-11-13	Toolox 33	30,00	180	208	8,82
13846-30-01-6-12-14-16-17	Toolox 33	30,00	85	1 878	37,59
13846-30-01-6-12-15-17	Toolox 33	0,00	0	0	0,00
13846-30-01-6-12-15-17-19	Toolox 33	30,00	184	470	20,37
13846-30-01-6-12-15-18-20	Toolox 33	30,00	460	2 176	235,73
13846-30-01-6-8-9-10	Toolox 33	30,00	86	2 109	42,71
13846-30-01-7-10	Toolox 33	30,00	338	1 950	155,22
13846-30-01-7-9	Toolox 33	30,00	150	2 910	102,80
13846-30-a1	Toolox 33	30,00	90	2 714	57,52
13846-30-a2	Toolox 33	30,00	190	449	20,09
13868-30-01-9-11-15	Toolox 33	30,00	95	2 102	47,03
13868-30-a1	Toolox 33	30,00	298	1 667	116,99
13868-30-a2-2-3	Toolox 33	30,00	88	255	5,29

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13868-30-a2-3-5	Toolox 33	30,00	283	623	41,52
11641-30-01-4-6	Toolox 33	45,00	135	150	7,15
12436-10-01-3-6	Toolox 33	40,00	45	395	5,58
12586-100-a4-1	Toolox 33	45,00	199	310	21,79
12802-30-01-11-13-15	Toolox 33	45,00	60	585	12,40
12802-30-01-12-15-18-21	Toolox 33	45,00	220	735	57,12
12802-30-01-12-15-20-22	Toolox 33	45,00	586	586	121,31
12802-30-01-12-15-21	Toolox 33	45,00	730	2 270	585,37
12802-30-a1	Toolox 33	45,00	31	688	7,53
12802-30-a2-2	Toolox 33	45,00	490	1 340	231,94
13791-40-01-2-4	Toolox 33	45,00	670	895	211,83
13791-40-01-2-5-7-10-12	Toolox 33	45,00	200	260	18,37
13791-40-01-2-5-7-11	Toolox 33	45,00	353	460	57,36
13791-40-01-4-7-9	Toolox 33	45,00	415	680	99,69
13791-40-01-4-8	Toolox 33	45,00	1 640	3 910	2 265,18
13791-40-01-4-9-11	Toolox 33	45,00	72	1 635	41,59
13791-40-01-6	Toolox 33	45,00	150	224	11,87
170720-6	Toolox 33	45,00	625	625	137,99
170720-7	Toolox 33	45,00	625	625	137,99
170720-8	Toolox 33	45,00	625	625	137,99
170720-9	Toolox 33	45,00	625	625	137,99
023811-10-3	Toolox 33	60,00	31	410	5,99
10249-10-01-77	Toolox 33	60,00	39	660	12,12
13022-60-01-4-15-17-21-25	Toolox 33	25,00	143	550	15,44
13022-60-01-4-18-21-24	Toolox 33	25,00	255	510	25,52
13022-60-a3	Toolox 33	25,00	120	225	5,30
13675-20-01-4-5-6-7-10-13	Toolox 33	25,00	155	925	28,14
13675-20-01-4-5-6-7-9	Toolox 33	25,00	162	350	11,13
13675-20-01-4-5-8-10-13	Toolox 33	25,00	64	235	2,95
13675-20-01-6-11-12	Toolox 33	25,00	195	410	15,69
13675-20-01-6-12-13	Toolox 33	25,00	195	409	15,65
13675-20-01-7-10-12-15-17	Toolox 33	25,00	260	267	13,62
13675-20-01-7-10-13	Toolox 33	25,00	305	407	24,36
13675-20-01-7-10-17	Toolox 33	25,00	375	407	29,95
13675-20-01-7-9-12	Toolox 33	25,00	193	733	27,76
13791-20-01-5-8-10-15-18	Toolox 33	25,00	58	605	6,89
13791-20-a1	Toolox 33	25,00	164	225	7,24
13791-20-a2	Toolox 33	25,00	164	225	7,24
13791-20-a3-2	Toolox 33	25,00	445	1 755	153,27
13846-20-01-3-5-10	Toolox 33	25,00	215	265	11,18
13846-20-01-3-5-11	Toolox 33	25,00	210	265	10,92
13846-20-01-3-5-8	Toolox 33	25,00	202	1 230	48,76
13846-20-01-3-5-9	Toolox 33	25,00	215	265	11,18
13846-20-01-3-7-9-12-13	Toolox 33	25,00	230	560	25,28

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13846-20-a1	Toolox 33	25,00	150	270	7,95
13846-20-a2	Toolox 33	25,00	150	355	10,45
13868-20-01-3-5	Toolox 33	0,00	0	0	0,00
13868-20-01-3-5-8	Toolox 33	25,00	375	655	48,20
13868-20-01-3-6	Toolox 33	25,00	345	715	48,41
13868-20-01-3-7	Toolox 33	25,00	0	0	0,00
13868-20-01-4	Toolox 33	25,00	23	2 950	13,32
13868-20-01-4-5	Toolox 33	25,00	23	2 950	13,32
14102-20-01	Toolox 33	0,00	0	0	0,00
14102-20-01-3	Toolox 33	25,00	645	4 660	589,87
10980-10-01-6	Toolox 33	40,00	27	875	7,42
11444-40-01-12-14-15	Toolox 33	40,00	136	151	6,45
11767-10-01-24	Toolox 33	38,00	40	820	9,78
12692-20-01-3-16-29-32	Toolox 33	40,00	142	242	10,79
12947-50-a1-1	Toolox 33	40,00	32	420	4,22
13243-5-a3-3	Toolox 33	40,00	113	295	10,47
13467-25-01-14-17-19-21	Toolox 33	40,00	228	257	18,40
13467-25-01-3-6-7-9	Toolox 33	40,00	85	101	2,70
13718-30-01-11-13	Toolox 33	40,00	205	310	19,96
13718-30-01-12-23-24-25	Toolox 33	0,00	0	0	0,00
13718-30-01-12-23-24-25-26	Toolox 33	40,00	315	1 095	108,31
13767-20-01-3-6-8-13-14	Toolox 33	40,00	112	380	13,36
13767-20-01-3-6-8-15	Toolox 33	40,00	90	110	3,11
13767-20-01-3-6-8-16	Toolox 33	40,00	95	110	3,28
13767-20-01-3-6-8-17	Toolox 33	40,00	95	110	3,28
13767-20-01-3-6-8-18	Toolox 33	40,00	95	110	3,28
13767-20-01-3-6-8-22-24-26	Toolox 33	0,00	0	0	0,00
13767-20-01-3-7-10	Toolox 33	40,00	145	175	7,97
13767-20-01-4-7-9	Toolox 33	40,00	40	1 000	12,56
13767-20-a1	Toolox 33	40,00	125	1 045	41,02
13846-50-01-13	Toolox 33	40,00	80	1 415	35,55
13846-50-01-14	Toolox 33	40,00	80	1 415	35,55
13846-50-01-16-19	Toolox 33	40,00	240	1 760	132,63
13846-50-01-3	Toolox 33	40,00	43	1 223	16,51
13846-50-01-4	Toolox 33	40,00	43	1 223	16,51
13846-50-01-7	Toolox 33	40,00	80	1 415	35,55
13846-50-01-8	Toolox 33	40,00	80	1 415	35,55
13846-50-01-9	Toolox 33	40,00	80	1 415	35,55
13868-40-01-4	Toolox 33	40,00	195	2 055	125,83
40502-2	Toolox 33	40,00	27	805	6,83
10371-80-01-22-66	Toolox 33	50,00	38	265	3,95
10525-20-01-43-48	Toolox 33	50,00	40	202	3,17
11281-50-01-26-28	Toolox 33	50,00	26	222	2,27
11281-50-01-5-6-8	Toolox 33	50,00	25	176	1,73

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11281-50-01-5-8-10	Toolox 33	50,00	25	175	1,72
11281-50-01-5-8-9-10	Toolox 33	50,00	25	172	1,69
11685-50-a1	Toolox 33	50,00	114	127	5,68
11865-20-01-7-8-9-14	Toolox 33	50,00	119	135	6,31
11865-20-01-7-8-9-15	Toolox 33	50,00	37	181	2,63
12554-10-a1	Toolox 33	50,00	47	218	4,02
12609-10-01-8-16-28-30	Toolox 33	50,00	67	295	7,76
12765-30-01-10-12-13	Toolox 33	50,00	25	960	9,42
12951-10-01-16	Toolox 33	50,00	26	1 142	11,65
13012-10-01-10-11-12	Toolox 33	50,00	99	132	5,13
13012-10-01-10-11-13-14	Toolox 33	50,00	68	180	4,80
13012-10-01-10-11-13-15	Toolox 33	50,00	100	132	5,18
13012-10-01-2-10-13-14-16	Toolox 33	50,00	46	350	6,32
13012-20-a2-1-3	Toolox 33	50,00	52	145	2,96
13168-40-01-3-5-8-10	Toolox 33	50,00	128	133	6,68
13308-10-01-3-5-6-8-9	Toolox 33	50,00	45	1 140	20,14
13308-10-a1-2-3	Toolox 33	50,00	40	559	8,78
13363-40-01-4-6-7-8	Toolox 33	50,00	69	240	6,50
13363-40-02-4-5-6-8	Toolox 33	50,00	45	405	7,15
13363-40-02-4-5-6-9	Toolox 33	50,00	32	495	6,22
13363-40-02-4-6-19	Toolox 33	50,00	125	133	6,53
13363-40-02-4-6-20	Toolox 33	50,00	125	132	6,48
13363-40-a1	Toolox 33	50,00	100	320	12,56
13396-15-01-3-5	Toolox 33	50,00	45	503	8,88
13396-15-01-3-6-7-9	Toolox 33	50,00	75	194	5,71
13396-15-01-4-6	Toolox 33	50,00	48	2 060	38,81
13627-40-01-4-13-16-17-19	Toolox 33	50,00	50	662	12,99
13627-40-01-4-7	Toolox 33	50,00	96	295	11,12
13675-40-01	Toolox 33	50,00	2 070	5 000	4 062,38
13675-40-01-3	Toolox 33	0,00	0	0	0,00
13675-40-01-3-5	Toolox 33	50,00	156	570	34,90
13675-40-01-3-6	Toolox 33	50,00	185	570	41,39
13675-40-01-3-7	Toolox 33	50,00	185	570	41,39
13675-40-02-14	Toolox 33	0,00	0	0	0,00
13675-40-02-14-15	Toolox 33	50,00	133	200	10,44
13675-40-02-14-16	Toolox 33	50,00	132	202	10,47
13675-40-02-8-11-12-14	Toolox 33	50,00	48	545	10,27
13767-30-01-3-4-6	Toolox 33	50,00	118	137	6,35
13767-30-01-3-4-7-9-11	Toolox 33	50,00	60	380	8,95
13767-30-01-5	Toolox 33	50,00	195	600	45,92
13767-30-01-6-9-11-13	Toolox 33	50,00	135	220	11,66
13791-50-01-4-7-9-13-15-17	Toolox 33	50,00	130	142	7,25
13791-50-01-4-7-9-13-16	Toolox 33	50,00	98	323	12,42
13117-30-01-10	Toolox 33	8,00	670	893	37,57

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13117-30-01-13-14	Toolox 33	8,00	505	1 870	59,31
13117-30-01-13-15-16	Toolox 33	8,00	126	196	1,55
14102-10-01	Toolox 33	8,00	2 105	5 500	727,07
12678-10-01-4-16	Toolox 33	22,00	82	5 792	82,02
13425-10-01-2-4-7	Toolox 33	22,00	250	645	27,85
13425-10-01-6-10-12-13	Toolox 33	0,00	0	0	0,00
13425-10-01-6-10-12-13-17	Toolox 33	22,00	170	260	7,63
13425-10-01-6-10-12-13-19	Toolox 33	22,00	32	2 060	11,38
13425-10-01-6-10-12-13-20	Toolox 33	22,00	32	2 060	11,38
13425-10-01-6-10-12-13-21	Toolox 33	0,00			
13425-10-01-6-10-12-13-22	Toolox 33	0,00			
13425-10-01-6-10-12-13-23	Toolox 33	0,00			
13425-10-01-6-10-12-13-24	Toolox 33	0,00			
13425-10-01-6-10-12-13-25	Toolox 33	0,00			
13425-10-01-6-10-12-13-26	Toolox 33	0,00			
13425-10-01-6-10-12-13-27	Toolox 33	0,00			
13425-10-01-6-10-12-13-28	Toolox 33	0,00			
13425-10-01-6-10-12-13-29	Toolox 33	0,00			
13425-10-01-6-10-12-13-30	Toolox 33	0,00			
13425-10-01-6-10-12-13-31	Toolox 33	0,00			
13425-10-01-6-10-12-14	Toolox 33	0,00	0	0	0,00
13425-10-01-6-10-13	Toolox 33	0,00	0	0	0,00
13425-10-01-6-10-14	Toolox 33	0,00	0	0	0,00
13425-10-a1	Toolox 33	22,00	32	2 060	11,38
13425-10-a2	Toolox 33	22,00	32	2 060	11,38
13943-10-01	Toolox 33	22,00	1 396	5 795	1 397,11
13943-10-02	Toolox 33	22,00	2 105	5 790	2 104,86
10975-40-01-26-30	Toolox 33	35,00	51	128	1,79
11981-40-01-7-10-12-13	Toolox 33	35,00	225	1 015	62,75
11981-40-01-7-10-12-14	Toolox 33	35,00	29	565	4,50
11981-40-01-7-18-19	Toolox 33	35,00	53	505	7,35
12108-30-01-3-23-26-29	Toolox 33	35,00	115	135	4,27
12970-40-01-7-12-13-16-18	Toolox 33	35,00	213	1 900	111,19
12970-40-01-7-12-14-16	Toolox 33	35,00	211	217	12,58
12970-40-a2-2	Toolox 33	35,00	78	875	18,75
12970-6-01-3-12-17-19	Toolox 33	35,00	205	293	16,50
12970-6-01-3-14-18-22-24	Toolox 33	35,00	62	126	2,15
12970-6-01-3-14-18-22-25	Toolox 33	35,00	82	185	4,17
12970-6-01-3-14-18-22-26	Toolox 33	35,00	83	187	4,26
12970-6-01-3-14-18-22-28	Toolox 33	35,00	537	822	121,28
12970-6-01-3-15-16-18-21	Toolox 33	35,00	181	295	14,67
12970-6-01-3-16-18-19	Toolox 33	35,00	301	318	26,30
12970-6--a1	Toolox 33	35,00	184	228	11,53
12970-6-a1-2	Toolox 33	35,00	79	1 815	39,40

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12970-6-a2	Toolox 33	35,00	42	2 080	24,00
12970-6--a2	Toolox 33	35,00	184	228	11,53
12970-6--a3	Toolox 33	35,00	184	228	11,53
12970-6--a4	Toolox 33	35,00	184	228	11,53
12970-6--a6	Toolox 33	35,00	60	205	3,38
13627-30-01-2-5	Toolox 33	35,00	217	350	20,87
13627-30-02-6-8-10	Toolox 33	35,00	123	344	11,63
13627-30-02-8-10	Toolox 33	35,00	50	1 025	14,08
13627-30-02-8-11	Toolox 33	35,00	50	1 030	14,15
13627-30-02-8-12	Toolox 33	35,00	50	1 030	14,15
13627-30-02-8-13	Toolox 33	35,00	50	1 030	14,15
13627-30-02-8-16-18	Toolox 33	35,00	122	2 935	98,38
13627-30-02-8-9	Toolox 33	35,00	50	1 025	14,08
13846-40-01-3-5-7-8-10	Toolox 33	35,00	74	400	8,13
13846-40-01-3-5-7-8-9	Toolox 33	35,00	195	577	30,91
13846-40-01-3-5-7-9	Toolox 33	35,00	166	293	13,36
14087-10-01-3-5	Toolox 33	35,00	118	1 942	62,96
14087-10-01-3-6	Toolox 33	35,00	118	1 938	62,83
14087-10-01-3-7	Toolox 33	35,00	290	4 960	395,20
14087-10-01-3-8	Toolox 33	35,00	1 515	4 960	2 064,58
x120	Toolox 33	35,00	28	378	2,91
021923	Toolox33	63,00	55	173	4,71
022254	Toolox33	63,00	55	401	10,91
022260	Toolox33	63,00	75	127	4,71
018876	Toolox33	80,00	60	336	12,66
020034	Toolox33	80,00	71	185	8,25
020245	Toolox33	80,00	59	344	12,75
020330	Toolox33	80,00	35	164	3,61
020855	Toolox33	80,00	39	479	11,73
020857	Toolox33	80,00	37	478	11,11
020892	Toolox33	80,00	36	476	10,76
021638	Toolox33	80,00	47	175	5,17
021795	Toolox33	80,00	35	845	18,57
021953	Toolox33	80,00	53	224	7,46
021954	Toolox33	80,00	43	324	8,75
022127	Toolox33	80,00	70	160	7,03
022381	Toolox33	80,00	66	135	5,60
022591	Toolox33	80,00	55	152	5,25
022728	Toolox33	80,00	38	337	8,04
023117	Toolox33	80,00	43	300	8,10
023318	Toolox33	80,00	47	455	13,43
023519	Toolox33	80,00	70	197	8,66
023521	Toolox33	80,00	61	333	12,76
023705	Toolox33	80,00	66	216	8,95

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
023706	Toolox33	80,00	20	955	12,00
023926	Toolox33	80,00	40	374	9,40
10371-100-01-55	Toolox33	80,00	60	278	10,48
10505-20-01-11-22	Toolox33	80,00	36	558	12,62
10525-30-01-67	Toolox33	80,00	26	514	8,39
10525-30-01-67-80	Toolox33	80,00	42	520	13,72
10564-50-01-14-19	Toolox33	80,00	38	345	8,23
10690-50-01-4	Toolox33	80,00	62	215	8,37
10773-40-01-16-17	Toolox33	80,00	36	480	10,85
10773-40-01-23	Toolox33	80,00	54	245	8,31
11069-20-01-10	Toolox33	80,00	71	127	5,66
11069-20-01-16-18	Toolox33	80,00	71	167	7,45
11069-20-01-22	Toolox33	80,00	121	259	19,68
11069-20-01-26	Toolox33	80,00	47	268	7,91
11281-60-01-27	Toolox33	80,00	62	372	14,48
11281-60-01-2-8-11-14	Toolox33	80,00	27	170	2,88
11794-50-01-2-16-18	Toolox33	80,00	48	195	5,88
11794-50-01-2-18-19	Toolox33	80,00	100	103	6,47
11865-40-01-4-10	Toolox33	80,00	58	171	6,23
11865-40-01-4-6-8	Toolox33	80,00	95	108	6,44
11865-40-01-4-9	Toolox33	80,00	58	169	6,16
11865-40-01-5-6-7-8-11	Toolox33	80,00	42	919	24,24
12108-60-03-5	Toolox33	80,00	63	279	11,04
12195-10-01-13-15	Toolox33	80,00	45	265	7,49
12195-10-01-14	Toolox33	80,00	75	95	4,47
12195-10-02-18	Toolox33	80,00	30	198	3,73
12195-10-02-21-26	Toolox33	80,00	77	180	8,70
12335-10-01-14-16-18-20	Toolox33	80,00	47	695	20,51
12335-10-01-16-17-19-20	Toolox33	80,00	40	482	12,11
12335-10-01-21-26-28	Toolox33	80,00	42	165	4,35
12335-10-01-22-23-25-26-27	Toolox33	80,00	125	187	14,68
12335-10-01-22-24	Toolox33	80,00	70	184	8,09
12340-20-01-14	Toolox33	80,00	45	306	8,65
12340-20-01-14-15	Toolox33	80,00	60	255	9,61
12340-20-01-21-22	Toolox33	80,00	46	690	19,93
12340-20-01-4-11-16	Toolox33	80,00	88	182	10,06
13012-30-01-2-4-17-20	Toolox33	80,00	42	291	7,68
13012-30-01-2-4-23-24	Toolox33	80,00	55	296	10,22
13012-30-a1	Toolox33	80,00	28	285	5,01
13048-30-01-4-10-12	Toolox33	80,00	95	314	18,73
13048-30-01-4-10-14	Toolox33	80,00	30	457	8,61
13048-30-01-4-14-19	Toolox33	80,00	95	311	18,55
13048-30-01-4-15-16-19	Toolox33	80,00	145	255	23,22
13048-30-01-4-15-18-20	Toolox33	80,00	90	179	10,12

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13048-30-01-4-20	Toolox33	80,00	374	649	152,43
13048-30-01-4-8-10	Toolox33	80,00	25	887	13,93
13048-30-01-4-8-9-10-11-12	Toolox33	22,00	219	322	12,18
13048-30-01-4-8-9-10-11-13	Toolox33	22,00	125	857	18,50
13048-30-01-4-8-9-10-11-14	Toolox33	22,00	80	1 013	14,00
13048-30-a2	Toolox33	80,00	85	212	11,32
13243-20-01-4-6-7	Toolox33	80,00	35	600	13,19
13308-30-01-2-4-6-7	Toolox33	80,00	92	162	9,36
13308-30-01-5-6-8-9-10	Toolox33	80,00	141	165	14,61
13308-30-01-5-8-15-16	Toolox33	80,00	120	180	13,57
13308-30-01-5-8-9-11-15	Toolox33	80,00	220	268	37,03
13308-30-01-5-8-9-12-13	Toolox33	80,00	40	337	8,47
13308-30-01-6-8-9-11	Toolox33	80,00	101	293	18,58
13308-30-01-6-8-9-13	Toolox33	80,00	101	294	18,65
13467-30-01-9-10-12	Toolox33	80,00	88	230	12,71
13467-30-a1	Toolox33	80,00	48	557	16,79
13467-30-a3-2	Toolox33	80,00	55	310	10,71
13467-30-a5-3	Toolox33	80,00	18	437	4,94
13467-35-01-11-13	Toolox33	80,00	155	173	16,84
13467-35-01-13	Toolox33	80,00	153	597	57,36
13467-35-01-15	Toolox33	80,00	155	461	44,87
13467-35-01-16	Toolox33	80,00	147	464	42,84
13467-35-01-20-21-23	Toolox33	80,00	120	323	24,34
13467-35-01-20-23-25-28-30	Toolox33	80,00	55	180	6,22
13467-35-01-20-23-25-28-31	Toolox33	80,00	55	180	6,22
13467-35-01-20-23-25-28-32	Toolox33	80,00	55	180	6,22
13467-35-01-20-23-26	Toolox33	80,00	170	191	20,39
13467-35-01-4-6	Toolox33	0,00	0	0	0,00
13467-35-01-7	Toolox33	0,00	0	0	0,00
13467-35-01-8	Toolox33	0,00	0	0	0,00
13467-35-a1	Toolox33	80,00	91	375	21,43
13467-35-a2	Toolox33	80,00	60	370	13,94
13675-60-01-11-12	Toolox33	80,00	145	1 595	145,24
13675-60-01-3-4	Toolox33	80,00	155	230	22,39
13675-60-01-3-5	Toolox33	80,00	155	230	22,39
13675-60-01-3-6	Toolox33	80,00	155	230	22,39
13675-60-01-3-7	Toolox33	80,00	155	230	22,39
13675-60-01-4	Toolox33	80,00	155	230	22,39
13675-60-01-7-9	Toolox33	80,00	112	155	10,90
13675-60-01-8	Toolox33	80,00	54	745	25,26
13675-60-01-9-12-14-16	Toolox33	80,00	235	420	61,98
13675-60-01-9-12-15-16	Toolox33	80,00	110	259	17,89
13675-60-02-12	Toolox33	80,00	150	1 725	162,50
13675-60-02-13	Toolox33	80,00	153	645	61,97

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13675-60-02-14	Toolox33	80,00	153	645	61,97
13675-60-02-19-21	Toolox33	80,00	153	205	19,70
13675-60-02-23-26	Toolox33	80,00	140	870	76,49
13675-60-02-23-27	Toolox33	80,00	175	950	104,41
13675-60-02-23-28	Toolox33	80,00	85	1 090	58,18
13675-60-02-24-26	Toolox33	0,00	0	0	0,00
13675-60-02-24-26-28	Toolox33	80,00	125	1 445	113,43
13675-60-02-3-4-6-8-10-12	Toolox33	80,00	170	260	27,76
13675-60-02-3-4-6-8-9	Toolox33	80,00	16	1 485	14,92
13675-60-02-6-8	Toolox33	80,00	130	185	15,10
13767-60-01-3-6	Toolox33	80,00	500	605	189,97
13767-60-01-3-7	Toolox33	80,00	110	500	34,54
13767-60-01-3-8	Toolox33	80,00	100	500	31,40
13767-60-01-3-9	Toolox33	80,00	100	500	31,40
13767-60-01-4-6-11	Toolox33	80,00	50	2 090	65,63
13767-60-01-4-6-8	Toolox33	80,00	154	375	36,27
13767-60-01-4-6-9	Toolox33	80,00	154	375	36,27
13868-70-01-5-10-16	Toolox33	80,00	230	645	93,16
80702-8	Toolox33	80,00	70	207	9,10
X182	Toolox33	80,00	98	130	8,00
X186	Toolox33	80,00	64	505	20,30
X215	Toolox33	80,00	113	125	8,87
X230	Toolox33	80,00	50	807	25,34
X235-3	Toolox33	80,00	79	233	11,56
018572	Toolox 33	110,00	43	645	23,95
018573	Toolox 33	110,00	87	131	9,84
018765	Toolox 33	110,00	68	168	9,87
019015	Toolox 33	110,00	40	256	8,84
020514	Toolox 33	110,00	77	301	20,01
020836	Toolox 33	110,00	44	115	4,37
020837	Toolox 33	110,00	67	312	18,05
021461	Toolox 33	110,00	85	385	28,26
021518	Toolox 33	110,00	18	540	8,39
021639	Toolox 33	110,00	30	289	7,49
021844	Toolox 33	110,00	65	220	12,35
022024	Toolox 33	110,00	42	145	5,26
022177	Toolox 33	110,00	45	868	33,73
022916-9	Toolox 33	110,00	95	169	13,86
023883	Toolox 33	110,00	65	505	28,34
10330-50-01	Toolox 33	110,00	37	665	21,25
10583-40-01-10	Toolox 33	108,00	75	135	8,58
10583-40-01-10-13	Toolox 33	108,00	50	625	26,49
10583-40-01-3-4	Toolox 33	110,00	102	155	13,65
10583-40-01-3-5-7	Toolox 33	110,00	97	310	25,97

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10773-30-01-12	Toolox 33	110,00	76	333	21,85
10773-30-01-18-20	Toolox 33	110,00	64	312	17,24
10773-30-01-19	Toolox 33	110,00	115	125	12,41
10773-30-01-5-8	Toolox 33	110,00	45	425	16,51
10773-30-01-8	Toolox 33	110,00	50	1 250	53,97
11013-1-2	Toolox 33	110,00	138	249	29,67
11036-1	Toolox 33	110,00	36	635	19,74
11444-10-01-5-11-13-14	Toolox 33	48,00	80	1 118	33,70
11767-9-01-4	Toolox 33	110,00	113	274	26,74
12079-60-01-2-4-5-6	Toolox 33	110,00	65	370	20,77
12079-60-01-2-4-5-7	Toolox 33	110,00	20	520	8,98
12079-60-01-6-8-10	Toolox 33	110,00	90	490	38,08
12489-20-01-3-4-7-16	Toolox 33	110,00	40	244	8,43
12489-20-01-3-4-7-20	Toolox 33	110,00	76	172	11,29
12489-20-01-3-4-7-21-23-24	Toolox 33	110,00	22	895	17,00
12489-20-01-3-4-7-21-23-25	Toolox 33	110,00	51	150	6,61
12551-20-01-14-17	Toolox 33	110,00	87	512	38,46
12551-20-01-15-17	Toolox 33	110,00	47	370	15,02
12551-20-01-16-18-21	Toolox 33	110,00	69	356	21,21
12551-20-01-4	Toolox 33	110,00	130	270	30,31
12970-30-01-2	Toolox 33	110,00	85	273	20,04
12970-30-01-3	Toolox 33	110,00	86	272	20,20
12970-30-01-5	Toolox 33	110,00	86	270	20,05
12970-30-01-8-12-18	Toolox 33	110,00	213	232	42,67
12970-30-01-8-12-19-21-23	Toolox 33	110,00	177	682	104,24
12970-30-01-8-12-20-22	Toolox 33	110,00	150	191	24,74
12970-30-01-8-12-22-24	Toolox 33	110,00	134	582	67,34
13243-60-01-3-5	Toolox 33	110,00	172	203	30,15
13243-60-01-3-6-8	Toolox 33	110,00	60	285	14,77
13396-10-01-2-5-6-9-10	Toolox 33	110,00	60	203	10,52
13396-10-01-2-5-6-9-11	Toolox 33	110,00	60	204	10,57
13396-10-01-2-5-6-9-13	Toolox 33	110,00	55	715	33,96
13396-10-01-2-5-7-9	Toolox 33	110,00	95	163	13,37
13654-30-01-7-13-17	Toolox 33	110,00	109	1 225	115,30
13654-30-01-7-13-18	Toolox 33	110,00	640	1 040	574,75
13654-30-01-8-10-12	Toolox 33	110,00	115	212	21,05
13654-30-01-8-11	Toolox 33	110,00	37	212	6,77
13654-30-01-8-12	Toolox 33	110,00	37	212	6,77
13654-30-01-8-13	Toolox 33	110,00	37	212	6,77
13654-30-01-8-14	Toolox 33	110,00	37	212	6,77
13654-30-01-8-15	Toolox 33	110,00	36	212	6,59
13654-30-01-8-16	Toolox 33	110,00	36	212	6,59
13654-30-01-8-17	Toolox 33	110,00	36	212	6,59
13654-30-01-9	Toolox 33	110,00	100	269	23,23

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13767-40-01-12-14	Toolox 33	110,00	106	1 269	116,15
13767-40-01-12-15	Toolox 33	0,00	0	0	0,00
13767-40-01-12-17	Toolox 33	110,00	370	1 269	405,44
13767-40-01-12-18	Toolox 33	110,00	195	1 035	174,28
13767-40-01-13-15	Toolox 33	110,00	85	505	37,07
13767-40-01-14	Toolox 33	110,00	150	297	38,47
13767-40-01-15	Toolox 33	110,00	190	1 030	168,99
13767-40-01-8	Toolox 33	110,00	240	295	61,14
13868-100-01-3	Toolox 33	110,00	1 515	2 860	3 741,46
13868-100-01-4-5	Toolox 33	110,00	43	626	23,24
13868-100-01-5-6-8	Toolox 33	110,00	205	260	46,03
99984-1	Toolox 33	110,00	48	238	9,87
99984-1-2-3	Toolox 33	110,00	75	320	20,72
99984-1-2-3-4	Toolox 33	110,00	47	320	12,99
x138	Toolox 33	110,00	72	480	29,84
X244-2	Toolox 33	110,00	115	225	22,34
13846-100-01-10-11	Toolox 44	0,00	0	0	0,00
13846-100-01-13-15-17	Toolox 44	20,00	247	840	32,57
13846-100-01-14-21	Toolox 44	20,00	135	1 287	27,28
13846-100-01-14-28-29-32	Toolox 44	20,00	175	660	18,13
13846-100-01-14-28-30-32	Toolox 44	20,00	235	680	25,09
13846-100-01-14-28-30-33	Toolox 44	20,00	151	485	11,50
13943-20-01	Toolox 44	20,00	2 060	5 795	1 874,22
12906-10-01-44	Toolox 44	0,00	0	0	0,00
13546-20-01-4-10	Toolox 44	50,00	90	166	5,86
13546-20-01-4-12	Toolox 44	50,00	90	165	5,83
13546-20-01-4-5	Toolox 44	50,00	91	152	5,43
13546-20-01-4-6	Toolox 44	50,00	89	168	5,87
13546-20-01-4-7	Toolox 44	50,00	90	169	5,97
13546-20-01-4-8	Toolox 44	50,00	90	167	5,90
13546-20-a1	Toolox 44	50,00	330	370	47,92
13546-20-a2	Toolox 44	0,00	0	0	0,00
13546-20-a2-2	Toolox 44	0,00	0	0	0,00
12313-25-01	Toolox 44	110,00	160	423	58,44
12313-25-01-10-12	Toolox 44	110,00	101	237	20,67
12313-25-01-11-12	Toolox 44	110,00	102	236	20,79
12313-25-01-14-15-16	Toolox 44	110,00	118	120	12,23
12313-25-01-15	Toolox 44	110,00	115	125	12,41
12313-25-01-8-9-10	Toolox 44	110,00	105	378	34,27
12313-25-01-9-11	Toolox 44	110,00	115	127	12,61
12313-25-01-9-12-13	Toolox 44	110,00	22	165	3,14
12313-25-01-9-12-16	Toolox 44	110,00	70	135	8,16
12857-30-01-2-3-4	Toolox 44	110,00	70	134	8,10
12857-30-01-2-4	Toolox 44	110,00	48	570	23,63

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12857-30-01-4-11	Toolox 44	110,00	114	215	21,16
12857-30-01-4-12-13-14	Toolox 44	110,00	40	580	20,03
12857-30-01-4-12-13-16-17	Toolox 44	110,00	67	121	7,00
12857-30-01-4-15-16-17	Toolox 44	110,00	47	135	5,48
12857-30-01-4-15-17	Toolox 44	110,00	21	375	6,80
12857-30-01-4-17-21-24	Toolox 44	110,00	150	150	19,43
12857-30-01-4-17-21-32	Toolox 44	110,00	40	280	9,67
12857-30-01-4-17-21-33	Toolox 44	110,00	110	126	11,97
12857-30-01-4-17-21-35-37	Toolox 44	110,00	55	155	7,36
12857-30-01-4-9-10	Toolox 44	110,00	89	115	8,84
12857-30-a1-2	Toolox 44	110,00	97	122	10,22
12857-30-a1-3	Toolox 44	110,00	140	185	22,37
12857-30-a2	Toolox 44	110,00	115	153	15,19
12857-30-a3	Toolox 44	110,00	109	160	15,06
13243-90-01-11-13	Toolox 44	110,00	70	430	25,99
13243-90-01-11-14	Toolox 44	110,00	65	165	9,26
13243-90-01-13-14	Toolox 44	110,00	134	135	15,62
13243-90-01-13-15	Toolox 44	110,00	120	135	13,99
13243-90-01-13-16	Toolox 44	0,00	0	0	0,00
13243-90-01-13-16-17	Toolox 44	110,00	118	280	28,53
13243-90-01-17	Toolox 44	110,00	215	488	90,60
13243-90-01-19	Toolox 44	0,00	0	0	0,00
13243-90-01-20-21	Toolox 44	110,00	36	433	13,46
13243-90-01-4-5-7-9	Toolox 44	110,00	87	320	24,04
13243-90-01-4-8-10	Toolox 44	110,00	45	125	4,86
13243-90-01-9-11	Toolox 44	110,00	92	150	11,92
13868-170-01	Toolox 44	110,00	937	4 110	3 325,40
	Toolox 44	0,00			
13929-50-01	Toolox 44	85,00	0	0	0,00
13929-50-01-5	Toolox 44	85,00	0	2 415	107,58
13929-50-02	Toolox 44	85,00	0	5 130	228,52
13929-50-03	Toolox 44	85,00	0	5 130	228,52
13929-50-04	Toolox 44	85,00	0	5 130	228,52
13929-50-05	Toolox 44	85,00	0	5 175	230,52
13846-180-05	Toolox 44	0,00	0	0	0,00
13846-180-06-8	Toolox 44	0,00	0	0	0,00
13846-180-06-8-9	Toolox 44	0,00	0	0	0,00
13846-180-07	Toolox 44	105,00	0	5 980	406,48
13846-180-11	Toolox 44	105,00	0	5 725	389,15
13879-10-01-3-5	Toolox 44	105,00	0	677	46,02
13879-10-02-4-5-6	Toolox 44	105,00	0	1 537	104,48
13879-10-03-4-5	Toolox 44	105,00	0	528	35,89
13879-10-07-8	Toolox 44	105,00	0	1 000	67,97
13879-10-08-9	Toolox 44	105,00	0	1 825	124,05

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13879-10-09-10	Toolox 44	105,00	0	1 545	105,02
13879-10-10-11	Toolox 44	105,00	0	1 545	105,02
13879-10-11-12	Toolox 44	105,00	0	1 545	105,02
13879-10-12-13-14	Toolox 44	105,00	0	1 545	105,02
13879-10-13-14	Toolox 44	105,00	0	1 545	105,02
13929-40-01-2-3	Toolox 44	105,00	0	1 545	105,02
13929-40-02-3	Toolox 44	105,00	0	1 540	104,68
13929-40-02-4-5-7	Toolox 44	105,00	0	1 535	104,34
13929-40-04-5	Toolox 44	105,00	0	1 540	104,68
13929-40-05-6	Toolox 44	105,00	0	1 540	104,68
13929-40-06-7	Toolox 44	105,00	0	980	66,61
13846-190-01	Toolox 44	125,00	0	4 570	440,25
13846-190-02	Toolox 44	125,00	0	4 570	440,25
13846-190-03-4-6	Toolox 44	125,00		0	0,00
13846-190-03-4-6-10-12	Toolox 44	125,00	0	160	15,41
x20221110-10-12-14-15-18	Toolox 44	161,00	0	1 300	207,76
x20221110-11	Toolox 44	161,00	0	4 070	650,44
x20221110-12	Toolox 44	161,00	0	4 430	707,97
x20221110-13	Toolox 44	161,00	0	105	16,78
13467-10-01-21	Toolox 33	0,00	0	0	0,00
13467-10-01-21-24	Toolox 33	12,00	360	517	17,53
13791-10-01-8	Toolox 33	12,00	53	760	3,79
13791-10-01-9	Toolox 33	12,00	53	760	3,79
13868-10-01	Toolox 33	12,00	2 070	5 800	1 130,97
10405-20-01-23	Toolox33	43,00	148	158	7,89
10588-10-01-26-28	Toolox33	43,00	29	442	4,33
10588-10-01-28-31	Toolox33	43,00	101	284	9,68
10690-20-01-13-15	Toolox33	43,00	104	296	10,39
10690-20-01-15-16-17-18-19	Toolox33	43,00	75	221	5,60
10289-10-01-12-44	Toolox33	66,00	34	205	3,61
10289-10-01-48-51	Toolox33	66,00	85	86	3,79
66102-1	Toolox33	66,00	32	509	8,44
10583-30-01-17	Toolox 33	100,00	54	168	7,12
10583-30-01-18	Toolox 33	100,00	34	625	16,68
10825-40-01-20-21	Toolox 33	100,00	79	150	9,30
10975-60-01-12-13-16	Toolox 33	100,00	75	570	33,56
11444-20-01-11	Toolox 33	100,00	80	410	25,75
11876-20-01-2-3-4	Toolox 33	100,00	90	290	20,49
11876-20-01-2-4-7	Toolox 33	100,00	84	1 245	82,10
12079-50-01-16	Toolox 33	100,00	70	365	20,06
12079-50-01-19-20	Toolox 33	100,00	95	185	13,80
12079-50-01-19-21	Toolox 33	100,00	95	185	13,80
12079-50-01-19-22	Toolox 33	100,00	95	185	13,80
12438-50-01-12	Toolox 33	100,00	83	120	7,82

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12438-50-01-13-16	Toolox 33	100,00	60	200	9,42
12438-50-01-21-22	Toolox 33	100,00	78	460	28,17
12438-50-01-24	Toolox 33	100,00	106	187	15,56
12438-50-01-26	Toolox 33	100,00	105	187	15,41
12438-50-01-28	Toolox 33	100,00	70	162	8,90
12438-50-01-6-11-13-14	Toolox 33	100,00	45	704	24,87
12438-50-01-6-11-13-17	Toolox 33	100,00	125	155	15,21
12438-50-01-6-11-14-16	Toolox 33	100,00	57	196	8,77
12438-50-01-6-11-14-17	Toolox 33	100,00	59	196	9,08
12438-50-01-6-8	Toolox 33	100,00	55	560	24,18
12692-10-01-2-3	Toolox 33	100,00	127	155	15,45
12692-10-01-2-5	Toolox 33	100,00	125	154	15,11
12692-10-01-3-8	Toolox 33	100,00	51	198	7,93
12692-10-01-8-10-11-14	Toolox 33	100,00	65	145	7,40
12692-10-01-8-12-16-18	Toolox 33	100,00	99	110	8,55
12970-10-01-2-3	Toolox 33	100,00	45	107	3,78
12970-10-01-4-6	Toolox 33	100,00	108	138	11,70
12970-10-01-8-10-11-16-17	Toolox 33	100,00	133	162	16,91
12970-10-01-8-10-11-16-19	Toolox 33	100,00	77	430	25,99
12970-10-01-8-9-14-15	Toolox 33	100,00	90	564	39,85
12970-10-a2-1-4	Toolox 33	100,00	62	160	7,79
12970-10-a2-3-5-6	Toolox 33	100,00	44	212	7,32
12970-10-a2-3-5-9-12	Toolox 33	100,00	101	140	11,10
12970-10-a2-3-7	Toolox 33	100,00	34	220	5,87
12970-10-a3	Toolox 33	100,00	100	100	7,85
12970-10-a4	Toolox 33	100,00	99	100	7,77
12970-10-a5	Toolox 33	100,00	99	100	7,77
12970-10-a6	Toolox 33	100,00	99	100	7,77
12970-10-a7	Toolox 33	100,00	99	100	7,77
12970-10-a8	Toolox 33	100,00	99	100	7,77
13048-40-01-10-11	Toolox 33	100,00	55	157	6,78
13048-40-01-13-17-19	Toolox 33	100,00	102	165	13,21
13048-40-01-13-20-21-22-24	Toolox 33	100,00	70	630	34,62
13048-40-01-13-20-21-23	Toolox 33	100,00	35	364	10,00
13048-40-01-13-24	Toolox 33	100,00	92	493	35,60
13048-40-01-13-25-26	Toolox 33	100,00	155	180	21,90
13048-40-01-2-3-4	Toolox 33	100,00	135	210	22,26
13048-40-01-2-4	Toolox 33	100,00	67	580	30,51
13048-40-01-2-6-7-9	Toolox 33	100,00	60	162	7,63
13048-40-01-2-6-9	Toolox 33	100,00	64	580	29,14
13048-40-a1-1	Toolox 33	100,00	140	445	48,91
13048-40-a1-3-6-7-8-10	Toolox 33	100,00	72	490	27,70
13243-40-01-5	Toolox 33	35,00	80	290	6,37
13243-40-01-7-8	Toolox 33	100,00	110	155	13,38

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13243-40-01-9-12-13	Toolox 33	100,00	35	245	6,73
13243-40-01-9-16-18	Toolox 33	100,00	34	210	5,61
13243-40-01-9-16-20-24-27	Toolox 33	0,00	0	0	0,00
13243-40-01-9-21-22	Toolox 33	100,00	70	210	11,54
13243-40-a3-2-4-6	Toolox 33	100,00	108	253	21,45
13243-40-a3-2-5-6-8	Toolox 33	100,00	180	180	25,43
13243-40-a3-2-5-6-9	Toolox 33	100,00	58	246	11,20
13243-40-a3-2-5-7	Toolox 33	100,00	115	147	13,27
13532-20-01-2-5-7	Toolox 33	100,00	95	400	29,83
13532-20-01-4-10	Toolox 33	100,00	124	162	15,77
13532-20-01-4-12-15-18-20	Toolox 33	100,00	98	230	17,69
13532-20-01-4-12-15-20	Toolox 33	100,00	183	355	51,00
13532-20-01-4-12-16-17	Toolox 33	100,00	77	207	12,51
13532-20-01-4-12-17	Toolox 33	100,00	33	1 230	31,86
13532-20-01-4-12-19-22	Toolox 33	100,00	109	164	14,03
13532-20-01-4-9	Toolox 33	100,00	81	1 198	76,18
13532-20-a10	Toolox 33	100,00	150	350	41,21
13532-20-a2	Toolox 33	100,00	70	150	8,24
13532-20-a3	Toolox 33	100,00	45	570	20,14
13532-20-a4	Toolox 33	100,00	124	150	14,60
13532-20-a6-2-5	Toolox 33	100,00	108	210	17,80
13532-20-a6-3	Toolox 33	0,00	0	0	0,00
13532-20-a6-4	Toolox 33	100,00	155	210	25,55
13532-20-a7	Toolox 33	100,00	159	167	20,84
13532-20-a8	Toolox 33	100,00	45	305	10,77
13532-20-a9	Toolox 33	100,00	93	169	12,34
13675-70-01-6	Toolox 33	0,00	0	0	0,00
13675-70-01-6-10-11	Toolox 33	100,00	580	870	396,11
13675-70-01-6-10-12	Toolox 33	100,00	583	1 445	661,31
13675-70-01-6-10-13	Toolox 33	100,00	131	165	16,97
13675-70-01-6-10-14	Toolox 33	100,00	1 680	2 235	2 947,52
13675-70-01-7	Toolox 33	0,00	0	0	0,00
13675-70-01-7-10	Toolox 33	100,00	140	210	23,08
13675-70-01-7-9	Toolox 33	100,00	140	210	23,08
13675-70-01-8	Toolox 33	100,00	133	250	26,10
13675-70-01-9	Toolox 33	100,00	133	267	27,88
13868-80-01-11-13	Toolox 33	0,00	0	0	0,00
13868-80-01-11-14-17-18-19	Toolox 33	0,00	0	0	0,00
13868-80-01-11-14-17-18-21	Toolox 33	100,00	76	207	12,35
13868-80-01-11-14-17-19	Toolox 33	100,00	126	535	52,92
13846-60-01-2-4-6	Toolox 33	50,00	152	287	17,12
13846-60-01-2-5-7	Toolox 33	50,00	286	417	46,81
13846-60-01-3-6-9	Toolox 33	50,00	145	853	48,55
13868-50-01-3-6-8	Toolox 33	0,00	0	0	0,00

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13868-50-02-4	Toolox 33	0,00	0	0	0,00
13868-50-02-7-9	Toolox 33	0,00	0	0	0,00
13868-50-02-7-9-10	Toolox 33	50,00	140	475	26,10
13868-50-03-10-11-12	Toolox 33	50,00	110	440	19,00
13868-50-03-10-11-13-14	Toolox 33	0,00	0	0	0,00
13868-50-03-10-11-13-16	Toolox 33	0,00	0	0	0,00
13868-50-03-4-5	Toolox 33	50,00	320	755	94,83
13868-50-03-4-6	Toolox 33	50,00	263	2 080	214,71
13868-50-03-9-11-13	Toolox 33	50,00	105	390	16,07
13868-50-03-9-11-14	Toolox 33	50,00	105	382	15,74
13868-50-03-9-11-15	Toolox 33	50,00	105	375	15,46
13868-50-03-9-11-16	Toolox 33	50,00	105	380	15,66
13868-50-03-9-11-17	Toolox 33	50,00	45	380	6,71
13868-50-a1	Toolox 33	50,00	1 295	2 080	1 057,24
14019-70-01	Toolox 33	50,00	1 040	5 480	2 236,94
14019-70-02-3-5	Toolox 33	50,00	605	710	168,60
14019-70-02-7	Toolox 33	50,00	162	1 155	73,44
14019-70-02-9	Toolox 33	50,00	2 050	2 355	1 894,89
x108	Toolox 33	50,00	43	480	8,10
X231	Toolox 33	50,00	27	1 303	13,81
019760	Toolox33	64,00	108	135	7,33
018793	Toolox 33	90,00	61	230	9,91
023365-1	Toolox 33	90,00	56	149	5,90
023526	Toolox 33	90,00	90	90	5,72
10371-90-01-45-55-77	Toolox 33	90,00	34	224	5,38
10690-40-01-17	Toolox 33	90,00	45	700	22,26
11022-30-01-6-8	Toolox 33	90,00	102	160	11,53
11022-30-01-6-9	Toolox 33	90,00	120	160	13,57
11354-10-01-2-4-6	Toolox 33	90,00	35	307	7,59
11354-10-01-5-6	Toolox 33	90,00	30	806	17,08
11354-10-01-5-9	Toolox 33	90,00	52	304	11,17
11614-40-01-4-11-14-15-16	Toolox 33	90,00	102	165	11,89
11614-40-01-6	Toolox 33	90,00	48	276	9,36
12079-40-01-2-16	Toolox 33	90,00	49	266	9,21
12079-40-01-3-13	Toolox 33	90,00	72	164	8,34
12079-40-01-3-13-15	Toolox 33	90,00	45	482	15,32
12079-40-01-3-6-9-10	Toolox 33	90,00	101	155	11,06
12438-40-01-21	Toolox 33	90,00	45	726	23,08
12438-40-01-3-4-6-7	Toolox 33	90,00	100	114	8,05
12438-40-01-3-4-8	Toolox 33	90,00	82	110	6,37
12733-50-01-2-11-13	Toolox 33	90,00	19	726	9,75
12733-50-01-2-16-17-19	Toolox 33	90,00	48	2 090	70,88
12733-50-01-2-16-18	Toolox 33	90,00	34	460	11,05
12733-50-01-2-19-22	Toolox 33	90,00	42	662	19,64

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12733-50-01-2-21-22-23	Toolox 33	90,00	68	254	12,20
12733-50-01-2-6-8-9-10-12	Toolox 33	90,00	74	336	17,57
12733-50-a2	Toolox 33	90,00	69	248	12,09
12733-50-a4-1-2-5	Toolox 33	90,00	48	1 590	53,92
12733-50-a5	Toolox 33	90,00	88	195	12,12
13022-10-01-10-13-14-16-18	Toolox 33	90,00	142	250	25,08
13022-10-01-12-14-18-20-22	Toolox 33	90,00	110	352	27,36
13022-10-01-12-14-22-25-27	Toolox 33	0,00	0	0	0,00
13022-10-01-8	Toolox 33	90,00	100	243	17,17
13022-10-01-9-10	Toolox 33	90,00	30	1 272	26,96
13022-10-01-9-12-13-14	Toolox 33	90,00	82	209	12,11
13022-10-01-9-12-15	Toolox 33	90,00	65	250	11,48
13022-10-a1-2	Toolox 33	90,00	65	213	9,78
13243-30-01-2-3-4	Toolox 33	90,00	70	207	10,24
13243-30-01-2-3-5	Toolox 33	90,00	45	207	6,58
13243-30-01-2-5-6-8	Toolox 33	90,00	45	435	13,83
13243-30-01-2-5-6-9	Toolox 33	90,00	33	443	10,33
13243-30-01-4-6	Toolox 33	90,00	88	481	29,91
13243-30-01-5	Toolox 33	90,00	50	1 005	35,50
13243-30-01-6	Toolox 33	90,00	48	1 000	33,91
13243-30-01-8	Toolox 33	90,00	47	998	33,14
13447-20-01-2-5-6-8	Toolox 33	0,00	0	0	0,00
13447-20-01-2-5-6-8-10	Toolox 33	90,00	131	445	41,19
13447-20-01-3-4	Toolox 33	90,00	150	315	33,38
13447-20-01-5-7-9	Toolox 33	90,00	57	313	12,61
13447-20-01-6-11-13	Toolox 33	90,00	40	690	19,50
13447-20-01-6-11-15	Toolox 33	90,00	30	691	14,65
13447-20-01-6-12-15-17	Toolox 33	90,00	100	165	11,66
13447-20-01-6-12-15-18	Toolox 33	90,00	100	165	11,66
13447-20-01-6-8-10	Toolox 33	90,00	73	403	20,79
13447-20-a1	Toolox 33	0,00			
13447-20-a2	Toolox 33	0,00			
13846-90-01-3	Toolox 33	90,00	70	794	39,27
13846-90-01-4	Toolox 33	90,00	70	794	39,27
13846-90-01-5	Toolox 33	90,00	70	794	39,27
13846-90-01-6	Toolox 33	90,00	70	794	39,27
13846-90-01-7-8-9-12	Toolox 33	90,00	165	705	82,18
13846-90-01-8-10	Toolox 33	90,00	145	165	16,90
13846-90-01-8-11	Toolox 33	90,00	145	165	16,90
13846-90-01-8-9-11	Toolox 33	0,00	0	0	0,00
13846-90-01-8-9-11-13	Toolox 33	90,00	173	1 105	135,06
13846-90-01-8-9-11-14	Toolox 33	90,00	685	2 565	1 241,34
90453	Toolox 33	90,00	45	312	9,92
99950	Toolox 33	90,00	42	137	4,07

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
99950-1	Toolox 33	90,00	47	725	24,07
x111-1	Toolox 33	90,00	65	593	27,23
x114	Toolox 33	90,00	64	175	7,91
X242-1	Toolox 33	90,00	63	283	12,60
023404	Toolox 33	120,00	77	1 005	72,90
023609	Toolox 33	120,00	40	170	6,41
023610	Toolox 33	120,00	40	171	6,44
023647	Toolox 33	120,00	49	710	32,77
023678	Toolox 33	120,00	106	187	18,67
023756	Toolox 33	120,00	65	603	36,92
023756-4	Toolox 33	120,00	30	1 245	35,18
023756-8	Toolox 33	120,00	38	651	23,30
023765	Toolox 33	120,00	85	110	8,81
10330-60-01-22-33	Toolox 33	120,00	45	290	12,29
10330-60-01-34-45	Toolox 33	120,00	29	301	8,22
10330-60-01-56	Toolox 33	120,00	69	165	10,73
10330-60-01-67	Toolox 33	120,00	70	162	10,68
10564-60-01-55	Toolox 33	120,00	63	285	16,91
10623-20-01	Toolox 33	120,00	60	285	16,11
10623-20-01-11-13	Toolox 33	120,00	42	870	34,42
10623-20-01-12	Toolox 33	120,00	20	793	14,94
10623-20-01-15	Toolox 33	120,00	50	425	20,02
10623-20-01-2-4	Toolox 33	120,00	65	670	41,02
10623-20-01-2-7	Toolox 33	120,00	40	350	13,19
10623-20-01-4	Toolox 33	120,00	87	340	27,86
10943-10-01-15-17-19	Toolox 33	120,00	45	202	8,56
11328-10-01-10-13-14-16	Toolox 33	120,00	151	160	22,76
11328-10-01-11-12-14	Toolox 33	120,00	42	875	34,62
11328-10-01-11-12-15	Toolox 33	120,00	50	365	17,19
11328-10-01-11-12-16	Toolox 33	120,00	50	365	17,19
11328-10-01-11-12-17	Toolox 33	120,00	55	365	18,91
11328-10-01-12-15	Toolox 33	120,00	58	270	14,75
11328-10-01-3-7	Toolox 33	120,00	43	490	19,85
11328-10-01-3-9-10-11-12	Toolox 33	120,00	56	237	12,50
11641-10-01-2-3-4-5	Toolox 33	120,00	110	266	27,56
11641-10-01-2-3-4-6	Toolox 33	120,00	110	267	27,67
11641-10-01-2-3-4-7	Toolox 33	120,00	110	269	27,87
11641-10-01-2-3-4-8-10	Toolox 33	120,00	105	271	26,81
11641-10-01-2-3-4-8-11	Toolox 33	120,00	105	270	26,71
11641-10-01-2-3-4-8-12	Toolox 33	120,00	105	269	26,61
11641-10-01-2-3-4-8-9-11	Toolox 33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-12	Toolox 33	120,00	110	270	27,98
11641-10-01-2-3-4-8-9-13	Toolox 33	120,00	110	270	27,98
11641-10-01-3-4	Toolox 33	120,00	44	320	13,26

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11641-10-a1-2-4	Toolox 33	120,00	65	515	31,53
11641-10-a1-2-7-9	Toolox 33	120,00	80	168	12,66
11641-10-a2	Toolox 33	120,00	106	273	27,26
11641-10-a3	Toolox 33	120,00	105	272	26,90
11641-10-a4	Toolox 33	120,00	106	275	27,46
12057-1	Toolox 33	120,00	57	852	45,75
12489-10-01-2-15	Toolox 33	120,00	45	500	21,20
12489-10-01-2-15-16	Toolox 33	120,00	70	455	30,00
12489-10-01-2-16-18	Toolox 33	120,00	102	148	14,22
12489-10-01-3-5	Toolox 33	120,00	21	355	7,02
12489-10-01-3-7	Toolox 33	120,00	84	231	18,28
12489-10-01-4	Toolox 33	120,00	62	711	41,53
12539-20-01-3-6	Toolox 33	120,00	55	285	14,77
12539-20-01-3-8	Toolox 33	120,00	47	937	41,49
12539-20-01-8-11-13	Toolox 33	120,00	105	160	15,83
12539-20-01-8-15-18	Toolox 33	120,00	45	406	17,21
12539-20-01-8-15-19	Toolox 33	120,00	46	406	17,59
12539-20-01-8-17-19	Toolox 33	120,00	52	282	13,81
12539-20-01-8-9-11-12	Toolox 33	120,00	60	580	32,78
12539-20-01-8-9-11-15	Toolox 33	120,00	91	215	18,43
12857-40-01-2-4-6	Toolox 33	120,00	94	685	60,66
12857-40-01-2-4-7	Toolox 33	120,00	65	255	15,61
12857-40-01-2-6-10-14-17	Toolox 33	120,00	57	236	12,67
12857-40-01-2-6-8-10	Toolox 33	35,00	105	158	4,56
12857-40-01-2-6-8-11	Toolox 33	35,00	105	157	4,53
12857-40-01-3-4	Toolox 33	120,00	37	395	13,77
12857-40-a2-1-10	Toolox 33	120,00	32	205	6,18
12857-40-a2-1-8	Toolox 33	120,00	159	262	39,24
12857-40-a2-1-9	Toolox 33	120,00	72	322	21,84
12857-40-a2-3	Toolox 33	120,00	29	555	15,16
12857-40-a3-1	Toolox 33	120,00	100	255	24,02
13243-70-01-4	Toolox 33	120,00	110	140	14,51
13243-70-01-8-10-14-15-17	Toolox 33	120,00	75	299	21,12
13243-70-01-8-10-14-17	Toolox 33	120,00	50	322	15,17
13243-70-01-8-10-15	Toolox 33	120,00	57	316	16,97
13243-70-a2	Toolox 33	120,00	38	332	11,88
13243-70-a3-2	Toolox 33	120,00	60	627	35,44
13243-70-a5-3-5	Toolox 33	120,00	50	273	12,86
13243-70-a5-3-6	Toolox 33	120,00	215	305	61,77
13243-70-a5-5-7-9	Toolox 33	120,00	220	734	152,11
13243-70-a5-5-8-10	Toolox 33	120,00	178	372	62,38
13243-70-a5-6	Toolox 33	120,00	222	231	48,31
13243-70-a5-7	Toolox 33	120,00	75	470	33,21
13243-70-a6-1-3	Toolox 33	120,00	100	685	64,53

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13243-70-a6-3-5-6	Toolox 33	120,00	80	238	17,94
13243-70-a7	Toolox 33	120,00	190	395	70,70
13243-70-a9	Toolox 33	120,00	95	183	16,38
13532-30-01-4-6	Toolox 33	120,00	170	625	100,09
13532-30-01-4-7	Toolox 33	120,00	146	155	21,32
13532-30-01-5-10-12-13	Toolox 33	120,00	345	390	126,75
13532-30-01-5-10-13	Toolox 33	120,00	345	380	123,50
13532-30-01-5-7	Toolox 33	120,00	67	1 085	68,48
13868-110-01	Toolox 33	0,00	0	0	0,00
13868-110-01-3	Toolox 33	120,00	1 100	3 485	3 611,16
13868-110-01-4	Toolox 33	120,00	440	1 100	455,93
13868-110-01-5	Toolox 33	120,00	330	357	110,98
x109	Toolox 33	120,00	38	137	4,90
13675-100-01	Toolox44	10,00	2 075	2 784	453,48
13396-20-a1-2	Toolox44	0,00	0	0	0,00
13718-50-01-4-6-8-9	Toolox44	25,00	164	174	5,60
13718-50-01-4-7	Toolox44	25,00	70	500	6,87
13718-50-01-5-8	Toolox44	25,00	435	585	49,94
14102-50-01	Toolox44	25,00	2 090	5 790	2 374,84
	Toolox 44	0,00			
	Toolox 44	0,00			
	Toolox 44	0,00			
14019-40-01	Toolox 44	111,00	0	5 000	379,82
14019-40-02	Toolox 44	111,00	0	5 000	379,82
x20221109-2	Toolox 44	111,00	0	985	74,82
x20221109-3	Toolox 44	111,00	0	984	74,75
x20221109-4	Toolox 44	111,00	0	984	74,75
x20221109-5-7	Toolox 44	111,00	0	30	2,28
x20221109-5-7-9	Toolox 44	111,00	0	101	7,67
x20221109-6	Toolox 44	111,00	0	38	2,89
	Toolox 44	0,00			
17112022-1	Toolox 44	182,00		0	0,00
17112022-1-2	Toolox 44	182,00	0	3 685	752,56
17112022-a1	Toolox 44	182,00	0	2 952	602,86
x20221111	Toolox 44	182,00		10 000	2 042,22
x20221111	Toolox 44	0,00			
	Toolox 44	0,00			
13868-80-01-11-15-17-20	Toolox 33	100,00	145	209	23,79
13868-80-01-11-15-17-21	Toolox 33	100,00	150	209	24,61
13868-80-01-11-15-17-22	Toolox 33	100,00	145	211	24,02
13868-80-01-11-15-18-22	Toolox 33	100,00	80	1 015	63,74
13868-80-01-11-15-18-23	Toolox 33	100,00	115	165	14,90
13868-80-01-11-15-21	Toolox 33	100,00	185	245	35,58
13868-80-01-4	Toolox 33	100,00	70	244	13,41

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13868-80-01-5	Toolox 33	100,00	37	345	10,02
13868-80-01-6-8-10	Toolox 33	65,00	100	211	10,77
13868-80-01-6-8-11	Toolox 33	70,00	100	211	11,59
13868-80-01-6-8-12	Toolox 33	0,00	0	0	0,00
13868-80-01-6-9	Toolox 33	100,00	73	351	20,11
13868-80-01-7-10-11	Toolox 33	100,00	95	209	15,59
13868-80-01-7-9-12	Toolox 33	0,00	0	0	0,00
13868-80-a1	Toolox 33	100,00	331	378	98,22
X193	Toolox 33	100,00	45	224	7,91
021584	Toolox33	125,00	40	1 090	42,78
021585	Toolox33	125,00	51	183	9,16
021645	Toolox33	95,00	125	150	13,98
021653	Toolox33	125,00	38	1 302	48,55
021761-1	Toolox33	44,00	125	322	13,90
021761-3-4	Toolox33	31,00	125	698	21,23
022665	Toolox33	0,00	0	0	0,00
023121	Toolox33	125,00	38	132	4,92
023303	Toolox33	125,00	160	160	25,12
023304	Toolox33	125,00	75	345	25,39
023339	Toolox33	125,00	73	160	11,46
023529	Toolox33	125,00	75	130	9,57
12545	Toolox33	125,00	45	160	7,07
13868-180-01	Toolox44	12,00	2 070	5 510	1 074,42
13546-10-01-12-15-19-21	Toolox 44	30,00	250	1 260	74,18
13546-10-01-9-11-14-17	Toolox 44	30,00	71	318	5,32
13868-140-01	Toolox 44	30,00	2 085	5 800	2 847,90
021847	Toolox 44	60,00	104	112	5,49
023864	Toolox 44	60,00	91	113	4,84
023864-1	Toolox 44	60,00	77	103	3,74
10466-20-01-44	Toolox 44	60,00	37	185	3,22
10466-20-01-44-56	Toolox 44	60,00	42	347	6,86
10564-70-01-10-16-17	Toolox 44	60,00	140	200	13,19
10803-10-01-25	Toolox 44	60,00	108	114	5,80
10996-10-01-10-12	Toolox 44	60,00	98	98	4,52
10996-10-01-15	Toolox 44	60,00	146	190	13,07
10996-10-01-24	Toolox 44	60,00	93	112	4,91
10996-10-01-27-29	Toolox 44	60,00	143	167	11,25
11168-10-01-12	Toolox 44	60,00	50	285	6,71
11317-10-01-11	Toolox 44	60,00	134	311	19,63
11340-10-01-12	Toolox 44	60,00	55	308	7,98
11340-10-01-22-23	Toolox 44	60,00	146	215	14,79
11340-10-01-26-29	Toolox 44	60,00	29	302	4,13
12247-40-01-14-15-21	Toolox 44	60,00	66	407	12,65
12247-40-01-14-15-22-23-25	Toolox 44	60,00	65	426	13,04

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12247-40-01-14-15-22-23-26	Toolox 44	60,00	45	428	9,07
12247-40-01-14-15-22-24	Toolox 44	60,00	302	610	86,77
12247-40-01-14-15-22-25	Toolox 44	60,00	31	183	2,67
12582-20-01-3-10	Toolox 44	60,00	61	96	2,76
12582-20-01-3-11	Toolox 44	60,00	61	101	2,90
12582-20-01-3-7	Toolox 44	60,00	61	136	3,91
12582-20-01-3-8	Toolox 44	60,00	61	111	3,19
12582-20-01-3-9	Toolox 44	60,00	61	86	2,47
12678-50-01-17	Toolox 44	60,00	101	345	16,41
12906-5-01-6-14-16	Toolox 44	60,00	98	224	10,34
12906-5-01-6-15-18	Toolox 44	60,00	55	350	9,07
12906-5-01-6-20-22-24	Toolox 44	60,00	95	435	19,46
12906-5-01-6-9-10-11	Toolox 44	60,00	41	107	2,07
13232-50-01-12-13-15-16	Toolox 44	60,00	107	109	5,49
13232-50-01-12-14	Toolox 44	60,00	105	108	5,34
13232-50-01-14-16	Toolox 44	60,00	150	220	15,54
13232-50-01-14-18	Toolox 44	60,00	60	220	6,22
13232-50-01-15-17	Toolox 44	60,00	150	201	14,20
13232-50-01-17-18	Toolox 44	60,00	145	200	13,66
13232-50-01-17-19	Toolox 44	60,00	45	240	5,09
13232-50-01-18-19	Toolox 44	60,00	41	224	4,33
13232-50-01-19-20	Toolox 44	60,00	50	708	16,67
13232-50-01-32-34	Toolox 44	60,00	58	240	6,56
13232-50-01-32-35	Toolox 44	60,00	58	245	6,69
13232-50-01-32-36	Toolox 44	60,00	75	125	4,42
13532-40-01-12-13	Toolox 44	59,00	60	139	3,86
13532-40-01-21-23-25-26	Toolox 44	60,00	75	220	7,77
13532-40-01-21-24	Toolox 44	60,00	210	545	53,91
13532-40-01-21-24-25	Toolox 44	60,00	138	312	20,28
13532-40-01-21-24-26	Toolox 44	60,00	96	406	18,36
13532-40-01-21-25	Toolox 44	0,00	0	0	0,00
13532-40-01-21-25-26	Toolox 44	60,00	104	400	19,59
13532-40-01-21-25-27	Toolox 44	60,00	75	197	6,96
13532-40-01-23	Toolox 44	60,00	150	245	17,31
13532-40-01-24-28	Toolox 44	60,00	100	202	9,51
60351-1-2	Toolox 44	60,00	136	160	10,25
60351-5	Toolox 44	60,00	60	210	5,94
91100-1	Toolox 44	60,00	48	206	4,66
91100-1-3	Toolox 44	60,00	49	206	4,75
91100-1-4	Toolox 44	60,00	49	206	4,75
91102-1	Toolox 44	60,00	55	140	3,63
91105	Toolox 44	60,00	60	380	10,74
x167	Toolox 44	60,00	191	203	18,26
X197	Toolox 44	60,00	35	353	5,82

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
X204	Toolox 44	60,00	60	210	5,94
X208-1	Toolox 44	60,00	130	465	28,47
Ö100-4-5	Toolox 44	60,00	73	174	5,98
Ö101-2-3	Toolox 44	60,00	107	132	6,65
Ö101-2-5	Toolox 44	60,00	106	132	6,59
	Toolox 44	0,00			
	Toolox 44	0,00			
	Toolox 44	0,00			
13929-30-04	Toolox 44	115,00	0	5 225	426,03
13929-30-05	Toolox 44	115,00	0	5 225	426,03
13929-30-06	Toolox 44	115,00	0	5 225	426,03
13929-30-07	Toolox 44	115,00	0	3 060	249,50
	Toolox 44	0,00			
	Toolox 44	0,00			
	Toolox 44	0,00			
13074-10-01-3-7	Toolox 44	403,00	0	62	62,08
13074-10-01-3-8	Toolox 44	403,00	0	1 990	1 992,61
x20201020	Toolox 44	0,00			
10975-50-01-3-9	Toolox 33	60,00	35	677	11,16
11075-10-01-3	Toolox 33	60,00	45	178	3,77
11865-30-01-10-11-12-13-19	Toolox 33	60,00	112	122	6,44
11865-30-01-10-11-12-13-20	Toolox 33	60,00	112	122	6,44
12108-50-01-14-15-18-20	Toolox 33	60,00	106	130	6,49
12108-50-02-5-6-11-23-24	Toolox 33	60,00	37	200	3,49
12108-50-02-5-6-11-24-25	Toolox 33	60,00	50	188	4,43
12108-50-a1	Toolox 33	60,00	68	190	6,09
12152-50-02-5-15	Toolox 33	60,00	89	545	22,85
12539-10-01-14-20-22	Toolox 33	42,00	45	411	6,10
12733-30-a3	Toolox 33	60,00	40	326	6,14
12765-10-01-12-13-14-15-17	Toolox 33	60,00	85	165	6,61
12765-10-01-13-19-21	Toolox 33	60,00	49	365	8,42
12765-20-01-23-25-27	Toolox 33	60,00	76	80	2,86
12765-20-01-24-27-33	Toolox 33	60,00	71	125	4,18
12765-20-01-4-7-10	Toolox 33	60,00	90	185	7,84
12765-20-01-4-7-11	Toolox 33	60,00	90	185	7,84
12765-20-01-4-7-12	Toolox 33	60,00	90	185	7,84
12765-20-01-4-7-13	Toolox 33	60,00	90	185	7,84
12765-20-01-4-7-14	Toolox 33	60,00	90	185	7,84
12765-20-01-4-7-15	Toolox 33	60,00	43	520	10,53
12765-20-01-4-7-8	Toolox 33	60,00	90	185	7,84
12765-20-01-4-7-9-11	Toolox 33	60,00	90	185	7,84
12947-60-01-8-14	Toolox 33	60,00	41	762	14,72
12947-60-01-8-17	Toolox 33	60,00	48	348	7,87
12947-60-01-9-12-13-14	Toolox 33	60,00	124	139	8,12

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12947-60-01-9-16	Toolox 33	60,00	68	378	12,11
12947-60-a1-1	Toolox 33	60,00	95	150	6,71
12947-60-a1-2	Toolox 33	60,00	69	234	7,61
13168-50-01-3-5-13-14-17	Toolox 33	60,00	57	320	8,59
13168-50-01-3-5-13-16-17	Toolox 33	60,00	85	137	5,49
13168-50-01-3-5-13-16-18	Toolox 33	60,00	85	137	5,49
13168-50-01-3-5-9-12	Toolox 33	60,00	36	1 320	22,38
13168-50-a10	Toolox 33	0,00	0	0	0,00
13168-50-a12	Toolox 33	60,00	145	780	53,27
13168-50-a14	Toolox 33	60,00	68	1 390	44,52
13168-50-a16	Toolox 33	60,00	135	1 090	69,31
13168-50-a18-2	Toolox 33	60,00	95	1 300	58,17
13168-50-a20	Toolox 33	60,00	86	508	20,58
13168-50-a22	Toolox 33	60,00	86	508	20,58
13168-50-a24	Toolox 33	60,00	56	860	22,68
13168-50-a6	Toolox 33	60,00	97	315	14,39
13168-50-a7-1	Toolox 33	60,00	97	315	14,39
13168-50-a8	Toolox 33	60,00	97	315	14,39
13168-50-a9	Toolox 33	60,00	97	315	14,39
13232-10-01-10	Toolox 33	60,00	96	135	6,10
13232-10-01-14	Toolox 33	60,00	83	225	8,80
13232-10-01-18-22-26-28	Toolox 33	60,00	350	402	66,27
13232-10-a1	Toolox 33	60,00	59	286	7,95
13232-10-a3-2	Toolox 33	60,00	88	223	9,24
13243-10-01-19-20	Toolox 33	60,00	50	210	4,95
13243-10-01-19-21	Toolox 33	60,00	50	249	5,86
13243-10-01-20-22	Toolox 33	60,00	160	165	12,43
13243-10-01-22-23-27-28	Toolox 33	60,00	66	205	6,37
13243-10-01-22-24-26-29-30	Toolox 33	60,00	142	147	9,83
13675-50-01-10-12	Toolox 33	60,00	150	750	52,99
13675-50-01-10-14-16	Toolox 33	60,00	90	205	8,69
13675-50-01-10-14-17	Toolox 33	60,00	90	205	8,69
13675-50-01-10-14-18	Toolox 33	60,00	89	205	8,59
13675-50-01-10-14-19	Toolox 33	60,00	89	190	7,97
13675-50-01-10-14-20	Toolox 33	60,00	85	195	7,81
13675-50-01-10-14-21-23-24	Toolox 33	60,00	255	1 026	123,23
13675-50-01-8-12-14-15-16	Toolox 33	60,00	126	750	44,51
13846-70-01-5-10	Toolox 33	60,00	276	732	95,16
13846-70-01-5-11	Toolox 33	60,00	190	473	42,33
13846-70-01-5-8	Toolox 33	60,00	1 075	4 335	2 194,92
13846-70-01-5-9	Toolox 33	0,00	0	0	0,00
13846-70-01-5-9-11	Toolox 33	60,00	275	476	61,65
13868-60-01-3-6	Toolox 33	60,00	99	485	22,62
13868-60-01-4-10	Toolox 33	60,00	89	253	10,61

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13868-60-01-4-11	Toolox 33	60,00	89	260	10,90
13868-60-01-4-12	Toolox 33	60,00	89	260	10,90
13868-60-01-4-13	Toolox 33	60,00	89	260	10,90
13868-60-01-4-14-16	Toolox 33	60,00	315	495	73,44
13868-60-01-4-7	Toolox 33	60,00	89	253	10,61
13868-60-01-4-9	Toolox 33	60,00	89	253	10,61
13868-60-a1	Toolox 33	60,00	600	650	183,69
13868-60-a2	Toolox 33	60,00	201	319	30,20
60452	Toolox 33	60,00	45	215	4,56
x125	Toolox 33	60,00	56	860	22,68
X188	Toolox 33	60,00	60	385	10,88
022861-9	Toolox 33	70,00	77	90	3,81
023949-8	Toolox 33	70,00	60	90	2,97
023953	Toolox 33	70,00	40	231	5,08
10249-20-01-56	Toolox 33	70,00	37	212	4,31
10330-40-01	Toolox 33	70,00	15	719	5,93
10330-40-01-33	Toolox 33	70,00	48	905	23,87
10330-40-01-45	Toolox 33	70,00	19	639	6,67
10495-20-01-11-12	Toolox 33	70,00	75	85	3,50
10564-40-01-11-14	Toolox 33	70,00	40	255	5,61
10803-30-01-14-20	Toolox 33	70,00	26	587	8,39
10803-30-01-7-9-12	Toolox 33	70,00	45	205	5,07
10915-10-01-20	Toolox 33	70,00	25	581	7,98
11160-30-01-15-17-19	Toolox 33	70,00	62	153	5,21
11160-30-01-29-30	Toolox 33	70,00	31	158	2,69
11160-30-01-29-31	Toolox 33	70,00	45	201	4,97
11551-40-01-10-11-12-15-17	Toolox 33	70,00	36	206	4,08
12178-40-01-16-17	Toolox 33	70,00	52	635	18,14
12178-40-01-19-21	Toolox 33	70,00	75	192	7,91
12178-40-01-21-24	Toolox 33	70,00	56	475	14,62
12368-15-01-16	Toolox 33	70,00	81	106	4,72
12368-15-01-22-25-27	Toolox 33	70,00	68	438	16,37
12368-15-01-36-39-40-41	Toolox 33	70,00	34	237	4,43
12586-110-01-24-32-33	Toolox 33	70,00	38	252	5,26
12733-40-01-2-4-7	Toolox 33	70,00	88	142	6,87
12733-40-01-2-5-7-12	Toolox 33	70,00	47	567	14,64
12733-40-01-2-5-7-8-10	Toolox 33	70,00	60	172	5,67
12733-40-01-2-5-8-12-13	Toolox 33	70,00	34	372	6,95
12733-40-01-2-5-8-14-15-17	Toolox 33	70,00	30	2 595	42,78
12733-40-01-2-5-8-22-23	Toolox 33	70,00	23	628	7,94
12733-40-01-2-5-8-23-24-26	Toolox 33	70,00	32	915	16,09
12733-40-a1-1	Toolox 33	70,00	69	976	37,01
12906-50-01-20-22-24	Toolox 33	70,00	55	598	18,07
12906-50-01-20-22-25	Toolox 33	70,00	55	598	18,07

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12906-50-01-20-22-26	Toolox 33	70,00	55	600	18,13
13022-20-01-2-3-4-6	Toolox 33	70,00	54	655	19,44
13022-20-01-3-5	Toolox 33	70,00	70	106	4,08
13022-20-01-3-6	Toolox 33	70,00	70	106	4,08
13022-20-a1-1-4-6	Toolox 33	70,00	87	108	5,16
13022-20-a1-2	Toolox 33	70,00	48	240	6,33
13022-20-a5	Toolox 33	70,00	75	182	7,50
13022-20-a6-5-6-10	Toolox 33	70,00	50	90	2,47
13022-20-a6-5-6-11	Toolox 33	70,00	50	90	2,47
13022-20-a6-5-6-13	Toolox 33	70,00	50	90	2,47
13022-20-a6-5-6-7	Toolox 33	70,00	50	90	2,47
13022-20-a6-5-6-8	Toolox 33	70,00	50	90	2,47
13022-20-a6-5-6-9	Toolox 33	70,00	50	90	2,47
13232-20-01-10	Toolox 33	70,00	500	600	164,85
13232-20-01-11	Toolox 33	70,00	330	625	113,33
13232-20-01-5-8-11-12	Toolox 33	70,00	32	275	4,84
13232-20-01-5-8-9-11	Toolox 33	70,00	45	1 025	25,35
13232-20-a1-2-4	Toolox 33	70,00	100	123	6,76
13308-20-01-2-5-7	Toolox 33	0,00	0	0	0,00
13308-20-01-2-5-9	Toolox 33	70,00	38	662	13,82
13308-20-01-3-6-8-12-14	Toolox 33	70,00	40	240	5,28
13308-20-01-3-6-8-12-15	Toolox 33	70,00	70	240	9,23
13408-10-01-15-17-18	Toolox 33	70,00	66	805	29,20
13408-10-01-15-17-19	Toolox 33	70,00	66	805	29,20
13408-10-01-15-17-20	Toolox 33	70,00	2 060	2 060	2 331,86
13408-10-01-3-6-7-9	Toolox 33	70,00	196	890	95,86
13408-10-01-3-7-10-13	Toolox 33	70,00	115	300	18,96
13408-10-01-4-6	Toolox 33	33,00	70	1 840	33,37
13408-10-01-5-7-10	Toolox 33	70,00	13	1 230	8,79
13408-10-01-6-10-12	Toolox 33	70,00	134	863	63,55
13408-10-01-6-10-13	Toolox 33	70,00	134	865	63,69
13408-10-01-6-8	Toolox 33	70,00	57	504	15,79
13408-10-01-7-9-12-14	Toolox 33	70,00	157	189	16,31
13408-10-02-3-4-6-10-13-15	Toolox 33	70,00	86	635	30,01
13408-10-02-3-4-6-11	Toolox 33	70,00	80	205	9,01
13408-10-02-4-5-7-10-12	Toolox 33	70,00	90	240	11,87
13408-10-02-4-5-7-11	Toolox 33	70,00	87	560	26,77
13408-10-02-4-5-7-13	Toolox 33	70,00	87	560	26,77
13408-10-02-5-12	Toolox 33	70,00	107	297	17,46
13408-10-02-5-6	Toolox 33	70,00	64	406	14,28
13408-10-02-5-7	Toolox 33	70,00	64	406	14,28
13408-10-02-5-9-11-13-14	Toolox 33	70,00	62	384	13,08
13408-10-a2	Toolox 33	70,00	32	360	6,33
13408-10-a3	Toolox 33	70,00	113	603	37,44

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13408-10-a4-2	Toolox 33	70,00	210	465	53,66
13408-10-a4-4	Toolox 33	70,00	143	602	47,30
13430-15-01-5-7-8-12-15-17	Toolox 33	70,00	100	188	10,33
13430-15-01-5-7-8-12-18-19	Toolox 33	70,00	139	244	18,64
13430-15-01-5-7-8-12-18-21	Toolox 33	70,00	88	525	25,39
13430-15-01-6-8	Toolox 33	70,00	80	2 200	96,71
13430-15-01-7-8	Toolox 33	70,00	80	1 730	76,05
13430-15-a2-2	Toolox 33	70,00	120	155	10,22
13430-15-a3-2	Toolox 33	70,00	25	428	5,88
13430-15-a5-2-4-6	Toolox 33	70,00	220	385	46,54
13430-15-a5-2-5-7	Toolox 33	70,00	90	559	27,65
13430-15-a5-3-5	Toolox 33	0,00	0	0	0,00
13430-15-a6	Toolox 33	70,00	52	189	5,40
13430-15-a7-2	Toolox 33	70,00	163	346	30,99
13846-80-01-3	Toolox 33	70,00	105	602	34,73
13846-80-01-4-10	Toolox 33	70,00	113	312	19,37
13846-80-01-4-6-7	Toolox 33	70,00	142	577	45,02
13846-80-01-4-8	Toolox 33	70,00	114	315	19,73
13846-80-01-5-14	Toolox 33	70,00	73	544	21,82
13846-80-01-5-15-17	Toolox 33	70,00	200	265	29,12
13846-80-01-5-17-20	Toolox 33	70,00	66	1 470	53,31
13846-80-01-5-17-21	Toolox 33	70,00	105	263	15,17
13846-80-01-5-17-22	Toolox 33	70,00	105	263	15,17
13846-80-01-5-17-23	Toolox 33	70,00	105	263	15,17
13981-10-01-3-5	Toolox 33	70,00	160	263	23,12
13981-10-01-3-6	Toolox 33	70,00	160	263	23,12
14102-40-01	Toolox 33	70,00			
14102-40-01-3	Toolox 33	70,00	10	184	1,01
14102-40-01-3-4	Toolox 33	70,00	184	1 400	141,55
14102-40-01-3-6	Toolox 33	70,00	184	1 390	140,54
14102-40-01-6	Toolox 33	70,00	545	4 500	1 347,65
14102-40-01-7	Toolox 33	70,00	1 135	4 500	2 806,57
x104-1	Toolox 33	70,00	40	630	13,85
x126	Toolox 33	70,00	40	190	4,18
x132-2	Toolox 33	70,00	92	228	11,53
X176-2	Toolox 33	70,00	35	295	5,67
X233	Toolox 33	70,00	48	978	25,80
022829	Toolox 33	104,00	36	180	5,29
022993	Toolox 33	105,00	85	150	10,51
023725-1	Toolox 33	104,00	87	109	7,74
10144-20-01	Toolox 33	104,00	80	137	8,95
10144-20-01-34	Toolox 33	104,00	88	158	11,35
10183-20-01-12-13	Toolox 33	104,00	65	87	4,62
10183-20-01-44-78	Toolox 33	104,00	61	480	23,90

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10183-20-01-67	Toolox 33	104,00	64	322	16,82
10265-30-01	Toolox 33	104,00	60	115	5,63
10265-30-01-11-45-57	Toolox 33	104,00	33	213	5,74
10265-30-01-12	Toolox 33	46,00	46	1 260	20,93
10413	Toolox 33	104,00	135	150	16,53
10418	Toolox 33	55,00	57	850	20,92
10418-2	Toolox 33	45,00	55	485	9,42
10439	Toolox 33	104,00	44	1 046	37,57
10440-1	Toolox 33	104,00	40	215	7,02
10448-1	Toolox 33	104,00	48	365	14,30
10460-1	Toolox 33	104,00	60	370	18,12
10466-10-01	Toolox 33	105,00	10	519	4,28
10466-10-01-11-12-22	Toolox 33	105,00	56	787	36,33
10466-10-01-23	Toolox 33	100,00	115	152	13,72
10466-10-01-44	Toolox 33	104,00	89	387	28,12
10470-1	Toolox 33	104,00	70	173	9,89
10480-1	Toolox 33	104,00	80	240	15,68
10490	Toolox 33	104,00	90	90	6,61
10502-10-01-33	Toolox 33	105,00	49	442	17,85
10591-1	Toolox 33	105,00	91	160	12,00
10702-30-01-10-15	Toolox 33	105,00	42	145	5,02
10702-30-01-13-15	Toolox 33	104,00	90	120	8,82
10702-30-01-13-16	Toolox 33	104,00	90	165	12,12
10702-30-01-13-18	Toolox 33	105,00	90	110	8,16
10702-30-01-13-22	Toolox 33	105,00	136	153	17,15
10857-10-01-13-16-17	Toolox 33	105,00	130	167	17,89
10857-10-01-8	Toolox 33	105,00	143	160	18,86
11022-40-01-14-19-21	Toolox 33	105,00	30	1 080	26,71
11022-40-01-15-16-17	Toolox 33	105,00	99	130	10,61
11022-40-01-17-18-21	Toolox 33	105,00	125	143	14,73
11614-50-01-2-3-4-5-6-7-9	Toolox 33	104,00	70	485	27,72
11981-50-02-7-12-14	Toolox 33	105,00	100	105	8,66
11981-50-02-7-20	Toolox 33	105,00	106	442	38,62
11981-50-02-7-23-25	Toolox 33	105,00	87	394	28,25
11981-50-02-7-23-26	Toolox 33	105,00	91	394	29,55
11981-50-02-7-23-28	Toolox 33	105,00	115	397	37,63
11981-50-02-7-23-29	Toolox 33	105,00	115	399	37,82
11981-50-02-7-23-30-32-36	Toolox 33	105,00	106	295	25,77
11981-50-02-7-23-30-32-37	Toolox 33	105,00	108	294	26,17
11981-50-02-7-23-30-32-38	Toolox 33	105,00	122	294	29,56
11981-50-02-7-23-30-32-39	Toolox 33	105,00	122	288	28,96
11981-50-02-7-23-30-32-40	Toolox 33	105,00	121	293	29,22
11981-50-02-7-23-30-32-41	Toolox 33	105,00	120	280	27,70
11981-50-02-8-16	Toolox 33	105,00	60	380	18,79

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11981-50-a1-1-2	Toolox 33	104,00	67	413	22,59
12551-10-01-3-4-5	Toolox 33	104,00	107	390	34,07
12551-10-01-3-4-6	Toolox 33	104,00	23	512	9,61
12551-10-01-3-5-6	Toolox 33	104,00	107	390	34,07
12551-10-01-3-5-7	Toolox 33	104,00	23	512	9,61
12551-10-01-3-8-10-11-13	Toolox 33	105,00	120	553	54,70
12551-10-01-3-8-10-12	Toolox 33	104,00	120	902	88,37
12551-10-01-3-8-10-13	Toolox 33	104,00	120	901	88,27
12551-10-01-3-8-10-14	Toolox 33	104,00	120	908	88,96
12551-10-01-3-8-10-15	Toolox 33	104,00	120	907	88,86
12551-10-01-3-8-10-16-17	Toolox 33	104,00	105	900	77,15
12551-10-01-3-8-10-16-18	Toolox 33	104,00	120	908	88,96
12551-10-01-3-8-10-17	Toolox 33	104,00	120	904	88,56
12551-10-01-3-8-10-19	Toolox 33	104,00	28	3 405	77,84
12970-20-01-2	Toolox 33	105,00	98	277	22,38
12970-20-01-6-10-14-15	Toolox 33	105,00	120	160	15,83
12970-20-01-8-11	Toolox 33	105,00	118	265	25,77
12970-20-01-8-12	Toolox 33	105,00	115	260	24,65
12970-20-01-8-14	Toolox 33	105,00	92	270	20,47
12970-20-01-8-16-17	Toolox 33	105,00	115	235	22,28
12970-20-01-8-16-18	Toolox 33	105,00	115	238	22,56
12970-20-a1-2	Toolox 33	105,00	325	385	103,13
12970-20-a1-3-5	Toolox 33	105,00	174	285	40,88
12970-20-a1-3-6	Toolox 33	105,00	55	770	34,91
12970-20-a3	Toolox 33	105,00	65	970	51,97
12970-20-a4-2	Toolox 33	105,00	80	193	12,73
13243-50-01-3	Toolox 33	105,00	695	3 095	1 772,98
13243-50-01-3-5-6	Toolox 33	105,00	104	1 825	156,44
13243-50-01-5-6	Toolox 33	105,00	125	155	15,97
13243-50-01-5-8-15	Toolox 33	105,00	85	1 172	82,11
13243-50-01-5-8-16-17-18	Toolox 33	105,00	115	1 173	111,19
13243-50-01-5-8-16-17-19	Toolox 33	105,00	104	1 208	103,55
13243-50-01-5-8-16-18	Toolox 33	105,00	100	1 155	95,20
13243-50-01-5-8-17	Toolox 33	105,00	104	1 130	96,87
13718-10-01-10	Toolox 33	0,00	0	0	0,00
13718-10-01-11-16-18	Toolox 33	105,00	292	430	103,49
13718-10-01-11-16-19-20	Toolox 33	105,00	299	434	106,96
13718-10-01-11-17	Toolox 33	0,00	0	0	0,00
13718-10-01-11-17-22	Toolox 33	105,00	385	1 250	396,67
13718-10-01-11-17-23	Toolox 33	105,00	940	1 250	968,49
13718-10-01-9	Toolox 33	105,00	225	245	45,44
x107	Toolox 33	104,00	120	125	12,25
x122	Toolox 33	104,00	36	1 247	36,65
X174-1	Toolox 33	105,00	80	146	9,63

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
X228	Toolox 33	105,00	31	1 257	32,12
X229	Toolox 33	104,00	45	1 290	47,39
019192		60,00	140	195	12,86
019830		60,00	57	250	6,71
020942		60,00	176	229	18,98
022452		60,00	57	370	9,93
12906-30-01-23	Toolox 44	14,00	45	153	0,76
13308-40-01-10-14-15-16	Toolox 44	14,00	113	735	9,13
13308-40-01-10-14-15-17	Toolox 44	14,00	167	735	13,49
13308-40-01-10-14-19	Toolox 44	14,00	295	645	20,91
13308-40-01-23	Toolox 44	14,00	53	334	1,95
13308-40-01-24	Toolox 44	14,00	53	334	1,95
13308-40-01-26	Toolox 44	14,00	53	335	1,95
13308-40-01-27	Toolox 44	14,00	53	335	1,95
13308-40-01-28	Toolox 44	14,00	53	335	1,95
13308-40-01-29	Toolox 44	14,00	53	335	1,95
13308-40-01-30	Toolox 44	14,00	53	339	1,98
13308-40-01-31	Toolox 44	14,00	53	330	1,92
13718-40-01-14	Toolox 44	14,00	135	290	4,30
13718-40-01-15	Toolox 44	14,00	95	850	8,87
13718-40-01-16	Toolox 44	14,00	115	285	3,60
13718-40-01-4	Toolox 44	14,00	55	484	2,93
13718-40-01-7	Toolox 44	14,00	161	967	17,11
13718-40-01-8	Toolox 44	14,00	188	402	8,31
13718-40-01-9	Toolox 44	0,00	0	0	0,00
13868-120-01	Toolox 44	0,00	0	0	0,00
13868-120-01-10	Toolox 44	0,00			
13868-120-01-13	Toolox 44	14,00	285	1 095	34,30
14019-50-01	Toolox 44	14,00	1 750	5 540	1 065,48
10201-30-01-45	Toolox 44	39,00	90	160	4,41
10201-30-01-88-89	Toolox 44	39,00	75	210	4,82
12606-40-01-26-28-31	Toolox 44	40,00	70	236	5,19
12606-40-01-5-7-8	Toolox 44	40,00	83	180	4,69
12906-20-01-11-17-24-27	Toolox 44	40,00	120	200	7,54
12906-20-01-2-3	Toolox 44	40,00	71	81	1,81
12906-20-01-6	Toolox 44	40,00	93	302	8,82
13232-40-01-15-17	Toolox 44	40,00	70	187	4,11
13232-40-01-15-18	Toolox 44	40,00	72	115	2,60
13232-40-01-15-19	Toolox 44	40,00	65	135	2,76
13232-40-01-7-9	Toolox 44	40,00	69	120	2,60
13627-20-01-10-13	Toolox 44	40,00	145	202	9,20
13627-20-01-22-24-25	Toolox 44	40,00	93	853	24,91
13627-20-01-22-24-26-27	Toolox 44	40,00	77	328	7,93
13627-20-01-22-24-26-28	Toolox 44	0,00	0	0	0,00

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13627-20-01-27-29-33	Toolox 44	40,00	55	215	3,71
13627-20-01-27-29-34-37	Toolox 44	40,00	209	368	24,15
13627-20-a2-1-3	Toolox 44	40,00	202	205	13,00
13791-60-01-4	Toolox 44	40,00	112	234	8,23
13791-60-01-5	Toolox 44	40,00	112	234	8,23
13791-60-01-7-8-9-10-13-15	Toolox 44	0,00	0	0	0,00
13791-60-01-7-8-9-11	Toolox 44	40,00	785	900	221,84
13791-60-01-8-10	Toolox 44	40,00	113	361	12,81
13791-60-a3	Toolox 44	40,00	554	660	114,81
13791-60-a5	Toolox 44	40,00	195	230	14,08
x160	Toolox 44	40,00	90	217	6,13
022184-3-5-7	Toolox 44	80,00	72	90	4,07
023892	Toolox 44	80,00	48	167	5,03
10371-60-01-65	Toolox 44	80,00	45	202	5,71
10371-60-01-67	Toolox 44	80,00	36	102	2,31
11383-20-01-11	Toolox 44	80,00	45	190	5,37
11383-20-01-20	Toolox 44	80,00	80	118	5,93
11383-20-01-7-10	Toolox 44	80,00	53	464	15,44
11884-10-01-6-8	Toolox 44	80,00	61	299	11,45
12500-10-01-15-16	Toolox 44	80,00	34	584	12,47
12500-10-01-15-17	Toolox 44	80,00	49	170	5,23
12500-10-01-21-26-27	Toolox 44	80,00	75	205	9,66
12500-10-01-21-28-30-31-33	Toolox 44	80,00	40	190	4,77
12500-10-01-21-28-32	Toolox 44	80,00	38	170	4,06
12500-10-01-21-28-33	Toolox 44	80,00	38	170	4,06
12500-10-01-21-32-33	Toolox 44	80,00	43	155	4,19
12500-10-01-21-37-39	Toolox 44	80,00	40	172	4,32
12500-10-01-21-41-42-45	Toolox 44	80,00	28	205	3,61
12500-10-01-21-41-43-44	Toolox 44	80,00	20	183	2,30
12692-30-01-11-12-13-15	Toolox 44	80,00	60	84	3,17
12692-30-01-13-15	Toolox 44	80,00	48	88	2,65
12692-30-01-22-23	Toolox 44	80,00	60	188	7,08
12692-30-01-25-28	Toolox 44	80,00	51	362	11,59
12692-30-01-25-29	Toolox 44	80,00	51	280	8,97
12692-30-01-32-33	Toolox 44	80,00	74	153	7,11
13117-10-01-2-4-7-8	Toolox 44	80,00	30	685	12,91
13117-10-01-2-5-14-15	Toolox 44	80,00	134	150	12,62
13117-10-01-2-5-8-9	Toolox 44	80,00	44	303	8,37
13243-80-01-10	Toolox 44	80,00	150	202	19,03
13243-80-01-12-14	Toolox 44	80,00	58	414	15,08
13243-80-01-15	Toolox 44	80,00	77	183	8,85
13243-80-01-17-21	Toolox 44	80,00	35	110	2,42
13243-80-01-17-22	Toolox 44	80,00	35	110	2,42
13243-80-01-17-23	Toolox 44	80,00	35	110	2,42

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13243-80-01-17-24	Toolox 44	80,00	35	110	2,42
13243-80-01-18	Toolox 44	80,00	133	345	28,82
13430-20-01-3-4	Toolox 44	80,00	135	142	12,04
13430-20-01-3-5	Toolox 44	80,00	135	142	12,04
13430-20-01-3-6-7	Toolox 44	80,00	111	117	8,16
13430-20-01-4-10-12-14	Toolox 44	80,00	60	174	6,56
13430-20-01-4-10-13-15	Toolox 44	80,00	75	170	8,01
13430-20-01-4-10-15-17	Toolox 44	80,00	70	174	7,65
13430-20-01-4-6-8	Toolox 44	80,00	145	170	15,48
13430-20-01-4-8-10	Toolox 44	80,00	165	170	17,62
13532-50-01-18	Toolox 44	80,00	75	180	8,48
13532-50-01-7-10	Toolox 44	80,00	111	123	8,57
13532-50-01-7-8	Toolox 44	80,00	111	111	7,74
13532-50-01-7-9-11	Toolox 44	80,00	100	134	8,42
13654-10-01-12	Toolox 44	80,00	170	175	18,68
13654-10-01-13-16-18-19	Toolox 44	80,00	80	375	18,84
13654-10-01-13-16-23	Toolox 44	0,00	0	0	0,00
13654-10-01-13-16-23-24	Toolox 44	80,00	142	650	57,96
13654-10-01-13-16-24	Toolox 44	0,00	0	0	0,00
13654-10-01-13-16-26	Toolox 44	0,00	0	0	0,00
13654-10-01-13-16-27	Toolox 44	0,00	0	0	0,00
13654-10-01-5-7-9	Toolox 44	80,00	120	188	14,17
13654-20-01-4-21	Toolox 44	80,00	74	180	8,37
13654-20-01-4-22	Toolox 44	80,00	74	180	8,37
13654-20-01-4-23	Toolox 44	80,00	74	180	8,37
13654-20-01-4-24	Toolox 44	80,00	74	180	8,37
13654-20-01-4-25	Toolox 44	80,00	74	180	8,37
13654-20-01-4-5-8-10	Toolox 44	80,00	61	330	12,64
13846-110-01-5	Toolox 44	80,00	130	155	12,65
13846-110-01-6	Toolox 44	80,00	150	210	19,78
13846-110-01-7-11-13	Toolox 44	80,00	169	180	19,10
13846-110-01-7-13	Toolox 44	80,00	100	800	50,24
13846-110-01-7-9-11	Toolox 44	80,00	79	655	32,50
13846-110-01-8	Toolox 44	80,00	2 070	2 775	3 607,39
13868-160-01	Toolox 44	80,00	2 090	4 398	5 772,46
	Toolox 44	0,00			
	Toolox 44	0,00			
	Toolox 44	0,00			
14019-30-01	Toolox 44	101,00	0	5 500	345,91
14019-30-02	Toolox 44	101,00	0	5 500	345,91
14019-30-03	Toolox 44	101,00	0	5 500	345,91
24102022-1-10	Toolox 44	101,00	0	145	9,12
24102022-1-11	Toolox 44	101,00	0	145	9,12
24102022-1-12	Toolox 44	101,00	0	70	4,40

Toolox valmispalat

2.10.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
24102022-1-13	Toolox 44	101,00	0	150	9,43
24102022-1-14	Toolox 44	101,00	0	110	6,92
24102022-1-15	Toolox 44	101,00	0	135	8,49
24102022-1-16	Toolox 44	101,00	0	100	6,29
24102022-1-17	Toolox 44	101,00	0	233	14,65
24102022-1-18	Toolox 44	101,00	0	160	10,06
24102022-1-19	Toolox 44	101,00	0	105	6,60
24102022-1-2	Toolox 44	101,00	0	1 490	93,71
24102022-1-20	Toolox 44	101,00	0	140	8,81
24102022-1-21	Toolox 44	101,00	0	0	0,00
24102022-1-24	Toolox 44	101,00	0	550	34,59
24102022-1-25	Toolox 44	101,00	0	50	3,15
24102022-1-26	Toolox 44	101,00	0	310	19,50
24102022-1-27	Toolox 44	101,00	0	387	24,34
24102022-1-28	Toolox 44	101,00	0	310	19,50
24102022-1-29	Toolox 44	101,00	0	225	14,15
24102022-1-3	Toolox 44	101,00	0	1 490	93,71
24102022-1-30	Toolox 44	101,00	0	280	17,61
24102022-1-33	Toolox 44	101,00	0	560	35,22
24102022-1-36	Toolox 44	101,00	0	765	48,11
24102022-1-38	Toolox 44	101,00	0	376	23,65
24102022-1-39	Toolox 44	101,00	0	341	21,45
24102022-1-4	Toolox 44	101,00	0	1 490	93,71
24102022-1-40-41	Toolox 44	101,00	0	200	12,58
24102022-1-41-42	Toolox 44	101,00	0	220	13,84
24102022-1-42	Toolox 44	101,00	0	572	35,98
24102022-1-43	Toolox 44	101,00	0	585	36,79
24102022-1-5	Toolox 44	101,00	0	330	20,76
24102022-1-8	Toolox 44	101,00	0	140	8,81
24102022-1-9	Toolox 44	101,00	0	140	8,81
x20221024	Toolox 44	0,00			
x20221024	Toolox 44	0,00			
x20221024	Toolox 44	0,00			
13925-10-01-2-4-7-9-10	Toolox 44	151,00	0	65	9,14
13925-10-02-4	Toolox 44	151,00	0	1 280	179,94
13925-10-02-4-5	Toolox 44	151,00	0	35	4,92
x20221110-1	Toolox 44	151,00	0	38	5,34
x20221110-2	Toolox 44	151,00	0	38	5,34
x20221110-4	Toolox 44	151,00	0	70	9,84
x20221110-5	Toolox 44	151,00	0	45	6,33
x20221110-6	Toolox 44	151,00	0	30	4,22
x20221110-7	Toolox 44	151,00	0	40	5,62
x20221110-8-9	Toolox 44	151,00	0	75	10,54
	Toolox 44	0,00			

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
-----------	-------	---------	--------	--------	-------
