

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13557-10-10-11-13-14-16	Böhler K110	202,00	0	940	236,48
13590-10-01-3-4-5-8	Böhler K110	222,00	0	2 120	644,17
13934-80-01	Böhler K110	222,00	0	4 355	1 323,29
c1-1-9-13	Böhler K110	222,00	0	60	18,23
13042-20-01-3-4-5-7	Böhler K110	232,00	0	115	38,16
z1-1-4-6-10	Böhler K110	232,00	0	83	27,54
13042-30-01-7-9-10-12	Böhler K110	252,50	0	55	21,62
13526-20-01-5-7	Böhler K110	252,50	0	2 735	1 075,08
z2-1-5-12-14	Böhler K110	252,50	0	90	35,38
13217-10-01-2-3	Böhler K110	272,50	0	995	455,53
13217-10-01-2-4	Böhler K110	272,50	0	53	24,26
z3-1	Böhler K110	272,50		165	75,54
13042-40-01-4	Böhler K110	282,00	0	159	77,96
13845-120-01	Böhler K110	282,00	0	1 000	490,30
z4-1	Böhler K110	282,50		47	23,13
z5-1-6-11-14-16-18-20	Böhler K110	302,50	0	540	304,65
13148-10-01-3-5	Böhler K110	323,00	0	207	133,15
13595-20-01-4-5	Böhler K110	323,00	0	1 065	685,04
z7-1-4-12-16-17	Böhler K110	323,00	0	42	27,02
z7-1-4-12-16-18	Böhler K110	323,00	0	23	14,79
z7-1-5	Böhler K110	323,00		20	12,87
z8-1-2-4-6-9-11-12	Böhler K110	343,00	0	370	268,38
z8-1-2-4-6-9-11-13	Böhler K110	343,00	0	30	21,76
13544-10-01	Böhler K110	373,00	0	1 360	1 166,58
z10-1	Böhler K110	373,00		26	22,30
z10-1-2	Böhler K110	373,00		103	88,35
z10-1-4	Böhler K110	373,00		31	26,59
z10-1-5	Böhler K110	373,00		29	24,88
13553-30-01-2	Böhler K110	403,00	0	623	623,82
z13-1-10	Böhler K110	403,00		47	47,06
z13-1-2	Böhler K110	403,00		48	48,06
z13-1-3	Böhler K110	403,00		29	29,04
z13-1-4-6-7-8	Böhler K110	403,00	0	44	44,06
z13-1-6	Böhler K110	403,00		56	56,07
z13-1-7	Böhler K110	403,00		26	26,03
z13-1-8	Böhler K110	403,00		47	47,06
010850	Böhler K110	27,00	60	319	4,06
010994	Böhler K110	45,00	97	125	4,28
010995	Böhler K110	45,00	97	125	4,28
010996	Böhler K110	45,00	97	159	5,45
011001	Böhler K110	45,00	124	136	5,96
011009	Böhler K110	45,00	63	310	6,90
011054	Böhler K110	50,00	50	350	6,87

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
013103	Böhler K110	53,00	60	230	5,74
013277	Böhler K110	45,00	81	202	5,78
013376	Böhler K110	39,00	40	342	4,19
014132	Böhler K110	52,00	60	194	4,75
015219-2	Böhler K110	60,00	50	530	12,48
016730	Böhler K110	45,00	60	256	5,43
017696	Böhler K110	60,00	47	300	6,64
018213	Böhler K110	15,00	52	255	1,56
019103	Böhler K110	35,00	101	166	4,61
019639-1	Böhler K110	35,00	58	345	5,50
019820	Böhler K110	43,00	140	165	7,80
015517-2	Böhler K110	0,00	0	0	0,00
35135-1-2	Böhler K110	35,00	91	150	3,75
019629	Böhler K110	43,00	80	792	21,39
019677	Böhler K110	43,00	51	628	10,81
43125-1	Böhler K110	43,00	125	155	6,54
015488	K110	60,50	27	538	6,90
015498	K110	104,00	67	116	6,35
015785	K110	60,50	53	176	4,43
015895	K110	50,50	40	295	4,68
015900	K110	105,00	25	535	11,02
016006	K110	80,50	32	195	3,94
016141	K110	104,00	25	161	3,29
016381	K110	60,50	30	376	5,36
016516	K110	60,50	27	329	4,22
016551	K110	60,50	40	320	6,08
016732	K110	60,50	28	245	3,26
016765	K110	80,50	34	205	4,41
017047	K110	60,50	40	353	6,71
017070	K110	50,50	31	450	5,53
017082	K110	50,50	45	226	4,03
017171	K110	60,50	41	606	11,80
017359	K110	60,50	35	440	7,31
018255	K110	60,50	21	514	5,13
018696	K110	50,50	22	499	4,35
018869	K110	34,00	121	155	5,01
019020	K110	45,50	105	221	8,29
019067	K110	45,50	55	278	5,46
019276	K110	71,50	26	282	4,12
019282	K110	45,50	60	245	5,25
019433	K110	60,00	100	220	10,36
019451	K110	50,50	30	335	3,98
019521	K110	80,50	45	210	5,97
019559	K110	60,50	37	502	8,82

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
019655	K110	60,50	23	361	3,94
019937	K110	80,50	40	445	11,25
020074	K110	80,50	38	180	4,32
020081	K110	45,50	105	111	4,16
020148	K110	50,50	38	398	6,00
020215	K110	60,50	41	335	6,52
020216	K110	60,50	29	440	6,06
020217	K110	60,50	29	440	6,06
020929	K110	32,50	35	290	2,59
021004	K110	45,50	136	162	7,87
021050	K110	60,50	81	112	4,31
021147	K110	80,50	36	285	6,48
021214	K110	80,50	51	351	11,31
021345	K110	50,50	43	337	5,75
021410	K110	45,50	90	165	5,30
021496	K110	60,50	28	381	5,07
021586	K110	45,50	40	260	3,72
021675	K110	60,50	60	234	6,67
021707	K110	60,50	76	250	9,02
021715	K110	45,50	28	422	4,22
021727	K110	71,50	49	141	3,88
021728	K110	71,50	49	140	3,85
021768-1	K110	80,50	41	180	4,66
021768-2	K110	80,50	174	320	35,19
021768-3	K110	80,50	24	360	5,46
021770	K110	45,50	51	450	8,20
021781	K110	80,50	51	232	7,48
021835	K110	80,50	55	345	11,99
021873	K110	50,50	27	259	2,77
021883	K110	32,50	53	145	1,96
021898	K110	71,50	33	255	4,72
022175	K110	60,50	48	250	5,70
022219	K110	80,50	73	75	3,46
022236	K110	23,00	106	155	2,97
022240	K110	60,50	25	250	2,97
022245	K110	40,50	47	235	3,51
022246	K110	45,50	33	680	8,02
022265	K110	50,50	61	90	2,18
022431	K110	45,50	30	335	3,59
022433	K110	50,50	65	248	6,39
022440	K110	80,50	41	164	4,25
022516	K110	80,50	20	505	6,38
022520	K110	40,50	74	195	4,59
022669	K110	80,50	32	142	2,87

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
022694	K110	71,50	49	112	3,08
022713	K110	60,50	44	205	4,28
022721	K110	24,00	110	268	5,55
022769	K110	0,00	0	0	0,00
022801	K110	60,50	31	163	2,40
022949	K110	45,50	59	443	9,34
022950	K110	60,50	40	161	3,06
022984	K110	32,50	150	166	6,35
022986	K110	71,50	44	131	3,24
022995	K110	32,50	102	125	3,25
023011-1	K110	32,50	56	265	3,79
023011-2	K110	32,50	84	230	4,93
023132	K110	40,50	56	327	5,82
023228	K110	32,50	109	125	3,48
023287	K110	25,50	127	140	3,56
023493	K110	80,50	48	210	6,37
023538	K110	40,50	55	216	3,78
023542	K110	40,50	56	197	3,51
023669	K110	50,50	80	257	8,15
023670	K110	40,50	60	251	4,79
023696	K110	70,00	100	105	5,77
023781	K110	32,50	69	170	2,99
023866	K110	25,50	113	131	2,96
023958	K110	75,00	100	145	8,54
023959	K110	80,00	100	109	6,85
13343-10-02-5-7-8-10	Böhler K110	10,50	38	1 014	3,18
13343-10-02-7-8	Böhler K110	10,50	34	1 010	2,83
13515-10-01-3-5-10-11	Böhler K110	0,00	0	0	0,00
13515-10-01-3-5-10-11-13	Böhler K110	10,50	143	1 015	11,96
13515-10-01-3-5-9-12	Böhler K110	10,50	0	0	0,00
13515-10-01-3-5-9-12-13	Böhler K110	10,50	140	200	2,31
13515-10-02	Böhler K110	10,50	1 015	2 015	168,58
13515-10-03	Böhler K110	10,50	1 010	2 015	167,75
13515-10-04	Böhler K110	10,50	1 008	2 015	167,42
13703-10-01	Böhler K110	10,50	1 018	2 010	168,66
13703-10-02	Böhler K110	10,50	1 018	2 010	168,66
13703-10-03-5	Böhler K110	10,50	861	2 010	142,65
13703-10-04	Böhler K110	0,00	0	0	0,00
13703-10-04-5	Böhler K110	10,50	1 017	1 741	145,94
12490-10-a1	Böhler K110	15,50	105	128	1,64
12490-10-a3	Böhler K110	15,50	175	507	10,80
12687-10-01-6-9-11-12	Böhler K110	15,50	35	670	2,85
12687-10-01-6-9-11-13-16	Böhler K110	15,50	45	254	1,39
12687-10-02-4-5-6-8	Böhler K110	15,50	40	1 050	5,11

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12687-10-02-4-5-6-9	Böhler K110	15,50	40	1 050	5,11
13515-20-01	Böhler K110	15,50	1 060	2 770	357,26
13515-20-02	Böhler K110	15,50	1 060	2 770	357,26
13585-10-01	Böhler K110	15,50	930	2 555	289,12
13585-10-02-4-5	Böhler K110	15,50	30	155	0,57
13585-10-02-4-6	Böhler K110	0,00	0	0	0,00
13585-10-02-4-6-10	Böhler K110	15,50	180	530	11,61
13585-10-02-4-6-8	Böhler K110	0,00	0	0	0,00
13585-10-02-4-6-8-10	Böhler K110	15,50	342	1 033	42,99
13585-10-02-4-6-9	Böhler K110	15,50	202	936	23,01
13585-10-02-4-7-9	Böhler K110	15,50	28	710	2,42
13585-10-02-4-8	Böhler K110	15,50	155	383	7,22
13703-20-01-3-5-6	Böhler K110	0,00	0	0	0,00
13703-20-01-3-5-6-8	Böhler K110	0,00	0	0	0,00
13703-20-01-3-5-6-8-10-11	Böhler K110	20,50	121	175	3,41
13703-20-01-3-5-6-8-9	Böhler K110	20,50	640	1 545	159,12
13703-20-02-6	Böhler K110	0,00	0	0	0,00
13703-20-02-6-7	Böhler K110	20,50	187	583	17,54
13703-20-02-7-10-12	Böhler K110	0,00	0	0	0,00
13703-20-02-7-11-13	Böhler K110	20,50	602	733	71,01
13703-20-02-7-12-13	Böhler K110	20,50	95	944	14,43
13703-20-02-7-13	Böhler K110	0,00	0	0	0,00
13566-20-01-4-5-7	1.2379 (Böhl	20,50	50	1 037	8,34
13566-20-01-7-10-12-13	1.2379 (Böhl	20,50	405	570	37,15
13566-20-01-7-10-13	1.2379 (Böhl	0,00	0	0	0,00
13566-20-01-7-10-14	1.2379 (Böhl	0,00	0	0	0,00
13566-20-01-7-10-14-17	1.2379 (Böhl	20,50	223	303	10,87
13566-20-01-7-10-14-18	1.2379 (Böhl	0,00	0	0	0,00
13566-20-01-7-10-14-18-19	1.2379 (Böhl	20,50	160	745	19,18
13566-20-01-7-11-12-13	1.2379 (Böhl	20,50	51	600	4,92
13566-20-01-7-8	1.2379 (Böhl	20,50	161	302	7,82
13566-20-02-5-6	1.2379 (Böhl	20,50	160	300	7,72
13566-20-02-6-7	1.2379 (Böhl	20,50	160	300	7,72
13566-20-02-7-8	1.2379 (Böhl	20,50	160	300	7,72
13566-20-02-8-10-12	1.2379 (Böhl	20,50	697	1 245	139,65
10235-10-02-43	Böhler K110	25,50	66	176	2,33
11300-20-01-21-22-24-26-27	Böhler K110	25,50	53	156	1,66
11300-20-a1-1	Böhler K110	25,50	52	205	2,13
11300-20-a4	Böhler K110	25,50	131	205	5,38
12825-10-01-4-5-6-7-8-17	Böhler K110	25,50	52	425	4,42
12825-10-a2-4-6	Böhler K110	25,50	54	304	3,29
13033-10-a1-2	Böhler K110	25,50	81	184	2,98
13033-10-a3	Böhler K110	25,50	59	725	8,56
13033-10-a4	Böhler K110	25,50	55	202	2,22

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
13033-10-a5	Böhler K110	25,50	55	203	2,24
13585-20-01-4-6-7-10	Böhler K110	0,00	0	0	0,00
13585-20-01-4-6-7-10-13	Böhler K110	0,00	0	0	0,00
13585-20-01-4-6-7-11-13-15	Böhler K110	0,00	0	0	0,00
13585-20-01-4-6-8-10-11-12	Böhler K110	0,00	0	0	0,00
13585-20-01-4-6-8-10-11-13	Böhler K110	0,00	0	0	0,00
13585-20-a1	Böhler K110	0,00	0	0	0,00
13585-20-a3	Böhler K110	0,00	0	0	0,00
13585-20-a3-2	Böhler K110	25,50	655	1 030	135,05
13585-20-a5	Böhler K110	25,50	85	959	16,32
13585-20-a7	Böhler K110	25,50	355	764	54,29
13703-30-01-4-6	Böhler K110	0,00	0	0	0,00
13703-30-01-6-8-10	Böhler K110	0,00	0	0	0,00
13703-30-02	Böhler K110	25,50	1 066	3 045	649,76
13086-10-01-2-4	W.1.2379	25,50	152	200	6,09
13086-10-01-2-6-9-11-12	W.1.2379	25,50	98	378	7,42
13086-10-01-5-6-9	W.1.2379	25,50	128	283	7,25
13086-10-01-5-7	W.1.2379	25,50	141	186	5,25
10187-10-02-13-54	Böhler K110	32,50	60	135	2,07
10235-20-02	Böhler K110	32,50	44	149	1,67
10315-30-01-93	Böhler K110	32,50	16	485	1,98
10748-10-01-5	Böhler K110	32,50	87	132	2,93
10995-10-01-12-15-17	Böhler K110	32,50	20	701	3,58
11156-10-02-16	Böhler K110	32,50	72	191	3,51
11573-10-01-5-6-7-9-11-12	Böhler K110	32,50	43	228	2,50
11573-10-01-5-6-7-9-11-13	Böhler K110	32,50	43	416	4,56
11573-10-02-6-9-10	Böhler K110	0,00	0	0	0,00
11917-20-02-6-7-11-12-14	Böhler K110	32,50	53	525	7,10
11917-20-02-6-7-11-12-15	Böhler K110	32,50	66	246	4,14
11917-20-02-6-7-16	Böhler K110	32,50	61	209	3,25
11917-20-02-7-11	Böhler K110	32,50	52	217	2,88
11917-20-02-7-13-14	Böhler K110	32,50	68	166	2,88
11917-20-02-7-13-15	Böhler K110	32,50	33	426	3,59
11917-20-02-7-13-16	Böhler K110	32,50	114	120	3,49
11917-20-02-7-13-17-19	Böhler K110	0,00	0	0	0,00
11917-20-02-7-13-17-20	Böhler K110	32,50			
11917-20-02-7-13-17-21	Böhler K110	32,50	56	312	4,46
12317-30-01-7	Böhler K110	30,00	32	1 035	7,80
12490-20-01-4-6-14	Böhler K110	32,50	47	578	6,93
12490-20-01-5	Böhler K110	32,50	90	197	4,52
12687-30-01-2-4-7-11	Böhler K110	32,50			
12687-30-02-8-10-12-13-14	Böhler K110	32,50	47	405	4,86
12687-30-02-8-10-12-16-17	Böhler K110	32,50	64	150	2,45
12687-30-a1-4	Böhler K110	32,50	97	153	3,79

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12687-30-a1-5	Böhler K110	0,00	0	0	0,00
12687-30-a1-5-7	Böhler K110	32,50			
12687-30-a1-5-7-10	Böhler K110	32,50	108	164	4,52
12687-30-a1-5-7-9	Böhler K110	32,50	108	96	2,65
13441-10-01-3-5-7-8-10-12	Böhler K110	32,50	190	207	10,03
13441-10-01-3-5-7-8-16-17	Böhler K110	32,50	150	187	7,16
13441-10-01-3-5-7-8-16-18	Böhler K110	32,50	119	410	12,45
13441-10-01-3-5-7-8-16-19	Böhler K110	32,50	187	212	10,11
13441-10-01-3-5-7-8-16-20	Böhler K110	32,50	90	270	6,20
13441-10-01-3-5-7-8-16-21	Böhler K110	32,50	150	188	7,20
13441-10-01-3-5-7-8-16-22	Böhler K110	0,00	0	0	0,00
13441-10-02-3-6-7-10	Böhler K110	32,50	46	415	4,87
13441-10-02-3-6-7-9-11-13	Böhler K110	0,00	0	0	0,00
13441-10-02-3-6-7-9-12	Böhler K110	0,00	0	0	0,00
13441-10-02-3-6-8	Böhler K110	0,00	0	0	0,00
13441-10-02-3-6-8-10-12-13	Böhler K110	32,50	369	715	67,31
13441-10-02-3-6-8-10-12-14	Böhler K110	0,00	0	0	0,00
13441-10-02-4	Böhler K110	32,50	94	270	6,48
13441-10-a1	Böhler K110	32,50	708	1 035	186,95
10565-40-01	W.1.2379	32,50	63	264	4,24
10741-10-01-8	W.1.2379	32,50	55	297	4,17
10995-20-02-5-8-10-11	Böhler K110	40,50	80	87	2,21
10995-20-02-5-8-10-12-14	Böhler K110	40,50	66	153	3,21
10995-20-a1	Böhler K110	40,50	86	243	6,64
10995-20-a2	Böhler K110	40,50	94	538	16,08
11219-10-01-6-8	Böhler K110	40,50	46	185	2,71
11413-10-01-3-7	Böhler K110	40,50	46	187	2,74
11573-20-01-6-7-10-12-13	Böhler K110	40,50	55	268	4,69
11573-20-01-6-7-10-13-14	Böhler K110	40,50	167	185	9,82
11573-20-01-6-7-10-13-15	Böhler K110	40,50	101	142	4,56
11976-20-01-3-7	Böhler K110	40,50	16	500	2,54
11976-20-02-6-7	Böhler K110	40,00	42	618	8,15
11976-20-03-6-9-10-11	Böhler K110	0,00	0	0	0,00
11976-20-03-6-9-11-12-15	Böhler K110	40,50	32	370	3,76
11976-20-03-8-9	Böhler K110	40,50	62	239	4,71
12317-40-01-10	Böhler K110	40,50	49	452	7,04
12317-40-01-12	Böhler K110	40,50	50	450	7,15
12490-30-01-5-10-11-13	Böhler K110	0,00	0	0	0,00
12490-30-01-5-6-7	Böhler K110	40,50	54	341	5,85
12687-40-02-6-7-8-12-13-14	Böhler K110	40,50	37	379	4,46
12687-40-02-6-7-8-12-13-15	Böhler K110	40,50	134	147	6,26
12687-40-02-6-7-8-12-14	Böhler K110	40,50	141	150	6,72
12687-40-02-6-7-9-11	Böhler K110	40,50	90	100	2,86
12885-10-01-2-4-6-7	Böhler K110	40,50	20	1 031	6,56

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12885-10-02-3-5	Böhler K110	40,50	32	1 115	11,34
12885-10-02-3-7	Böhler K110	40,50	32	356	3,62
12885-10-02-4-11	Böhler K110	40,50	92	265	7,75
13515-30-01-3-4	Böhler K110	40,50	1 030	2 542	832,41
13515-30-01-3-5-7-9	Böhler K110	40,50	233	757	56,08
13515-30-01-3-5-7-9-10	Böhler K110	40,50	64	385	7,83
13515-30-01-3-5-7-9-11	Böhler K110	40,50	235	370	27,64
13515-30-02-4-6-9-11	Böhler K110	40,50	133	182	7,70
13515-30-02-4-6-9-13	Böhler K110	40,50	133	188	7,95
13515-30-02-4-6-9-14-16-18	Böhler K110	40,50	305	625	60,60
13515-30-02-4-7	Böhler K110	0,00	0	0	0,00
13515-30-02-4-8-10-12	Böhler K110	40,50	145	425	19,59
13515-30-02-4-8-10-13	Böhler K110	0,00	0	0	0,00
13515-30-02-4-8-10-13-15	Böhler K110	40,50	361	505	57,96
13515-30-02-4-8-11-13	Böhler K110	40,50	100	522	16,60
40281	Böhler K110	40,50	47	281	4,20
X1002	Böhler K110	40,50	62	153	3,02
13528-10-01-4	W.1.2379	40,50	660	992	208,15
13528-10-01-5	W.1.2379	0,00	0	0	0,00
13528-10-01-5-6	W.1.2379	40,50	185	1 035	60,88
13528-10-02-4-5	W.1.2379	40,50	200	440	27,98
13528-10-02-4-6	W.1.2379	40,50	992	2 500	788,45
10147-40-01-77-88	Böhler K110	45,50	41	325	4,76
10241-40-01-21	Böhler K110	45,50	112	275	11,00
10995-30-01-15-19	Böhler K110	45,50	56	267	5,34
10995-30-01-21-23	Böhler K110	45,50	31	196	2,17
11413-20-01-14-18-19	Böhler K110	45,50	144	288	14,81
11413-20-01-2-7	Böhler K110	45,50	31	217	2,40
11413-20-01-2-9	Böhler K110	45,50	55	248	4,87
11413-20-01-7-10	Böhler K110	45,50	81	288	8,33
11573-30-01-12-13-14-16	Böhler K110	45,50	56	243	4,86
11573-30-01-8-13	Böhler K110	45,50	48	284	4,87
11573-30-02-3-4-11-13-14	Böhler K110	45,50	98	310	10,85
11573-30-02-3-4-11-13-15	Böhler K110	45,50	50	277	4,95
11573-30-a1	Böhler K110	45,50	30	514	5,51
11573-30-a2	Böhler K110	45,50	87	538	16,72
11606-10-01-11-14-17	Böhler K110	45,40	50	204	3,64
11637-10-01-17-18	Böhler K110	45,50	95	305	10,35
11637-10-01-2-4	Böhler K110	45,50	33	417	4,92
11637-10-01-6	Böhler K110	45,50	134	141	6,75
11637-10-01-7	Böhler K110	45,50	134	140	6,70
11976-30-01-11-12	Böhler K110	45,50	97	593	20,55
11976-30-01-15-16-23	Böhler K110	45,50	103	599	22,04
11976-30-01-15-16-25-26-28	Böhler K110	45,50	85	345	10,47

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
11976-30-01-15-16-25-27	Böhler K110	45,50	49	437	7,65
11976-30-01-15-16-26-28	Böhler K110	45,50	68	380	9,23
11976-30-01-3	Böhler K110	45,50	98	362	12,67
11976-30-01-6-9-10	Böhler K110	45,50	60	585	12,54
11976-30-01-6-9-11-12	Böhler K110	45,50	85	345	10,47
11976-30-01-8	Böhler K110	45,50	111	161	6,38
13188-10-01-4-6-8-9-11	W.1.2379	45,50	46	840	13,80
13188-10-01-4-6-9-11-12	W.1.2379	45,50	98	122	4,27
13188-10-01-4-6-9-11-13	W.1.2379	45,50	42	790	11,85
13188-10-01-4-6-9-11-14	W.1.2379	45,50	120	545	23,36
13188-10-01-4-7-9	W.1.2379	45,50	140	519	25,95
13188-10-01-4-9	W.1.2379	45,50	300	607	65,04
13793-10-01-3-5-7	W.1.2379	45,50	595	677	143,88
13793-10-01-4	W.1.2379	0,00	0	0	0,00
13793-10-01-4-5	W.1.2379	45,50	1 005	2 000	717,92
023087-4	Böhler K110	50,50	27	480	5,14
10147-50-01-11-67	Böhler K110	50,50	33	365	4,78
10147-50-01-5	Böhler K110	50,50	38	606	9,13
10748-30-01	Böhler K110	50,50	32	208	2,64
10748-30-01-12-13-14-15	Böhler K110	50,50	27	275	2,94
10748-30-01-7	Böhler K110	50,50	41	1 020	16,58
11127-20-01-13-16	Böhler K110	50,50	41	244	3,97
11127-20-01-13-17	Böhler K110	50,50	117	161	7,47
11593-10-01-4-5-6-7-11-12	Böhler K110	50,50	237	298	28,00
11593-10-01-4-5-6-7-11-13	Böhler K110	50,50	36	322	4,60
11593-10-a1-1	Böhler K110	50,50	61	217	5,25
11593-10-a2	Böhler K110	50,50	140	155	8,60
11593-10-a4	Böhler K110	50,50	66	217	5,68
11957-40-01-4-5-6-8-10	Böhler K110	50,50	112	212	9,41
11957-40-01-4-5-6-8-9	Böhler K110	50,50	71	1 030	28,99
11976-40-01-3-10-12-14	Böhler K110	50,50	117	156	7,24
11976-40-01-3-14	Böhler K110	50,50	201	259	20,64
11976-40-01-3-15-19	Böhler K110	50,50	158	396	24,80
11976-40-01-3-8	Böhler K110	50,50	121	281	13,48
11976-40-a1-2	Böhler K110	50,50	36	400	5,71
11976-40-a2	Böhler K110	50,50	148	305	17,90
13515-40-01-3-6	Böhler K110	50,50	49	355	6,90
13515-40-01-3-7	Böhler K110	50,50	285	480	54,23
13515-40-01-3-8	Böhler K110	50,50	405	580	93,12
13515-40-01-3-9-11-14-16	Böhler K110	0,00	0	0	0,00
13515-40-01-3-9-11-15	Böhler K110	50,50	170	432	29,11
13515-40-01-3-9-12-14-16	Böhler K110	50,50	225	530	47,27
13515-40-a1	Böhler K110	50,50	210	1 060	88,24
10741-20-01-11	W.1.2379	50,50	106	397	16,68

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10741-20-01-11-16	W.1.2379	50,50	89	169	5,96
10741-20-01-12	W.1.2379	50,50	43	305	5,20
10741-20-01-14	W.1.2379	50,50	85	440	14,83
10741-20-01-15	W.1.2379	50,50	207	343	28,15
13528-30-01	W.1.2379	0,00	0	0	0,00
13528-30-01-3	W.1.2379	50,50	992	2 410	947,74
13528-30-01-4	W.1.2379	50,50	277	992	108,93
13528-30-01-5	W.1.2379	50,50	302	386	46,21
11127-30-01-20-21-22-24	Böhler K110	60,50	44	151	3,16
11593-20-01-3-4-11-12	Böhler K110	60,50	66	360	11,28
11593-20-01-3-4-11-13	Böhler K110	60,50	66	360	11,28
11593-20-01-3-4-11-14-15	Böhler K110	60,50	65	360	11,11
11593-20-01-3-4-11-14-16	Böhler K110	60,50	92	733	32,03
11593-20-01-3-4-31-33	Böhler K110	60,50	130	130	8,03
11593-20-01-3-4-6-7	Böhler K110	60,50	100	220	10,45
12444-10-01-4-5-6-7	Böhler K110	60,50	151	301	21,59
12444-10-01-4-5-7-8-10	Böhler K110	60,50	12	632	3,60
12444-10-01-6	Böhler K110	60,50	147	325	22,69
12444-10-01-7	Böhler K110	60,50	147	304	21,22
12444-10-02-12-15	Böhler K110	60,50	292	560	77,66
12444-10-02-12-16	Böhler K110	60,50	122	183	10,60
12444-10-02-12-17	Böhler K110	60,50	121	253	14,54
12444-10-02-12-18	Böhler K110	60,50	203	254	24,49
12444-10-02-4-6	Böhler K110	60,50	57	455	12,32
12444-10-a1-1-3	Böhler K110	60,50	68	1 034	33,39
13910-10-02-4-6	Böhler K110	60,50	325	1 050	162,07
13910-10-02-5-10	Böhler K110	0,00	0	0	0,00
13910-10-02-5-10-11	Böhler K110	60,50	577	1 050	287,73
13910-10-02-5-11	Böhler K110	60,50	213	580	58,67
13910-10-02-5-8-9	Böhler K110	60,50	80	620	23,56
10507-30-01-13	W.1.2379	60,50	70	365	12,13
10507-30-01-18-19	W.1.2379	60,50	31	492	7,24
10096-30-01-2	Böhler K110	71,50	45	140	3,54
10096-30-01-3	Böhler K110	71,50	65	610	22,26
10995-40-01-15-19	Böhler K110	71,50	47	165	4,35
10995-40-01-15-20	Böhler K110	71,50	47	168	4,43
10995-40-01-16-17-18-20-21	Böhler K110	71,50	46	501	12,94
10995-40-01-16-18-22-23	Böhler K110	24,00	71	646	8,64
12186-10-01-5-6-7-9	Böhler K110	42,00	71	351	8,22
12186-10-01-5-6-9-10-13-14	Böhler K110	71,50	61	250	8,56
12186-10-01-5-6-9-14-17	Böhler K110	71,50	93	168	8,77
12186-10-a4-1	Böhler K110	71,50	127	345	24,59
12186-10-a5	Böhler K110	71,50	78	150	6,57
12687-50-01-2-3-4-6-10	Böhler K110	71,50	190	735	78,38

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
12687-50-01-2-3-4-6-11	Böhler K110	0,00	0	0	0,00
12687-50-01-2-3-4-6-11-13	Böhler K110	71,50	150	270	22,73
12687-50-01-2-3-4-6-9	Böhler K110	71,50	150	310	26,10
12687-50-01-2-4-6	Böhler K110	71,50	72	109	4,41
12687-50-01-2-5-7	Böhler K110	71,50	82	245	11,28
10695-30-01-14-15	W.1.2379	71,50	74	271	11,26
10695-30-01-17	W.1.2379	71,50	22	380	4,69
10695-30-01-21	W.1.2379	71,50	67	150	5,64
13910-20-01-3	W.1.2379	71,50	1 045	1 244	729,65
017175	Böhler K110	80,50	34	292	6,27
022976	Böhler K110	80,50	50	630	19,91
10206-10-01-11-29	Böhler K110	80,50	33	112	2,34
10206-10-01-95	Böhler K110	80,50	64	90	3,64
10748-40-01-12	Böhler K110	80,50	49	652	20,19
12197-10-01-11-12-14-15-17	Böhler K110	80,50	20	502	6,35
12197-10-01-11-13	Böhler K110	80,50	30	499	9,46
12197-10-01-3	Böhler K110	80,50	37	306	7,16
12197-10-01-4	Böhler K110	80,50	38	304	7,30
12687-60-01-3-6	Böhler K110	80,50	56	500	17,69
12687-60-01-4-5-6-8-11-14	Böhler K110	80,50	57	450	16,21
12687-60-a2-1-2-6-7	Böhler K110	80,50	27	255	4,35
12687-60-a2-1-2-6-8	Böhler K110	80,50	66	103	4,30
13515-50-01-3-5-7	Böhler K110	80,50	80	1 044	52,78
13515-50-01-4-5-7	Böhler K110	80,50	216	237	32,35
13515-50-01-4-5-8	Böhler K110	0,00	0	0	0,00
13515-50-01-4-5-8-10	Böhler K110	0,00	0	0	0,00
13515-50-01-4-5-8-10-12	Böhler K110	80,50	340	450	96,69
13515-50-01-4-5-8-10-13	Böhler K110	0,00	0	0	0,00
13515-50-01-4-5-8-10-13-15	Böhler K110	80,50	34	350	7,52
13515-50-01-4-5-9	Böhler K110	0,00	0	0	0,00
13515-50-01-4-5-9-11	Böhler K110	80,50	610	1 044	402,44
10741-30-01-8-9-10	W.1.2379	80,50	264	277	46,21
10741-30-a1-1-2	W.1.2379	80,50	100	126	7,96
015053	W.1.2379	104,00	45	531	19,51
022441-1	W.1.2379	35,00	315	350	30,29
022441-2	W.1.2379	34,00	125	148	4,94
060410-1	W.1.2379	100,00	68	245	13,08
060410-1-2	W.1.2379	100,00	75	100	5,89
10017	W.1.2379	100,00	61	171	8,19
10017-2	W.1.2379	100,00	51	197	7,89
10074	W.1.2379	100,00	74	171	9,93
10276-10-01-3-78-79	W.1.2379	100,00	26	229	4,67
10276-10-01-3-83	W.1.2379	100,00	64	125	6,28
10276-10-01-88	W.1.2379	100,00	70	120	6,59

K110 valmispalat

7.12.2023

Eränumero	Laatu	Paksuus	Leveys	Pituus	Paino
10640-10-01-10-15	W.1.2379	100,00	34	93	2,48
10640-10-01-3	W.1.2379	100,00	35	305	8,38
10640-10-01-6-8	W.1.2379	100,00	46	180	6,50
10640-10-01-9	W.1.2379	100,00	20	1 015	15,94
10817-10-01-5	W.1.2379	100,00	74	117	6,80
10817-10-01--7-10	W.1.2379	100,00	58	112	5,10
10817-10-01--7-11	W.1.2379	100,00	24	194	3,66
10817-10-01--7-8	W.1.2379	100,00	30	403	9,49
10979-50-01-10-12	W.1.2379	100,00	75	93	5,48
10979-50-01-11	W.1.2379	100,50	58	313	14,32
10979-50-01-16	W.1.2379	100,00	59	258	11,95
13041-10-01-4-7	W.1.2379	55,00	100	148	6,39
13041-10-01-5-7-8	W.1.2379	100,00	59	90	4,17
14067-10-01-3	W.1.2379	0,00	0	0	0,00
14067-10-01-3-5	W.1.2379	100,00	512	600	241,15
14067-10-01-4	W.1.2379	100,00	120	385	36,27