

K110 valmispalat

15.07.2024

| Eränumero | Laatu | Paksuus | Leveys | Pituus | Paino |
|-------------------------|--------------|---------|--------|--------|----------|
| 13557-10-10-11-13-14-16 | Böhler K110 | 202,00 | 0 | 940 | 236,48 |
| 13590-10-01-3-4-5-8 | Böhler K110 | 222,00 | 0 | 2 120 | 644,17 |
| 13934-80-01 | Böhler K110 | 222,00 | 0 | 4 355 | 1 323,29 |
| c1-1-9-13 | Böhler K110 | 222,00 | 0 | 60 | 18,23 |
| 13042-20-01-3-4-5-7 | Böhler K110 | 232,00 | 0 | 115 | 38,16 |
| z1-1-4-6-10 | Böhler K110 | 232,00 | 0 | 83 | 27,54 |
| 13042-30-01-7-9-10-12 | Böhler K110 | 252,50 | 0 | 55 | 21,62 |
| 13526-20-01-5-7 | Böhler K110 | 252,50 | 0 | 2 735 | 1 075,08 |
| z2-1-5-12-14 | Böhler K110 | 252,50 | 0 | 90 | 35,38 |
| 13217-10-01-2-3 | Böhler K110 | 272,50 | 0 | 995 | 455,53 |
| 13217-10-01-2-4 | Böhler K110 | 272,50 | 0 | 53 | 24,26 |
| z3-1 | Böhler K110 | 272,50 | | 165 | 75,54 |
| 13042-40-01-4 | Böhler K110 | 282,00 | 0 | 159 | 77,96 |
| 13845-120-01 | Böhler K110 | 282,00 | 0 | 1 000 | 490,30 |
| z4-1 | Böhler K110 | 282,50 | | 47 | 23,13 |
| z5-1-6-11-14-16-18-20 | Böhler K110 | 302,50 | 0 | 540 | 304,65 |
| 13148-10-01-3-5 | Böhler K110 | 323,00 | 0 | 207 | 133,15 |
| 13595-20-01-4-5 | Böhler K110 | 323,00 | 0 | 1 065 | 685,04 |
| z7-1-4-12-16-17 | Böhler K110 | 323,00 | 0 | 42 | 27,02 |
| z7-1-4-12-16-18 | Böhler K110 | 323,00 | 0 | 23 | 14,79 |
| z7-1-5 | Böhler K110 | 323,00 | | 20 | 12,87 |
| z8-1-2-4-6-9-11-12 | Böhler K110 | 343,00 | 0 | 370 | 268,38 |
| z8-1-2-4-6-9-11-13 | Böhler K110 | 343,00 | 0 | 30 | 21,76 |
| 13544-10-01 | Böhler K110 | 373,00 | 0 | 1 360 | 1 166,58 |
| z10-1 | Böhler K110 | 373,00 | | 26 | 22,30 |
| z10-1-2 | Böhler K110 | 373,00 | | 103 | 88,35 |
| z10-1-4 | Böhler K110 | 373,00 | | 31 | 26,59 |
| z10-1-5 | Böhler K110 | 373,00 | | 29 | 24,88 |
| 13553-30-01-2 | Böhler K110 | 403,00 | 0 | 623 | 623,82 |
| z13-1-10 | Böhler K110 | 403,00 | | 47 | 47,06 |
| z13-1-2 | Böhler K110 | 403,00 | | 48 | 48,06 |
| z13-1-3 | Böhler K110 | 403,00 | | 29 | 29,04 |
| z13-1-4-6-7-8 | Böhler K110 | 403,00 | 0 | 44 | 44,06 |
| z13-1-6 | Böhler K110 | 403,00 | | 56 | 56,07 |
| z13-1-7 | Böhler K110 | 403,00 | | 26 | 26,03 |
| z13-1-8 | Böhler K110 | 403,00 | | 47 | 47,06 |
| 010994 | Böhler K110/ | 45,00 | 97 | 125 | 4,28 |
| 010995 | Böhler K110/ | 45,00 | 97 | 125 | 4,28 |
| 010996 | Böhler K110/ | 45,00 | 97 | 159 | 5,45 |
| 011001 | Böhler K110/ | 45,00 | 124 | 136 | 5,96 |
| 011009 | Böhler K110/ | 45,00 | 63 | 310 | 6,90 |
| 011054 | Böhler K110/ | 50,00 | 50 | 350 | 6,87 |
| 013103 | Böhler K110/ | 53,00 | 60 | 230 | 5,74 |

K110 valmispalat

15.07.2024

| Eränumero | Laatu | Paksuus | Leveys | Pituus | Paino |
|-----------|--------------|---------|--------|--------|-------|
| 013277 | Böhler K110/ | 45,00 | 81 | 202 | 5,78 |
| 013376 | Böhler K110/ | 39,00 | 40 | 342 | 4,19 |
| 014132 | Böhler K110/ | 52,00 | 60 | 194 | 4,75 |
| 015219-2 | Böhler K110/ | 60,00 | 50 | 530 | 12,48 |
| 016730 | Böhler K110/ | 45,00 | 60 | 256 | 5,43 |
| 018213 | Böhler K110/ | 15,00 | 52 | 255 | 1,56 |
| 019103 | Böhler K110/ | 35,00 | 101 | 166 | 4,61 |
| 019639-1 | Böhler K110/ | 35,00 | 58 | 345 | 5,50 |
| 019820 | Böhler K110/ | 0,00 | 0 | 0 | 0,00 |
| 35135-1-2 | Böhler K110 | 35,00 | 91 | 150 | 3,75 |
| 019629 | Böhler K110 | 43,00 | 80 | 792 | 21,39 |
| 019677 | Böhler K110 | 43,00 | 51 | 628 | 10,81 |
| 015488 | Böhler K110/ | 60,50 | 27 | 538 | 6,90 |
| 015498 | Böhler K110/ | 104,00 | 67 | 116 | 6,35 |
| 015785 | Böhler K110/ | 60,50 | 53 | 176 | 4,43 |
| 015895 | Böhler K110/ | 50,50 | 40 | 295 | 4,68 |
| 015900 | Böhler K110/ | 105,00 | 25 | 535 | 11,02 |
| 016006 | Böhler K110/ | 80,50 | 32 | 195 | 3,94 |
| 016141 | Böhler K110/ | 104,00 | 25 | 161 | 3,29 |
| 016381 | Böhler K110/ | 60,50 | 30 | 376 | 5,36 |
| 016516 | Böhler K110/ | 60,50 | 27 | 329 | 4,22 |
| 016551 | Böhler K110/ | 60,50 | 40 | 320 | 6,08 |
| 016732 | Böhler K110/ | 60,50 | 28 | 245 | 3,26 |
| 016765 | Böhler K110/ | 80,50 | 34 | 205 | 4,41 |
| 017047 | Böhler K110/ | 60,50 | 40 | 353 | 6,71 |
| 017070 | Böhler K110/ | 50,50 | 31 | 450 | 5,53 |
| 017082 | Böhler K110/ | 50,50 | 45 | 226 | 4,03 |
| 017171 | Böhler K110/ | 60,50 | 41 | 606 | 11,80 |
| 017359 | Böhler K110/ | 60,50 | 35 | 440 | 7,31 |
| 018255 | Böhler K110/ | 60,50 | 21 | 514 | 5,13 |
| 018696 | Böhler K110/ | 50,50 | 22 | 499 | 4,35 |
| 018869 | Böhler K110/ | 34,00 | 121 | 155 | 5,01 |
| 019020 | Böhler K110/ | 45,50 | 105 | 221 | 8,29 |
| 019067 | Böhler K110/ | 45,50 | 55 | 278 | 5,46 |
| 019276 | Böhler K110/ | 71,50 | 26 | 282 | 4,12 |
| 019282 | Böhler K110/ | 45,50 | 60 | 245 | 5,25 |
| 019433 | Böhler K110/ | 60,00 | 100 | 220 | 10,36 |
| 019451 | Böhler K110/ | 50,50 | 30 | 335 | 3,98 |
| 019521 | Böhler K110/ | 80,50 | 45 | 210 | 5,97 |
| 019559 | Böhler K110/ | 60,50 | 37 | 502 | 8,82 |
| 019655 | Böhler K110/ | 60,50 | 23 | 361 | 3,94 |
| 019937 | Böhler K110/ | 80,50 | 40 | 445 | 11,25 |
| 020074 | Böhler K110/ | 80,50 | 38 | 180 | 4,32 |
| 020081 | Böhler K110/ | 45,50 | 105 | 111 | 4,16 |

K110 valmispalat

15.07.2024

| Eränumero | Laatu | Paksuus | Leveys | Pituus | Paino |
|-----------|--------------|---------|--------|--------|-------|
| 020148 | Böhler K110/ | 50,50 | 38 | 398 | 6,00 |
| 020215 | Böhler K110/ | 60,50 | 41 | 335 | 6,52 |
| 020216 | Böhler K110/ | 60,50 | 29 | 440 | 6,06 |
| 020217 | Böhler K110/ | 60,50 | 29 | 440 | 6,06 |
| 020929 | Böhler K110/ | 32,50 | 35 | 290 | 2,59 |
| 021004 | Böhler K110/ | 45,50 | 136 | 162 | 7,87 |
| 021050 | Böhler K110/ | 60,50 | 81 | 112 | 4,31 |
| 021147 | Böhler K110/ | 80,50 | 36 | 285 | 6,48 |
| 021214 | Böhler K110/ | 80,50 | 51 | 351 | 11,31 |
| 021345 | Böhler K110/ | 50,50 | 43 | 337 | 5,75 |
| 021410 | Böhler K110/ | 45,50 | 90 | 165 | 5,30 |
| 021496 | Böhler K110/ | 60,50 | 28 | 381 | 5,07 |
| 021586 | Böhler K110/ | 45,50 | 40 | 260 | 3,72 |
| 021675 | Böhler K110/ | 60,50 | 60 | 234 | 6,67 |
| 021707 | Böhler K110/ | 60,50 | 76 | 250 | 9,02 |
| 021715 | Böhler K110/ | 45,50 | 28 | 422 | 4,22 |
| 021727 | Böhler K110/ | 71,50 | 49 | 141 | 3,88 |
| 021728 | Böhler K110/ | 71,50 | 49 | 140 | 3,85 |
| 021768-1 | Böhler K110/ | 80,50 | 41 | 180 | 4,66 |
| 021768-2 | Böhler K110/ | 80,50 | 174 | 320 | 35,19 |
| 021768-3 | Böhler K110/ | 80,50 | 24 | 360 | 5,46 |
| 021770 | Böhler K110/ | 45,50 | 51 | 450 | 8,20 |
| 021781 | Böhler K110/ | 80,50 | 51 | 232 | 7,48 |
| 021835 | Böhler K110/ | 80,50 | 55 | 345 | 11,99 |
| 021873 | Böhler K110/ | 50,50 | 27 | 259 | 2,77 |
| 021883 | Böhler K110/ | 32,50 | 53 | 145 | 1,96 |
| 021898 | Böhler K110/ | 71,50 | 33 | 255 | 4,72 |
| 022175 | Böhler K110/ | 60,50 | 48 | 250 | 5,70 |
| 022219 | Böhler K110/ | 80,50 | 73 | 75 | 3,46 |
| 022236 | Böhler K110/ | 23,00 | 106 | 155 | 2,97 |
| 022240 | Böhler K110/ | 60,50 | 25 | 250 | 2,97 |
| 022245 | Böhler K110/ | 40,50 | 47 | 235 | 3,51 |
| 022246 | Böhler K110/ | 45,50 | 33 | 680 | 8,02 |
| 022265 | Böhler K110/ | 50,50 | 61 | 90 | 2,18 |
| 022431 | Böhler K110/ | 45,50 | 30 | 335 | 3,59 |
| 022433 | Böhler K110/ | 50,50 | 65 | 248 | 6,39 |
| 022440 | Böhler K110/ | 80,50 | 41 | 164 | 4,25 |
| 022516 | Böhler K110/ | 80,50 | 20 | 505 | 6,38 |
| 022520 | Böhler K110/ | 40,50 | 74 | 195 | 4,59 |
| 022669 | Böhler K110/ | 80,50 | 32 | 142 | 2,87 |
| 022694 | Böhler K110/ | 71,50 | 49 | 112 | 3,08 |
| 022713 | Böhler K110/ | 60,50 | 44 | 205 | 4,28 |
| 022721 | Böhler K110/ | 24,00 | 110 | 268 | 5,55 |
| 022801 | Böhler K110/ | 60,50 | 31 | 163 | 2,40 |

K110 valmispalat

15.07.2024

| Eränumero | Laatu | Paksuus | Leveys | Pituus | Paino |
|--------------------------|--------------|---------|--------|--------|--------|
| 022949 | Böhler K110/ | 45,50 | 59 | 443 | 9,34 |
| 022950 | Böhler K110/ | 60,50 | 40 | 161 | 3,06 |
| 022984 | Böhler K110/ | 32,50 | 150 | 166 | 6,35 |
| 022986 | Böhler K110/ | 71,50 | 44 | 131 | 3,24 |
| 022995 | Böhler K110/ | 32,50 | 102 | 125 | 3,25 |
| 023011-1 | Böhler K110/ | 32,50 | 56 | 265 | 3,79 |
| 023011-2 | Böhler K110/ | 32,50 | 84 | 230 | 4,93 |
| 023132 | Böhler K110/ | 40,50 | 56 | 327 | 5,82 |
| 023228 | Böhler K110/ | 32,50 | 109 | 125 | 3,48 |
| 023287 | Böhler K110/ | 25,50 | 127 | 140 | 3,56 |
| 023493 | Böhler K110/ | 80,50 | 48 | 210 | 6,37 |
| 023538 | Böhler K110/ | 40,50 | 55 | 216 | 3,78 |
| 023542 | Böhler K110/ | 40,50 | 56 | 197 | 3,51 |
| 023669 | Böhler K110/ | 50,50 | 80 | 257 | 8,15 |
| 023670 | Böhler K110/ | 40,50 | 60 | 251 | 4,79 |
| 023696 | Böhler K110/ | 70,00 | 100 | 105 | 5,77 |
| 023781 | Böhler K110/ | 32,50 | 69 | 170 | 2,99 |
| 023866 | Böhler K110/ | 25,50 | 113 | 131 | 2,96 |
| 023959 | Böhler K110/ | 80,00 | 100 | 109 | 6,85 |
| 13343-10-02-5-7-8-10 | Böhler K110/ | 10,50 | 38 | 1 014 | 3,18 |
| 13343-10-02-7-8 | Böhler K110/ | 10,50 | 34 | 1 010 | 2,83 |
| 13515-10-01-3-5-10-11-13 | Böhler K110/ | 10,50 | 143 | 1 015 | 11,96 |
| 13515-10-02 | Böhler K110/ | 10,50 | 1 015 | 2 015 | 168,58 |
| 13515-10-03 | Böhler K110/ | 10,50 | 1 010 | 2 015 | 167,75 |
| 13515-10-04 | Böhler K110/ | 10,50 | 1 008 | 2 015 | 167,42 |
| 13703-10-01 | Böhler K110/ | 10,50 | 1 018 | 2 010 | 168,66 |
| 13703-10-02-5-10-12 | Böhler K110/ | 10,50 | 60 | 1 785 | 8,83 |
| 13703-10-02-5-11 | Böhler K110/ | 10,50 | 520 | 765 | 32,79 |
| 13703-10-02-5-7 | Böhler K110/ | 10,50 | 120 | 676 | 6,69 |
| 13703-10-02-5-9 | Böhler K110/ | 10,50 | 170 | 765 | 10,72 |
| 13703-10-02-6 | Böhler K110/ | 10,50 | 223 | 610 | 11,21 |
| 13703-10-03-5 | Böhler K110/ | 10,50 | 861 | 2 010 | 142,65 |
| 13703-10-04-5 | Böhler K110/ | 10,50 | 1 017 | 1 741 | 145,94 |
| 12490-10-a1 | Böhler K110/ | 15,50 | 105 | 128 | 1,64 |
| 12687-10-01-6-9-11-13-16 | Böhler K110/ | 15,50 | 45 | 254 | 1,39 |
| 12687-10-02-4-5-6-8 | Böhler K110/ | 15,50 | 40 | 1 050 | 5,11 |
| 12687-10-02-4-5-6-9 | Böhler K110/ | 15,50 | 40 | 1 050 | 5,11 |
| 13515-20-01-3-5-6 | Böhler K110/ | 15,50 | 1 060 | 2 770 | 357,26 |
| 13515-20-02 | Böhler K110/ | 15,50 | 935 | 1 060 | 120,59 |
| 13515-20-02-4 | Böhler K110/ | 15,50 | 1 060 | 1 835 | 236,67 |
| 13515-20-02-5 | Böhler K110/ | 15,50 | 260 | 303 | 9,59 |
| 13585-10-01-4-6 | Böhler K110/ | 15,50 | 840 | 2 475 | 252,96 |
| 13703-20-01-3-5-6-8-9-12 | Böhler K110/ | 20,50 | 400 | 640 | 41,20 |
| 13703-20-02-6-7 | Böhler K110/ | 20,50 | 187 | 583 | 17,54 |

K110 valmispalat

15.07.2024

| Eränumero | Laatu | Paksuus | Leveys | Pituus | Paino |
|----------------------------|--------------|---------|--------|--------|--------|
| 13703-20-02-7-11-13-15 | Böhler K110/ | 20,50 | 355 | 680 | 38,85 |
| 13703-20-02-7-12-13-16 | Böhler K110/ | 20,50 | 69 | 495 | 5,50 |
| 13703-20-a1 | Böhler K110/ | 20,50 | 239 | 303 | 11,65 |
| 13566-20-01-4-5-7 | 1.2379 / Böh | 20,50 | 50 | 1 037 | 8,34 |
| 13566-20-01-7-10-12-13 | 1.2379 / Böh | 20,50 | 405 | 570 | 37,15 |
| 13566-20-01-7-10-14-17 | 1.2379 / Böh | 20,50 | 223 | 303 | 10,87 |
| 13566-20-01-7-10-14-18-19 | 1.2379 / Böh | 20,50 | 160 | 745 | 19,18 |
| 13566-20-01-7-8 | 1.2379 / Böh | 20,50 | 161 | 302 | 7,82 |
| 13566-20-02-5-6 | 1.2379 / Böh | 20,50 | 160 | 300 | 7,72 |
| 13566-20-02-6-7 | 1.2379 / Böh | 20,50 | 160 | 300 | 7,72 |
| 13566-20-02-7-8 | 1.2379 / Böh | 20,50 | 160 | 300 | 7,72 |
| 13566-20-02-8-10-12 | 1.2379 / Böh | 20,50 | 385 | 695 | 43,06 |
| 14246-10-01-3 | 1.2379 / Böh | 20,50 | 955 | 2 702 | 415,25 |
| 10235-10-02-43 | Böhler K110/ | 25,50 | 66 | 176 | 2,33 |
| 11300-20-01-21-22-24-26-27 | Böhler K110/ | 25,50 | 53 | 156 | 1,66 |
| 11300-20-a4 | Böhler K110/ | 25,50 | 131 | 205 | 5,38 |
| 12825-10-01-4-5-6-7-8-17 | Böhler K110/ | 25,50 | 52 | 425 | 4,42 |
| 12825-10-a2-4-6 | Böhler K110/ | 25,50 | 54 | 304 | 3,29 |
| 13033-10-a1-2 | Böhler K110/ | 25,50 | 81 | 184 | 2,98 |
| 13033-10-a3 | Böhler K110/ | 25,50 | 59 | 725 | 8,56 |
| 13033-10-a4 | Böhler K110/ | 25,50 | 55 | 202 | 2,22 |
| 13033-10-a5 | Böhler K110/ | 25,50 | 55 | 203 | 2,24 |
| 13585-20-a3-2-4-6-10-12 | Böhler K110/ | 25,50 | 65 | 355 | 4,62 |
| 13585-20-a3-2-5-7-10 | Böhler K110/ | 25,50 | 100 | 111 | 2,22 |
| 13585-20-a3-2-5-7-11 | Böhler K110/ | 25,50 | 110 | 120 | 2,64 |
| 13585-20-a3-2-5-7-12-14-16 | Böhler K110/ | 25,50 | 45 | 125 | 1,13 |
| 13585-20-a5-2 | Böhler K110/ | 25,50 | 86 | 355 | 6,11 |
| 13585-20-a5-3 | Böhler K110/ | 25,50 | 41 | 605 | 4,97 |
| 13703-30-a1-3 | Böhler K110/ | 25,50 | 140 | 205 | 5,75 |
| 13703-30-a3-2 | Böhler K110/ | 25,50 | 780 | 1 063 | 165,97 |
| 13703-30-a5 | Böhler K110/ | 25,50 | 108 | 121 | 2,62 |
| 13086-10-01-2-4 | 1.2379 / Böh | 25,50 | 152 | 200 | 6,09 |
| 13086-10-01-2-6-9-11-12 | 1.2379 / Böh | 25,50 | 98 | 378 | 7,42 |
| 13086-10-01-5-6-9 | 1.2379 / Böh | 25,50 | 128 | 283 | 7,25 |
| 10187-10-02-13-54 | Böhler K110/ | 32,50 | 60 | 135 | 2,07 |
| 10235-20-02 | Böhler K110/ | 32,50 | 44 | 149 | 1,67 |
| 10315-30-01-93 | Böhler K110/ | 32,50 | 16 | 485 | 1,98 |
| 10748-10-01-5 | Böhler K110/ | 32,50 | 87 | 132 | 2,93 |
| 10995-10-01-12-15-17 | Böhler K110/ | 32,50 | 20 | 701 | 3,58 |
| 11156-10-02-16 | Böhler K110/ | 32,50 | 72 | 191 | 3,51 |
| 11573-10-01-5-6-7-9-11-13 | Böhler K110/ | 32,50 | 43 | 416 | 4,56 |
| 11917-20-02-6-7-11-12-14 | Böhler K110/ | 32,50 | 53 | 525 | 7,10 |
| 11917-20-02-6-7-11-12-15 | Böhler K110/ | 32,50 | 66 | 246 | 4,14 |
| 11917-20-02-6-7-16 | Böhler K110/ | 32,50 | 61 | 209 | 3,25 |

K110 valmispalat

15.07.2024

| Eränumero | Laatu | Paksuus | Leveys | Pituus | Paino |
|----------------------------|--------------|---------|--------|--------|--------|
| 11917-20-02-7-11 | Böhler K110/ | 32,50 | 52 | 217 | 2,88 |
| 11917-20-02-7-13-14 | Böhler K110/ | 32,50 | 68 | 166 | 2,88 |
| 11917-20-02-7-13-16 | Böhler K110/ | 32,50 | 114 | 120 | 3,49 |
| 11917-20-02-7-13-17-21 | Böhler K110/ | 32,50 | 56 | 312 | 4,46 |
| 12317-30-01-7 | Böhler K110/ | 30,00 | 32 | 1 035 | 7,80 |
| 12490-20-01-4-6-14 | Böhler K110/ | 32,50 | 47 | 578 | 6,93 |
| 12490-20-01-5 | Böhler K110/ | 32,50 | 90 | 197 | 4,52 |
| 12687-30-02-8-10-12-13-14 | Böhler K110/ | 32,50 | 47 | 405 | 4,86 |
| 12687-30-02-8-10-12-16-17 | Böhler K110/ | 32,50 | 64 | 150 | 2,45 |
| 12687-30-a1-4 | Böhler K110/ | 32,50 | 97 | 153 | 3,79 |
| 12687-30-a1-5-7-10 | Böhler K110/ | 32,50 | 108 | 164 | 4,52 |
| 12687-30-a1-5-7-9 | Böhler K110/ | 32,50 | 108 | 96 | 2,65 |
| 13441-10-01-3-5-7-8-10-12 | Böhler K110/ | 32,50 | 190 | 207 | 10,03 |
| 13441-10-01-3-5-7-8-16-17 | Böhler K110/ | 32,50 | 150 | 187 | 7,16 |
| 13441-10-01-3-5-7-8-16-19 | Böhler K110/ | 32,50 | 187 | 212 | 10,11 |
| 13441-10-01-3-5-7-8-16-20 | Böhler K110/ | 32,50 | 90 | 270 | 6,20 |
| 13441-10-01-3-5-7-8-16-21 | Böhler K110/ | 32,50 | 150 | 188 | 7,20 |
| 13441-10-02-3-6-7-10 | Böhler K110/ | 32,50 | 46 | 415 | 4,87 |
| 13441-10-02-4 | Böhler K110/ | 32,50 | 94 | 270 | 6,48 |
| 10565-40-01 | 1.2379 / Böh | 32,50 | 63 | 264 | 4,24 |
| 10741-10-01-8 | 1.2379 / Böh | 32,50 | 55 | 297 | 4,17 |
| 14246-20-01-3 | 1.2379 / Böh | 32,50 | 1 010 | 2 465 | 635,17 |
| 10995-20-02-5-8-10-11 | Böhler K110/ | 40,50 | 80 | 87 | 2,21 |
| 10995-20-02-5-8-10-12-14 | Böhler K110/ | 40,50 | 66 | 153 | 3,21 |
| 10995-20-a1 | Böhler K110/ | 40,50 | 86 | 243 | 6,64 |
| 10995-20-a2 | Böhler K110/ | 40,50 | 94 | 538 | 16,08 |
| 11219-10-01-6-8 | Böhler K110/ | 40,50 | 46 | 185 | 2,71 |
| 11413-10-01-3-7 | Böhler K110/ | 40,50 | 46 | 187 | 2,74 |
| 11573-20-01-6-7-10-12-13 | Böhler K110/ | 40,50 | 55 | 268 | 4,69 |
| 11573-20-01-6-7-10-13-14 | Böhler K110/ | 40,50 | 167 | 185 | 9,82 |
| 11573-20-01-6-7-10-13-15 | Böhler K110/ | 40,50 | 101 | 142 | 4,56 |
| 11976-20-01-3-7 | Böhler K110/ | 40,50 | 16 | 500 | 2,54 |
| 11976-20-02-6-7 | Böhler K110/ | 40,00 | 42 | 618 | 8,15 |
| 11976-20-03-6-9-11-12-15 | Böhler K110/ | 40,50 | 32 | 370 | 3,76 |
| 11976-20-03-8-9 | Böhler K110/ | 40,50 | 62 | 239 | 4,71 |
| 12317-40-01-10 | Böhler K110/ | 40,50 | 49 | 452 | 7,04 |
| 12317-40-01-12 | Böhler K110/ | 40,50 | 50 | 450 | 7,15 |
| 12490-30-01-5-6-7 | Böhler K110/ | 40,50 | 54 | 341 | 5,85 |
| 12687-40-02-6-7-8-12-13-15 | Böhler K110/ | 40,50 | 134 | 147 | 6,26 |
| 12687-40-02-6-7-8-12-14 | Böhler K110/ | 40,50 | 141 | 150 | 6,72 |
| 12687-40-02-6-7-9-11 | Böhler K110/ | 40,50 | 90 | 100 | 2,86 |
| 12885-10-01-2-4-6-7 | Böhler K110/ | 40,50 | 20 | 1 031 | 6,56 |
| 12885-10-02-3-5 | Böhler K110/ | 40,50 | 32 | 1 115 | 11,34 |
| 12885-10-02-3-7 | Böhler K110/ | 40,50 | 32 | 356 | 3,62 |

K110 valmispalat

15.07.2024

| Eränumero | Laatu | Paksuus | Leveys | Pituus | Paino |
|----------------------------|--------------|---------|--------|--------|--------|
| 12885-10-02-4-11 | Böhler K110/ | 40,50 | 92 | 265 | 7,75 |
| 13515-30-01-3-4-6-12-16 | Böhler K110/ | 40,50 | 70 | 458 | 10,19 |
| 13515-30-01-3-4-6-12-17 | Böhler K110/ | 40,50 | 70 | 435 | 9,68 |
| 13515-30-01-3-4-6-12-18 | Böhler K110/ | 40,50 | 70 | 435 | 9,68 |
| 13515-30-01-3-4-6-13-15 | Böhler K110/ | 40,50 | 55 | 200 | 3,50 |
| 13515-30-01-3-4-6-14 | Böhler K110/ | 40,50 | 167 | 295 | 15,66 |
| 13515-30-01-3-4-6-9 | Böhler K110/ | 40,50 | 265 | 399 | 33,62 |
| 13515-30-01-3-5-7-9-10 | Böhler K110/ | 40,50 | 64 | 385 | 7,83 |
| 13515-30-01-3-5-7-9-11 | Böhler K110/ | 40,50 | 235 | 370 | 27,64 |
| 13515-30-02-4-8-10-13-15-1 | Böhler K110/ | 40,50 | 113 | 265 | 9,52 |
| 13515-30-a1 | Böhler K110/ | 40,50 | 305 | 405 | 39,27 |
| 13515-30-a3-1 | Böhler K110/ | 40,50 | 77 | 420 | 10,28 |
| 13515-30-a3-2-4-6 | Böhler K110/ | 40,50 | 280 | 1 815 | 161,57 |
| 13515-30-a5 | Böhler K110/ | 40,50 | 77 | 420 | 10,28 |
| 13515-30-a9 | Böhler K110/ | 40,50 | 155 | 495 | 24,39 |
| 40281 | Böhler K110/ | 40,50 | 47 | 281 | 4,20 |
| X1002 | Böhler K110/ | 40,50 | 62 | 153 | 3,02 |
| 13528-10-01-4 | 1.2379 / Böh | 40,50 | 660 | 992 | 208,15 |
| 13528-10-01-5-6-8 | 1.2379 / Böh | 40,50 | 139 | 1 035 | 45,74 |
| 13528-10-02-4-5-7 | 1.2379 / Böh | 40,50 | 200 | 315 | 20,03 |
| 13528-10-02-4-6-8 | 1.2379 / Böh | 40,50 | 992 | 2 090 | 659,15 |
| 10147-40-01-77-88 | Böhler K110/ | 45,50 | 41 | 325 | 4,76 |
| 10241-40-01-21 | Böhler K110/ | 45,50 | 112 | 275 | 11,00 |
| 10995-30-01-15-19 | Böhler K110/ | 45,50 | 56 | 267 | 5,34 |
| 10995-30-01-21-23 | Böhler K110/ | 45,50 | 31 | 196 | 2,17 |
| 11413-20-01-14-18-19 | Böhler K110/ | 45,50 | 144 | 288 | 14,81 |
| 11413-20-01-2-7 | Böhler K110/ | 45,50 | 31 | 217 | 2,40 |
| 11413-20-01-2-9 | Böhler K110/ | 45,50 | 55 | 248 | 4,87 |
| 11413-20-01-7-10 | Böhler K110/ | 45,50 | 81 | 288 | 8,33 |
| 11573-30-01-12-13-14-16 | Böhler K110/ | 45,50 | 56 | 243 | 4,86 |
| 11573-30-01-8-13 | Böhler K110/ | 45,50 | 48 | 284 | 4,87 |
| 11573-30-02-3-4-11-13-14 | Böhler K110/ | 45,50 | 98 | 310 | 10,85 |
| 11573-30-02-3-4-11-13-15 | Böhler K110/ | 45,50 | 50 | 277 | 4,95 |
| 11573-30-a1 | Böhler K110/ | 45,50 | 30 | 514 | 5,51 |
| 11573-30-a2 | Böhler K110/ | 45,50 | 87 | 538 | 16,72 |
| 11606-10-01-11-14-17 | Böhler K110/ | 45,40 | 50 | 204 | 3,64 |
| 11637-10-01-17-18-20 | Böhler K110/ | 45,50 | 95 | 208 | 7,06 |
| 11637-10-01-2-4 | Böhler K110/ | 45,50 | 33 | 417 | 4,92 |
| 11637-10-01-6 | Böhler K110/ | 45,50 | 134 | 141 | 6,75 |
| 11637-10-01-7 | Böhler K110/ | 45,50 | 134 | 140 | 6,70 |
| 11976-30-01-11-12 | Böhler K110/ | 45,50 | 97 | 593 | 20,55 |
| 11976-30-01-15-16-23 | Böhler K110/ | 45,50 | 103 | 599 | 22,04 |
| 11976-30-01-15-16-25-26-28 | Böhler K110/ | 45,50 | 85 | 345 | 10,47 |
| 11976-30-01-15-16-25-27 | Böhler K110/ | 45,50 | 49 | 437 | 7,65 |

K110 valmispalat

15.07.2024

| Eränumero | Laatu | Paksuus | Leveys | Pituus | Paino |
|---------------------------|--------------|---------|--------|--------|--------|
| 11976-30-01-15-16-26-28 | Böhler K110/ | 45,50 | 68 | 380 | 9,23 |
| 11976-30-01-3 | Böhler K110/ | 45,50 | 98 | 362 | 12,67 |
| 11976-30-01-6-9-10 | Böhler K110/ | 45,50 | 60 | 585 | 12,54 |
| 11976-30-01-6-9-11-12 | Böhler K110/ | 45,50 | 85 | 345 | 10,47 |
| 11976-30-01-8 | Böhler K110/ | 45,50 | 111 | 161 | 6,38 |
| 13188-10-01-4-6-8-9-11 | 1.2379 / Böh | 45,50 | 46 | 840 | 13,80 |
| 13188-10-01-4-6-9-11-12 | 1.2379 / Böh | 45,50 | 98 | 122 | 4,27 |
| 13188-10-01-4-6-9-11-13 | 1.2379 / Böh | 45,50 | 42 | 790 | 11,85 |
| 13188-10-01-4-6-9-11-14 | 1.2379 / Böh | 45,50 | 120 | 545 | 23,36 |
| 13188-10-01-4-7-9 | 1.2379 / Böh | 45,50 | 140 | 519 | 25,95 |
| 13188-10-01-4-9 | 1.2379 / Böh | 45,50 | 300 | 607 | 65,04 |
| 13793-10-01-3-5-7 | 1.2379 / Böh | 45,50 | 595 | 677 | 143,88 |
| 13793-10-01-4-5-7-10 | 1.2379 / Böh | 45,50 | 100 | 254 | 9,07 |
| 13793-10-01-4-5-7-11 | 1.2379 / Böh | 45,50 | 101 | 254 | 9,16 |
| 13793-10-01-4-5-7-9 | 1.2379 / Böh | 45,50 | 500 | 1 005 | 179,48 |
| 13793-10-01-4-5-7-9-12-13 | 1.2379 / Böh | 45,50 | 890 | 1 005 | 319,48 |
| 13793-10-01-4-5-7-9-12-14 | 1.2379 / Böh | 45,50 | 125 | 490 | 21,88 |
| 13793-10-01-4-5-7-9-12-15 | 1.2379 / Böh | 45,50 | 90 | 420 | 13,50 |
| 023087-4-5-7 | Böhler K110/ | 50,50 | 97 | 205 | 7,88 |
| 10147-50-01-11-67 | Böhler K110/ | 50,50 | 33 | 365 | 4,78 |
| 10748-30-01 | Böhler K110/ | 50,50 | 32 | 208 | 2,64 |
| 10748-30-01-12-13-14-15 | Böhler K110/ | 50,50 | 27 | 275 | 2,94 |
| 11127-20-01-13-16 | Böhler K110/ | 50,50 | 41 | 244 | 3,97 |
| 11127-20-01-13-17 | Böhler K110/ | 50,50 | 117 | 161 | 7,47 |
| 11593-10-01-4-5-6-7-11-12 | Böhler K110/ | 50,50 | 237 | 298 | 28,00 |
| 11593-10-01-4-5-6-7-11-13 | Böhler K110/ | 50,50 | 36 | 322 | 4,60 |
| 11593-10-a1-1 | Böhler K110/ | 50,50 | 61 | 217 | 5,25 |
| 11593-10-a2 | Böhler K110/ | 50,50 | 140 | 155 | 8,60 |
| 11593-10-a4 | Böhler K110/ | 50,50 | 66 | 217 | 5,68 |
| 11957-40-01-4-5-6-8-10 | Böhler K110/ | 50,50 | 112 | 212 | 9,41 |
| 11976-40-01-3-10-12-14 | Böhler K110/ | 50,50 | 117 | 156 | 7,24 |
| 11976-40-01-3-15-19 | Böhler K110/ | 50,50 | 158 | 396 | 24,80 |
| 11976-40-01-3-8 | Böhler K110/ | 50,50 | 121 | 281 | 13,48 |
| 11976-40-a1-2 | Böhler K110/ | 50,50 | 36 | 400 | 5,71 |
| 11976-40-a2 | Böhler K110/ | 50,50 | 148 | 305 | 17,90 |
| 13515-40-01-3-6 | Böhler K110/ | 50,50 | 49 | 355 | 6,90 |
| 13515-40-01-3-7 | Böhler K110/ | 50,50 | 285 | 480 | 54,23 |
| 13515-40-01-3-8 | Böhler K110/ | 50,50 | 405 | 580 | 93,12 |
| 13515-40-01-3-9-11-15 | Böhler K110/ | 50,50 | 170 | 432 | 29,11 |
| 13515-40-a3 | Böhler K110/ | 50,50 | 90 | 530 | 18,91 |
| 10741-20-01-11 | 1.2379 / Böh | 50,50 | 106 | 397 | 16,68 |
| 10741-20-01-11-16 | 1.2379 / Böh | 50,50 | 89 | 169 | 5,96 |
| 10741-20-01-12 | 1.2379 / Böh | 50,50 | 43 | 305 | 5,20 |
| 10741-20-01-14 | 1.2379 / Böh | 50,50 | 85 | 440 | 14,83 |

K110 valmispalat

15.07.2024

| Eränumero | Laatu | Paksuus | Leveys | Pituus | Paino |
|----------------------------|--------------|---------|--------|--------|--------|
| 10741-20-01-15 | 1.2379 / Böh | 50,50 | 207 | 343 | 28,15 |
| 13528-30-01-3-5 | 1.2379 / Böh | 50,50 | 992 | 2 005 | 788,47 |
| 13528-30-01-3-6 | 1.2379 / Böh | 50,50 | 70 | 400 | 11,10 |
| 13528-30-01-4-7 | 1.2379 / Böh | 50,50 | 277 | 290 | 31,85 |
| 13528-30-01-5 | 1.2379 / Böh | 50,50 | 302 | 386 | 46,21 |
| 11127-30-01-20-21-22-24 | Böhler K110/ | 60,50 | 44 | 151 | 3,16 |
| 11593-20-01-3-4-11-13 | Böhler K110/ | 60,50 | 66 | 360 | 11,28 |
| 11593-20-01-3-4-11-14-16 | Böhler K110/ | 60,50 | 92 | 733 | 32,03 |
| 11593-20-01-3-4-31-33 | Böhler K110/ | 60,50 | 130 | 130 | 8,03 |
| 11593-20-01-3-4-6-7 | Böhler K110/ | 60,50 | 100 | 220 | 10,45 |
| 12444-10-01-4-5-6-7 | Böhler K110/ | 60,50 | 151 | 301 | 21,59 |
| 12444-10-01-4-5-7-8-10 | Böhler K110/ | 60,50 | 12 | 632 | 3,60 |
| 12444-10-01-6 | Böhler K110/ | 60,50 | 147 | 325 | 22,69 |
| 12444-10-01-7 | Böhler K110/ | 60,50 | 147 | 304 | 21,22 |
| 12444-10-02-12-15 | Böhler K110/ | 60,50 | 292 | 560 | 77,66 |
| 12444-10-02-12-16 | Böhler K110/ | 60,50 | 122 | 183 | 10,60 |
| 12444-10-02-12-17 | Böhler K110/ | 60,50 | 121 | 253 | 14,54 |
| 12444-10-02-12-18 | Böhler K110/ | 60,50 | 203 | 254 | 24,49 |
| 12444-10-02-4-6 | Böhler K110/ | 60,50 | 57 | 455 | 12,32 |
| 12444-10-a1-1-3 | Böhler K110/ | 60,50 | 68 | 1 034 | 33,39 |
| 13910-10-02-4-6-8 | Böhler K110/ | 60,50 | 205 | 1 050 | 102,23 |
| 13910-10-02-5-10-11-13 | Böhler K110/ | 60,50 | 177 | 1 050 | 88,27 |
| 13910-10-02-5-11 | Böhler K110/ | 60,50 | 213 | 580 | 58,67 |
| 13910-10-02-5-8-9 | Böhler K110/ | 60,50 | 80 | 620 | 23,56 |
| 14169-10-01-3-5 | Böhler K110/ | 60,50 | 200 | 448 | 42,55 |
| 14169-10-01-3-6 | Böhler K110/ | 60,50 | 90 | 1 310 | 55,99 |
| 14169-10-01-4-5-6 | Böhler K110/ | 60,50 | 832 | 2 039 | 805,69 |
| 14169-10-01-4-5-7 | Böhler K110/ | 60,50 | 325 | 882 | 136,14 |
| 14169-10-01-4-5-8 | Böhler K110/ | 60,50 | 96 | 390 | 17,78 |
| 10507-30-01-13 | 1.2379 / Böh | 60,50 | 70 | 365 | 12,13 |
| 10507-30-01-18-19 | 1.2379 / Böh | 60,50 | 31 | 492 | 7,24 |
| 10096-30-01-2 | Böhler K110/ | 71,50 | 45 | 140 | 3,54 |
| 10096-30-01-3 | Böhler K110/ | 71,50 | 65 | 610 | 22,26 |
| 10995-40-01-15-19 | Böhler K110/ | 71,50 | 47 | 165 | 4,35 |
| 10995-40-01-15-20 | Böhler K110/ | 71,50 | 47 | 168 | 4,43 |
| 10995-40-01-16-17-18-20-21 | Böhler K110/ | 71,50 | 46 | 501 | 12,94 |
| 10995-40-01-16-18-22-23 | Böhler K110/ | 24,00 | 71 | 646 | 8,64 |
| 12186-10-01-5-6-7-9 | Böhler K110/ | 42,00 | 71 | 351 | 8,22 |
| 12186-10-01-5-6-9-10-13-14 | Böhler K110/ | 71,50 | 61 | 250 | 8,56 |
| 12186-10-01-5-6-9-14-17 | Böhler K110/ | 71,50 | 93 | 168 | 8,77 |
| 12186-10-a4-1 | Böhler K110/ | 71,50 | 127 | 345 | 24,59 |
| 12186-10-a5 | Böhler K110/ | 71,50 | 78 | 150 | 6,57 |
| 12687-50-01-2-3-4-6-10 | Böhler K110/ | 71,50 | 190 | 735 | 78,38 |
| 12687-50-01-2-3-4-6-11-13 | Böhler K110/ | 71,50 | 150 | 270 | 22,73 |

K110 valmispalat

15.07.2024

| Eränumero | Laatu | Paksuus | Leveys | Pituus | Paino |
|----------------------------|--------------|---------|--------|--------|----------|
| 12687-50-01-2-3-4-6-9 | Böhler K110/ | 71,50 | 150 | 310 | 26,10 |
| 12687-50-01-2-4-6 | Böhler K110/ | 71,50 | 72 | 109 | 4,41 |
| 12687-50-01-2-5-7 | Böhler K110/ | 71,50 | 82 | 245 | 11,28 |
| 10695-30-01-14-15 | 1.2379 / Böh | 71,50 | 74 | 271 | 11,26 |
| 10695-30-01-17 | 1.2379 / Böh | 71,50 | 22 | 380 | 4,69 |
| 10695-30-01-21 | 1.2379 / Böh | 71,50 | 67 | 150 | 5,64 |
| 13910-20-01-3-5-7 | 1.2379 / Böh | 71,50 | 464 | 685 | 178,40 |
| 017175 | Böhler K110/ | 80,50 | 34 | 292 | 6,27 |
| 022976 | Böhler K110/ | 80,50 | 50 | 630 | 19,91 |
| 10206-10-01-11-29 | Böhler K110/ | 80,50 | 33 | 112 | 2,34 |
| 10206-10-01-95 | Böhler K110/ | 80,50 | 64 | 90 | 3,64 |
| 10748-40-01-12 | Böhler K110/ | 80,50 | 49 | 652 | 20,19 |
| 12197-10-01-11-12-14-15-17 | Böhler K110/ | 80,50 | 20 | 502 | 6,35 |
| 12197-10-01-11-13 | Böhler K110/ | 80,50 | 30 | 499 | 9,46 |
| 12197-10-01-3 | Böhler K110/ | 80,50 | 37 | 306 | 7,16 |
| 12197-10-01-4 | Böhler K110/ | 80,50 | 38 | 304 | 7,30 |
| 12687-60-01-3-6 | Böhler K110/ | 80,50 | 56 | 500 | 17,69 |
| 12687-60-01-4-5-6-8-11-14 | Böhler K110/ | 80,50 | 57 | 450 | 16,21 |
| 12687-60-a2-1-2-6-7 | Böhler K110/ | 80,50 | 27 | 255 | 4,35 |
| 12687-60-a2-1-2-6-8 | Böhler K110/ | 80,50 | 66 | 103 | 4,30 |
| 13515-50-01-3-5-7-10 | Böhler K110/ | 80,50 | 35 | 540 | 11,94 |
| 13515-50-01-4-5-7 | Böhler K110/ | 80,50 | 216 | 237 | 32,35 |
| 13515-50-01-4-5-8-10-12 | Böhler K110/ | 80,50 | 340 | 450 | 96,69 |
| 13515-50-01-4-5-8-10-13-15 | Böhler K110/ | 80,50 | 34 | 350 | 7,52 |
| 13515-50-01-4-5-9-11-14 | Böhler K110/ | 80,50 | 45 | 500 | 14,22 |
| 10741-30-01-8-9-10 | 1.2379 / Böh | 80,50 | 264 | 277 | 46,21 |
| 10741-30-a1-1-2 | 1.2379 / Böh | 80,50 | 100 | 126 | 7,96 |
| 14246-40-01-4 | 1.2379 / Böh | 80,50 | 70 | 1 120 | 49,54 |
| 14246-40-01-5 | 1.2379 / Böh | 80,50 | 930 | 2 425 | 1 425,15 |
| 015053 | 1.2379 / Böh | 104,00 | 45 | 531 | 19,51 |
| 022441-1 | 1.2379 / Böh | 35,00 | 315 | 350 | 30,29 |
| 022441-2 | 1.2379 / Böh | 34,00 | 125 | 148 | 4,94 |
| 060410-1 | 1.2379 / Böh | 100,00 | 68 | 245 | 13,08 |
| 060410-1-2 | 1.2379 / Böh | 100,00 | 75 | 100 | 5,89 |
| 10017 | 1.2379 / Böh | 100,00 | 61 | 171 | 8,19 |
| 10017-2 | 1.2379 / Böh | 100,00 | 51 | 197 | 7,89 |
| 10074 | 1.2379 / Böh | 100,00 | 74 | 171 | 9,93 |
| 10276-10-01-3-78-79 | 1.2379 / Böh | 100,00 | 26 | 229 | 4,67 |
| 10276-10-01-3-83 | 1.2379 / Böh | 100,00 | 64 | 125 | 6,28 |
| 10276-10-01-88 | 1.2379 / Böh | 100,00 | 70 | 120 | 6,59 |
| 10640-10-01-10-15 | 1.2379 / Böh | 100,00 | 34 | 93 | 2,48 |
| 10640-10-01-3 | 1.2379 / Böh | 100,00 | 35 | 305 | 8,38 |
| 10640-10-01-6-8 | 1.2379 / Böh | 100,00 | 46 | 180 | 6,50 |
| 10640-10-01-9 | 1.2379 / Böh | 100,00 | 20 | 1 015 | 15,94 |

K110 valmispalat

15.07.2024

| Eränumero | Laatu | Paksuus | Leveys | Pituus | Paino |
|-------------------|--------------|---------|--------|--------|--------|
| 10817-10-01-5 | 1.2379 / Böh | 100,00 | 74 | 117 | 6,80 |
| 10817-10-01--7-10 | 1.2379 / Böh | 100,00 | 58 | 112 | 5,10 |
| 10817-10-01--7-11 | 1.2379 / Böh | 100,00 | 24 | 194 | 3,66 |
| 10817-10-01--7-8 | 1.2379 / Böh | 100,00 | 30 | 403 | 9,49 |
| 10979-50-01-10-12 | 1.2379 / Böh | 100,00 | 75 | 93 | 5,48 |
| 10979-50-01-11 | 1.2379 / Böh | 100,50 | 58 | 313 | 14,32 |
| 10979-50-01-16 | 1.2379 / Böh | 100,00 | 59 | 258 | 11,95 |
| 13041-10-01-4-7 | 1.2379 / Böh | 55,00 | 100 | 148 | 6,39 |
| 13041-10-01-5-7-8 | 1.2379 / Böh | 100,00 | 59 | 90 | 4,17 |
| 14067-10-01-3-5 | 1.2379 / Böh | 100,00 | 512 | 600 | 241,15 |
| 14067-10-01-4-6 | 1.2379 / Böh | 100,00 | 120 | 245 | 23,08 |